

Disclaimer – Electronic Document

The electronic copy of this document (the “Copy”) has been delivered for the convenience and use of the recipient. The recipient accepts full responsibility for verifying the accuracy and completeness of the data and information in the Copy, and acknowledges that it is a working, but not definitive copy of this document.

The original hard copy of this document, signed by an authorized officer of Malroz (the “Original”), delivered and used in accordance with the terms of the applicable proposal or engagement contract entered into by Malroz for its preparation (the “Contract”), contains the only definitive terms, data and information on which reliance may be made. Malroz accepts no responsibility for and will have no liability arising from any use of or reliance on any data or information contained in the Copy. The delivery of the Copy to the recipient does not give the recipient or any other party any rights of use or reliance that are not expressly set out in the Contract.

The recipient agrees to defend, indemnify and hold Malroz harmless of and from any losses, claims, actions, liabilities, costs and expenses (including legal fees on a solicitor and his own client basis) arising in connection with the use or reliance on data or information contained in the Copy by any party not entitled to do so under the terms of the Contract.

The recipient of the Copy is prohibited from redistributing it, and from using any design or drawing information contained within it, in whole or in part, for any purpose other than that expressly permitted in the Contract, without the express prior written consent from Malroz, signed by an authorized officer of Malroz.

TOWNSHIP OF LEEDS AND THE THOUSAND ISLANDS

**Leeds Waste Disposal Site
2021 Annual Monitoring Report**



Appendix D-Monitoring and Screening Checklist General Information and Instructions

General Information: The checklist is to be completed, and submitted with the Monitoring Report.

Instructions: A complete checklist consists of:

- (a) a completed and signed checklist, including any additional pages of information which can be attached as needed to provide further details where indicated.
- (b) completed contact information for the Competent Environmental Practitioner (CEP)
- (c) self-declaration that CEP(s) meet(s) the qualifications as set out below and in Section 1.2 of the Technical Guidance Document.

Definition of Groundwater CEP:

For groundwater, the CEP must have expertise in hydrogeology and meet one of the following:

- (a) the person holds a licence, limited licence or temporary licence under the *Professional Engineers Act*; or
- (b) the person holds a certificate of registration under the *Professional Geoscientists Act, 2000* and is a practicing member, temporary member or limited member of the Association of Professional Geoscientists of Ontario. O. Reg. 66/08, s. 2..

Definition of Surface water CEP:

A CEP for surface water assessments is a scientist, professional engineer or professional geoscientist as described in (a) and (b) above with demonstrated experience and post-secondary education, either a diploma or degree, in hydrology, aquatic ecology, limnology, aquatic biology, physical geography with specialization in surface water, and/or water resource management.

The type of scientific work that a CEP performs must be consistent with that person's education and experience. If an individual has appropriate training and credentials in both groundwater and surface water and is responsible for both areas of expertise, the CEP may then complete and validate both sections of the checklist.

Monitoring Report and Site Information	
Waste Disposal Site Name	Leeds Waste Disposal Site
Location (e.g. street address, lot, concession)	Lot 11, Concession 3, in the Township of Leeds and the Thousand Islands
GPS Location (taken within the property boundary at front gate/ front entry)	442335.57 N, 761114.93 W
Municipality	Township of Leeds and the Thousand Islands
Client and/or Site Owner	The Corporation of the Township of Leeds and the Thousand Islands
Monitoring Period (Year)	2021
This Monitoring Report is being submitted under the following:	
Environmental Compliance Approval Number:	A442002
Director's Order No.:	NA
Provincial Officer's Order No.:	NA
Other:	NA

Report Submission Frequency	<input checked="" type="radio"/> Annual <input type="radio"/> Other		
The site is: (Operation Status)	<input type="radio"/> Open <input type="radio"/> Inactive <input checked="" type="radio"/> Closed		
Does your Site have a Total Approved Capacity?	<input type="radio"/> Yes <input checked="" type="radio"/> No		
If yes, please specify Total Approved Capacity		<i>Units</i>	Cubic Metres
Does your Site have a Maximum Approved Fill Rate?	<input type="radio"/> Yes <input checked="" type="radio"/> No		
If yes, please specify Maximum Approved Fill Rate	NA	<i>Units</i>	
Total Waste Received within Monitoring Period (Year)	NA	<i>Units</i>	
Total Waste Received within Monitoring Period (Year) <i>Methodology</i>	NA		
Estimated Remaining Capacity	NA	<i>Units</i>	
Estimated Remaining Capacity <i>Methodology</i>			
Estimated Remaining Capacity <i>Date Last Determined</i>	Select Date		
Non-Hazardous Approved Waste Types	<input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Industrial, Commercial & Institutional (IC&I) <input type="checkbox"/> Source Separated Organics (Green Bin) <input type="checkbox"/> Tires	<input type="checkbox"/> Contaminated Soil <input type="checkbox"/> Wood Waste <input type="checkbox"/> Blue Box Material <input type="checkbox"/> Processed Organics <input type="checkbox"/> Leaf and Yard Waste	<input type="checkbox"/> Food Processing/Preparation Operations Waste <input type="checkbox"/> Hauled Sewage Other: <input type="text"/>
Subject Waste Approved Waste Classes: Hazardous & Liquid Industrial <i>(separate waste classes by comma)</i>			
Year Site Opened <i>(enter the Calendar Year only)</i>	<input type="text"/>	Current ECA Issue Date	March 21, 2016
Is your Site required to submit Financial Assurance?	<input type="radio"/> Yes <input checked="" type="radio"/> No		
Describe how your Landfill is designed.	<input checked="" type="radio"/> Natural Attenuation only <input type="radio"/> Fully engineered Facility <input type="radio"/> Partially engineered Facility		
Does your Site have an approved Contaminant Attenuation Zone?	<input type="radio"/> Yes <input checked="" type="radio"/> No		

If closed, specify C of A, control or authorizing document closure date:

Amended ECA A442002 dated March 21, 2016.

Has the nature of the operations at the site changed during this monitoring period?

Yes

No

If yes, provide details:

Type Here

Have any measurements been taken since the last reporting period that indicate landfill gas volumes have exceeded the MOE limits for subsurface or adjacent buildings? (i.e. exceeded the LEL for methane)

Yes

No

Groundwater WDS Verification:

Based on all available information about the site and site knowledge, it is my opinion that:

Sampling and Monitoring Program Status:

<p>1) The monitoring program continues to effectively characterize site conditions and any groundwater discharges from the site. All monitoring wells are confirmed to be in good condition and are secure:</p>	<p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p>If no, list exceptions (Type Here):</p>
<p>2) All groundwater, leachate and WDS gas sampling and monitoring for the monitoring period being reported on was successfully completed as required by Certificate(s) of Approval or other relevant authorizing/control document (s):</p>	<p><input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not Applicable</p>	<p>If no, list exceptions below or attach information.</p>

Groundwater Sampling Location	Description/Explanation for change (change in name or location, additions, deletions)	Date
MW103, MW104	Not able to obtain complete sample set due to dry conditions, see report	April 2021
08-1, MW103, MW104	Not able to obtain complete sample set due to dry conditions, see report	October 2021
Type Here	Type Here	Select Date

3) a) Is landfill gas being monitored or controlled at the site?		<input checked="" type="radio"/> Yes <input type="radio"/> No	
If yes to 3(a), please answer the next two questions below.			
b) Have any measurements been taken since the last reporting period that indicate landfill gas is present in the subsurface at levels exceeding criteria established for the site?		<input type="radio"/> Yes <input checked="" type="radio"/> No	
c) Has the sampling and monitoring identified under 3(a) for the monitoring period being reported on was successfully completed in accordance with established protocols, frequencies, locations, and parameters developed as per the Technical Guidance Document:		<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Applicable	If no, list exceptions below or attach additional information.
Groundwater Sampling Location	Description/Explanation for change (change in name or location, additions, deletions)	Date	
Type Here	Type Here	Select Date	
Type Here	Type Here	Select Date	
Type Here	Type Here	Select Date	
Type Here	Type Here	Select Date	
4) All field work for groundwater investigations was done in accordance with standard operating procedures as established/outlined per the Technical Guidance Document (including internal/external QA/QC requirements) (Note: A SOP can be from a published source, developed internally by the site owner's consultant, or adopted by the consultant from another organization):		<input checked="" type="radio"/> Yes <input type="radio"/> No	See report for details.

Sampling and Monitoring Program Results/WDS Conditions and Assessment:

<p>5) The site has an adequate buffer, Contaminant Attenuation Zone (CAZ) and/or contingency plan in place. Design and operational measures, including the size and configuration of any CAZ, are adequate to prevent potential human health impacts and impairment of the environment.</p>	<p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>Additional buffer lands are in the process of being purchased. See report for details.</p>	
<p>6) The site meets compliance and assessment criteria.</p>	<p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>See previous comment and report for details.</p>	
<p>7) The site continues to perform as anticipated. There have been no unusual trends/ changes in measured leachate and groundwater levels or concentrations.</p>	<p><input checked="" type="radio"/> Yes</p> <p><input type="radio"/> No</p>	<p>If no, list exceptions and explain reason for increase/change (Type Here):</p>	
<p>1) Is one or more of the following risk reduction practices in place at the site:</p> <p>(a) There is minimal reliance on natural attenuation of leachate due to the presence of an effective waste liner and active leachate collection/ treatment; or</p> <p>(b) There is a predictive monitoring program in-place (modeled indicator concentrations projected over time for key locations); or</p> <p>(c) The site meets the following two conditions (typically achieved after 15 years or longer of site operation):</p> <p><i>i.</i> The site has developed stable leachate mound(s) and stable leachate plume geometry/concentrations; and</p> <p><i>ii.</i> Seasonal and annual water levels and water quality fluctuations are well understood.</p>	<p><input checked="" type="radio"/> Yes</p> <p><input type="radio"/> No</p>	<p>Note which practice(s):</p>	<p><input type="checkbox"/> (a)</p> <p><input type="checkbox"/> (b)</p> <p><input checked="" type="checkbox"/> (c)</p>
<p>9) Have trigger values for contingency plans or site remedial actions been exceeded (where they exist):</p>	<p><input checked="" type="radio"/> Yes</p> <p><input type="radio"/> No</p> <p><input type="radio"/> Not Applicable</p>	<p>See report for discussion.</p>	

Groundwater CEP Declaration:

I am a licensed professional Engineer or a registered professional geoscientist in Ontario with expertise in hydrogeology, as defined in Appendix D under Instructions. Where additional expertise was needed to evaluate the site monitoring data, I have relied on individuals who I believe to be experts in the relevant discipline, who have co-signed the compliance monitoring report or monitoring program status report, and who have provided evidence to me of their credentials.

I have examined the applicable Certificate of Approval and any other environmental authorizing or control documents that apply to the site. I have read and followed the Monitoring and Reporting for Waste Disposal Sites Groundwater and Surface Water Technical Guidance Document (MOE, 2010, or as amended), and associated monitoring and sampling guidance documents, as amended from time to time. I have reviewed all of the data collected for the above-referenced site for the monitoring period(s) identified in this checklist. Except as otherwise agreed with the ministry for certain parameters, all of the analytical work has been undertaken by a laboratory which is accredited for the parameters analysed to *ISO/IEC 17025:2005 (E)- General requirements for the competence of testing and calibration laboratories*, or as amended from time to time by the ministry.


If any exceptions or potential concerns have been noted in the questions in the checklist attached to this declaration, it is my opinion that these exceptions and concerns are minor in nature and will be rectified for the next monitoring/reporting period. Where this is not the case, the circumstances concerning the exception or potential concern and my client's proposed action have been documented in writing to the Ministry of the Environment District Manager in a letter from me dated:

Select Date

Recommendations:

Based on my technical review of the monitoring results for the waste disposal site:

<p><input type="radio"/> No changes to the monitoring program are recommended</p> <p><input checked="" type="radio"/> The following change(s) to the monitoring program is/are recommended:</p>	<p>Remove MW104 from the sampling program. See report for discussion.</p>
<p><input type="radio"/> No Changes to site design and operation are recommended</p> <p><input checked="" type="radio"/> The following change(s) to the site design and operation is/are recommended:</p>	<p>Additional buffer lands are being purchased.</p>

Name:	John Pyke		
Seal:	Add Image		
Signature:		Date:	March 30, 2022
CEP Contact Information:	John Pyke		
Company:	Malroz Engineering Inc.		
Address:	308 Wellington St., 2nd Floor, Kingston ON		
Telephone No.:	613-548-3446 ext. 34	Fax No. :	Type Here
E-mail Address:	pyke@malroz.com		
Co-signers for additional expertise provided:			
Signature:		Date:	Select Date
Signature:		Date:	Select Date

Surface Water WDS Verification:

Provide the name of surface water body/bodies potentially receiving the WDS effluent and the approximate distance to the waterbody (including the nearest surface water body/bodies to the site):

Name (s)	Unnamed creek, marshland, see report.
Distance(s)	Along eastern property boundary, southeast of the Site, see report.

Based on all available information and site knowledge, it is my opinion that:

Sampling and Monitoring Program Status:

1) The current surface water monitoring program continues to effectively characterize the surface water conditions, and includes data that relates upstream/background and downstream receiving water conditions:	<input checked="" type="radio"/> Yes <input type="radio"/> No	
2) All surface water sampling for the monitoring period being reported was successfully completed in accordance with the Certificate(s) of Approval or relevant authorizing/control document(s) (if applicable):	<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not applicable (No C of A, authorizing / control document applies)	If no, specify below or provide details in an attachment.

Surface Water Sampling Location	Description/Explanation for change (change in name or location, additions, deletions)	Date
SW6	Location of sampling station was moved slightly upstream.	April and October 2021
SW5	not sampled due to dry conditions	October 2021
Type Here	Type Here	Select Date

<p>3) a) Some or all surface water sampling and monitoring program requirements for the monitoring period have been established outside of a ministry C of A or authorizing/control document.</p>	<p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p> <p><input type="radio"/> Not Applicable</p>	
<p>b) If yes, all surface water sampling and monitoring identified under 3 (a) was successfully completed in accordance with the established program from the site, including sampling protocols, frequencies, locations and parameters) as developed per the Technical Guidance Document:</p>	<p><input type="radio"/> Yes</p> <p><input type="radio"/> No</p> <p><input checked="" type="radio"/> Not Applicable</p>	<p>If no, specify below or provide details in an attachment.</p>
<p>Surface Water Sampling Location</p>	<p>Description/Explanation for change (change in name or location, additions, deletions)</p>	<p>Date</p>
<p>Type Here</p>	<p>Type Here</p>	<p>Select Date</p>
<p>4) All field work for surface water investigations was done in accordance with standard operating procedures, including internal/external QA/QC requirements, as established/outlined as per the Technical Guidance Document, MOE 2010, or as amended. (Note: A SOP can be from a published source, developed internally by the site owner's consultant, or adopted by the consultant from another organization):</p>	<p><input checked="" type="radio"/> Yes</p> <p><input type="radio"/> No</p>	<p>See report for discussion.</p>

Sampling and Monitoring Program Results/WDS Conditions and Assessment:

5) The receiving water body meets surface water-related compliance criteria and assessment criteria: i.e., there are no exceedances of criteria, based on MOE legislation, regulations, Water Management Policies, Guidelines and Provincial Water Quality Objectives and other assessment criteria (e.g., CWQGs, APVs), as noted in Table A or Table B in the Technical Guidance Document (Section 4.6):	<input type="radio"/> Yes <input checked="" type="radio"/> No
--	--

If no, list parameters that exceed criteria outlined above and the amount/percentage of the exceedance as per the table below or provide details in an attachment:

Parameter	Compliance or Assessment Criteria or Background	Amount by which Compliance or Assessment Criteria or Background Exceeded
e.g. Nickel	e.g. C of A limit, PWQO, background	e.g. X% above PWQO
See report for discussion and Table 4.		

6) In my opinion, any exceedances listed in Question 5 are the result of non-WDS related influences (such as background, road salting, sampling site conditions)?	<input type="radio"/> Yes <input checked="" type="radio"/> No	see report
--	--	------------

<p>7) All monitoring program surface water parameter concentrations fall within a stable or decreasing trend. The site is not characterized by historical ranges of concentrations above assessment and compliance criteria.</p>	<p><input checked="" type="radio"/> Yes</p> <p><input type="radio"/> No</p>	<p>If no, list parameters and stations that is outside the expected range. Identify whether parameter concentrations show an increasing trend or are within a high historical range (Type Here)</p>
<p>8) For the monitoring program parameters, does the water quality in the groundwater zones adjacent to surface water receivers exceed assessment or compliance criteria (e.g. , PWQOs, CWQGs, or toxicity values for aquatic biota (APVs)):</p>	<p><input checked="" type="radio"/> Yes</p> <p><input type="radio"/> No</p> <p><input type="radio"/> Not Known</p> <p><input type="radio"/> Not Applicable</p>	<p>If yes, provide details and whether remedial measures are necessary (Type Here):</p> <p>See report for discussion. Surface water criteria is used to evaluate potential impacts arising from groundwater leachate discharge to surface water.</p>
<p>9) Have trigger values for contingency plans or site remedial actions been exceeded (where they exist):</p>	<p><input type="radio"/> Yes</p> <p><input type="radio"/> No</p> <p><input checked="" type="radio"/> Not Applicable</p>	<p>If yes, list value(s) that are/have been exceeded and follow-up action taken (Type Here):</p> <p>See report for discussion. Trigger in discussion with MECF.</p>

Surface Water CEP Declaration:

I, the undersigned hereby declare that I am a Competent Environmental Practitioner as defined in Appendix D under Instructions, holding the necessary level of experience and education to design surface water monitoring and sampling programs, conduct appropriate surface water investigations and interpret the related data as it pertains to the site for this monitoring period.

I have examined the applicable Certificate of Approval and any other environmental authorizing or control documents that apply to the site. I have read and followed the Monitoring and Reporting for Waste Disposal Sites Groundwater and Surface Water Technical Guidance Document (MOE, 2010, or as amended) and associated monitoring and sampling guidance documents, as amended from time to time. I have reviewed all of the data collected for the above-referenced site for the monitoring period(s) identified in this checklist. Except as otherwise agreed with the ministry for certain parameters, all of the analytical work has been undertaken by a laboratory which is accredited for the parameters analysed to *ISO/IEC 17025:2005 (E)- General requirements for the competence of testing and calibration laboratories*, or as amended from time to time by the ministry.

If any exceptions or potential concerns have been noted in the questions in the checklist attached to this declaration, it is my opinion that these exceptions and concerns are minor in nature or will be rectified for future monitoring events. Where this is not the case, the circumstances concerning the exception or potential concern and my client's proposed action have been documented in writing to the Ministry of the Environment District Manager in a letter from me dated:

Select Date

Recommendations:

Based on my technical review of the monitoring results for the waste disposal site:

<p><input type="radio"/> No Changes to the monitoring program are recommended</p> <p><input checked="" type="radio"/> The following change(s) to the monitoring program is/are recommended:</p>	<p>Move surface water station SW6 upstream. See report for discussion.</p>
<p><input checked="" type="radio"/> No changes to the site design and operation are recommended</p> <p><input type="radio"/> The following change(s) to the site design and operation is/are recommended:</p>	<p>Type Here</p>

CEP Signature		
Relevant Discipline	Geoscientist with relevant experience and training.	
Date:	March 31, 2021	
CEP Contact Information:	John Pyke, P.Geo.	
Company:	Malroz Engineering Inc.	
Address:	308 Wellington St., 2nd Floor, Kingston ON	
Telephone No.:	613-548-3446 ext. 34	
Fax No. :	Type Here	
E-mail Address:	pyke@malroz.com	
Save As		Print Form

Notice To Reader

This document has been prepared by Malroz Engineering Inc. (Malroz) on behalf of the Township of Leeds and the Thousand Islands (TLTI), in fulfilment of Condition 2(5) of Amended Environmental Compliance Approval No. A442002.

Malroz has relied upon TLTI staff to provide historical data upon which current data interpretation and the conceptual understanding of the site are partially based. Malroz accepts no responsibility for the integrity of the data provided by TLTI or for missing data. Any third-party use or reliance of this report, or decisions made based on this report, are the responsibility of the third party. Malroz accepts no responsibility for damages suffered by any third party as a result of decisions made or actions taken based on the contents of this report.

This document has been prepared for TLTI for submission to the Ministry of Environment, Conservation and Parks (MECP) as required by the ECA. Unauthorized re-use of this document for any other purpose, or by third parties without the express written consent of Malroz shall be at such party's sole risk.

This page is an integral part of this document and must remain with it at all times.

Respectfully Submitted,

MALROZ ENGINEERING INC.

per: Mallory Wright, C. Tech.
Environmental Technologist

and: John Pyke, P. Geo.
Project Manager




Table of Contents

Notice To Reader	i
1.0 Introduction	1
1.1 Ownership and Key Personnel	1
2.0 Background	2
2.1 Description of the Waste Disposal Site.....	2
2.2 Geological Setting	2
2.3 Hydrogeological Setting.....	2
2.4 MECP Correspondence.....	3
2.5 Complaints	3
3.0 Description of Monitoring Program	3
3.1 Groundwater Monitoring Program	3
3.2 Surface Water Monitoring Program	4
3.3 Data Quality Evaluation	4
3.4 Site Inspection	5
3.5 Well Inspection	5
3.6 Deviations from the Monitoring Plan.....	5
4.0 Groundwater Monitoring Program Results	6
4.1 Compliance Criteria	6
4.2 Groundwater Quality.....	7
5.0 Surface Water Monitoring Program Results	8
5.1 Compliance Criteria	8
5.2 Surface Water Quality	9
6.0 Guideline B-7 Assessment	10
6.1 B-7 Action Plan.....	10
7.0 Conclusions and Recommendations.....	11
8.0 References	12

Appendix A Figures

- Figure 1 Site Location Plan
- Figure 2 Site Layout
- Figure 3 Inferred Overburden Groundwater Contours
- Figure 4 (a-e) Surface Water LIP Trend Graphs
- Figure 5 Water Level at SW1

Appendix B Tables

- Table 1 Groundwater Monitoring Results
- Table 2 Well Inspection
- Table 3 2021 Groundwater Chemistry
- Table 4 2021 Surface Water Chemistry
- Table 5 Surface Water Station Observations

Appendix C ECA No. A442002

Appendix D Monitoring Program

Appendix E MECP Correspondence

Appendix F Malroz Site Inspections

Appendix G Laboratory Certificates

Appendix H Historical Chemistry

Appendix I Site Photographs

Appendix J Borehole Logs

1.0 Introduction

The Leeds waste disposal site (the Site) operates under Amended Environmental Compliance Approval (ECA) No. A442002 issued by the Ministry of Environment and Climate Change (MOECC), now the Ministry of Environment, Conservation and Parks (MECP), on March 21, 2016 (see Appendix C). The Site is located at the eastern end of Pelow Road, north of Gananoque, in the Township of Leeds and the Thousand Islands (TLTI) (Figure 1, Appendix A). In accordance with Section 2 (5) of the ECA, an Annual Monitoring Report (AMR) is to be submitted to the District Manager by March 31 of the year following the period being reported upon.

Malroz was retained by the TLTI to conduct the semi-annual monitoring of the groundwater and surface water at the Site. This document presents the methodology, results and interpretation related to the monitoring and sampling program conducted at the Site in 2021. This report was prepared on behalf of the TLTI, using data collected by Malroz and available information provided by TLTI staff.

1.1 Ownership and Key Personnel

The Site is owned and maintained by the Corporation of the TLTI. Key Contacts for the Site are as follows:

Municipal Contact

David Holliday
Director of Operations and Infrastructure
1233 Prince Street, P.O. Box 280
Lansdowne, Ontario, K0E 1L0
613-659-2415 ext. 211
directoroperations@townshipleeds.on.ca

Environmental Professional Contact

Mr. John Pyke, P.Geo.
Project Manager
308 Wellington Street
Kingston, Ontario, K7K 7A8
613-548-3446 ext. 34
pyke@malroz.com

2.0 Background

The geology, hydrogeology, physiography, and hydrology of the Site are described in the sections that follow. The descriptions provided are a summary of the investigations completed of the Site by Malroz, various previous consultants, and TLTI staff.

2.1 Description of the Waste Disposal Site

The Leeds Waste Disposal Site (WDS) is located approximately 13 km west of Lansdowne on Lot 11, Concession 3, in the TLTI (former Township of Front of Lansdowne) (Figure 1, Appendix A). Geodetic coordinates for the centre of the Site as follows (2015 AMR):

Zone:	NAD 83, 18T
Easting:	405419 m (+/- 10 m)
Northing:	4916242 m (+/- 10 m)

The Site operates under Environmental Compliance Approval (ECA) No. A442002 which permitted a 0.8-hectare landfilling area within a total Site area of 1.7 hectares. The Site was closed in December 1991, and details of the closure plan are outlined in the 1991 Report by Water and Earth Science Associates (WESA). At the time of closure, the Leeds WDS was a recognized 'overflow situation', and the ECA was amended to recognize the actual waste fill area of 1.5 hectares.

According to the 2015 AMR, TLTI established an exclusion zone of 500 metres around the Site to mitigate impacts from the site to future development. We understand that there are pre-existing wells within this exclusionary zone.

2.2 Geological Setting

Based on geological maps of the region, the geological setting at the Site consists of metasedimentary quartzite and/or quartzo-feldspathic rocks and a Precambrian basement granite (Jupe and Jackson, 1963). Precambrian granite may be exposed to the West of the Site. A dike and linear structural feature (either a fault or fold axis) are located just West of the Site (Jupe and Jackson, 1963). Borehole logs and previous descriptions of the geology at the Site suggest that the overburden is shallow and consists of 1.2 to 2.6 m of silty clay (Appendix J).

2.3 Hydrogeological Setting

Based on Malroz site observations and descriptions by previous consultants, the hydrogeological setting at the Site is characterized by a bedrock aquifer and areas of perched water in the overburden. It is possible that groundwater within the bedrock aquifer is discharging at or near the Site, based on artesian conditions observed

historically during monitoring of a former well just north of the Site's eastern boundary (well 89-5).

A small creek is located along the eastern property boundary of the Site. This creek flows southward into a marsh located approximately 100 m south of the Site, just beyond SW3. The marsh drains into a small tributary to Sucker Brook. The tributary flows southwestwards and is dammed just before SW6 (Figure 2, Appendix A). A beaver dam was formerly located along the tributary, just upstream from SW6 (Malroz 2019). This beaver dam has since been removed and an earthen dam remains in its place. The origin of soil within the dam is unknown.

2.4 MECP Correspondence

On January 26, 2022, MECP senior environmental officer Nathalie Matthews sent an email memorandum providing comments on the review of the Leeds WDS – 2020 Annual Monitoring Report. This memorandum is provided in Appendix E. The following summarizes the comments provided in the memo:

- The site is in a known state of non-compliance with Guideline B-7. Acquisition of additional buffer and contaminant attenuation zone lands was proposed to fix the non-compliance with Guideline B-7, which the ministry continues to support. It is requested that the 2021 report include an update on the acquisition of buffer and the CAZ.
- The reviewer agreed with the removal of MW104 from the monitoring program, due to perpetually dry conditions.
- Reduction of groundwater monitoring and reporting can potentially occur once conformance with Guideline B-7 has been achieved.
- It is requested that a plan to develop groundwater and surface water trigger mechanisms and contingency plans be submitted with the 2021 report.

2.5 Complaints

The municipality reports no complaints were received in 2021 regarding the closed WDS.

3.0 Description of Monitoring Program

The groundwater and surface water monitoring events were conducted on April 28 and October 14, 2021. The locations of active sampling stations and wells are shown in Figure 2 (Appendix A). The groundwater and surface water programs were conducted in accordance with the monitoring program established by Malroz and submitted to the MECP on (November 2, 2018) pursuant to Section 3 (2) of the site's ECA (Appendix C).

3.1 Groundwater Monitoring Program

The groundwater program undertaken in 2021, including the suite of analyses performed, is presented in Appendix D.

Prior to sampling, each well was monitored for depth to water, depth to bottom, and combustible gas vapours. During purging of groundwater, visual and olfactory observations were noted and recorded. Results of the groundwater monitoring are presented in Table 1 (Appendix B).

Groundwater sampling was conducted using dedicated watterra tubing equipped with a foot-valve. Prior to sampling, 3 to 5 well volumes of groundwater were purged from each well or, wells were pumped dry 3 times. At the completion of purging, water quality was monitored using a Horiba multi-parameter instrument for the following parameters: temperature, pH, dissolved oxygen, oxidizing/reducing potential, conductivity, and turbidity. Samples intended for metals analyses were field-filtered using a disposable 0.45-micron inline filter. Samples were collected into new laboratory prepared sample bottles and submitted to Caduceon Environmental Laboratories (Caduceon) for analyses.

3.2 Surface Water Monitoring Program

The surface water program undertaken in 2021, including the suite of analyses performed, is presented in Appendix D. The surface water monitoring program is comprised of six sampling stations: SW1, SW2, SW3, SW5, SW6, and SW7 (Figure 2, Appendix A). Surface water station locations (UTMs) and observations are summarized in Table 5 (Appendix B).

Historically, an additional surface water station (SW4), located upstream of SW2, was used to characterize the background surface water conditions at the site. This station was removed from the sampling program due to dry conditions. Surface water station SW2 was not recommended for background characterization use due to concerns related to potential impact from groundwater discharge (Day, 2015). The location of the background surface water station has been discussed in greater detail in previous reports (refer to 2018 AMR and subsequent MECP communication). Station SW7 has recently been identified as a suitable background surface water station (refer to 2019 AMR) and used to characterize the background water quality.

3.3 Data Quality Evaluation

Caduceon was commissioned to undertake the water analyses. Caduceon is a Canadian Association for Laboratory Accreditation (CALA) certified laboratory that uses industry recognized methods to conduct laboratory analyses.

Malroz completed field activities in accordance with standard operating protocols to ensure precise sample collection and reduce the risk of cross-contamination.

3.4 Site Inspection

Site inspections are conducted twice per year during monitoring events. Copies of the site inspections completed by Malroz staff in 2021 are included in Appendix F. Site photographs of sampling locations are presented in Appendix I.

The following observations were noted by Malroz staff in 2021:

- Orange iron type staining and sheen was observed north of SW1 during the fall sampling event.
- Sheen believed to be related to organic matter was noted around SW5, SW7 and between SW3 and MW104 in the spring as well as around SW6 in the fall
- Part of the northern extent of the landfill was not enclosed by a fence.
- Litter (old furniture/construction material) was dumped outside the entrance gate.
- Litter (wood/glass/miscellaneous) present across the road from MW102 during spring event

The observations of illegal dumping were reported to TLTI personnel.

3.5 Well Inspection

A well inspection was undertaken by Malroz during the 2021 sampling events. The well inspection included a visual inspection of accessible portions of the well piezometer, monument casing, cap, lock, and well seal. Wells were assigned one of the following conditions:

Poor – well integrity is compromised and the well requires repair

Fair – exhibits some minor deficiencies, however well integrity is not compromised.

Good – the well is in good condition with no obvious signs of damage.

Results of the well inspection are presented in Table 2, Appendix B. No well repairs were noted as necessary. Based on 2021 observations, the wells monitored at the site are in compliance with O. Reg. 903/90.

3.6 Deviations from the Monitoring Plan

The following parameters were not analyzed in the groundwater and surface water programs due to insufficient water or dry conditions:

- 80-1: biological oxygen demand (BOD) (fall), total suspended solids (TSS) (fall), and un-ionized ammonia could not be calculated (fall).
- MW102: BOD (fall), TSS (fall), and un-ionized ammonia could not be calculated (fall).

- MW103: alkalinity (fall), BOD (fall), conductivity (fall), pH (fall), phenols (fall), o-phosphate (fall), TDS (fall), TSS (fall), chloride (fall), nitrate (fall), nitrite (fall), sulphate (fall), mercury (spring). un-ionized ammonia could not be calculated (spring, fall).

Samples were not submitted from the following locations due to dry conditions:

- MW104 (spring, fall)
- SW3 (fall)
- SW5 (fall)

SW6 location was moved up stream of the dam due to dry conditions downstream (spring and fall).

Based on observations made during field activities over the past three years, dry conditions are prevalent and may present a recurring challenge to the sampling program at the Site as the creek along the east of the landfill acts more as a drainage ditch rather than ongoing flowing water course.

Samples from monitoring well 08-1 and MW101 are analyzed for VOCs every 5 years. VOCs were last analyzed at these wells in 2018 and are scheduled to be analyzed again in 2023.

4.0 Groundwater Monitoring Program Results

Groundwater elevations indicate that groundwater flows southeast across the Site (Figure 3, Appendix A). Considering the surrounding bedrock outcrops and intermittent dry conditions in MW101, MW102, MW103, and MW104, and in several surface water stations, it is possible that groundwater in the vicinity of the landfill is perched. Groundwater is anticipated to discharge to the surface water, consistent with the previously reported conceptual site model.

Monitoring of well headspace for combustible vapours was conducted during the April and October events using an Eagle 2 RKI with optional methane elimination mode. Methane concentrations were calculated as the difference between full gas and methane elimination mode and were generally reported below detection levels of the lower explosive limit (LEL) except for MW104, which was reported to be below 1% LEL during the spring sampling event.

4.1 Compliance Criteria

The groundwater quality at the Site is characterized by five wells: 08-1, MW101, MW102, MW103, and MW104 (Figure 2, Appendix A). Background is characterized by MW102.

The following parameters were selected in 2019 as leachate indicators for the Leeds WDS: alkalinity, chloride, nitrate, sulphate, and boron. The method used to select these leachate indicator parameters (LIPs) is detailed in the 2019 AMR. The MECP (2020 correspondence) requested that the following parameters be added to LIPs at the site: ammonia, iron, manganese, and copper.

4.2 Groundwater Quality

Results for the 2021 groundwater analyses are presented in Table 3 (Appendix B). Results have been compared to relevant standards and observed exceedances are highlighted to allow for visual interpretation. Laboratory certificates of analysis are provided in Appendix G.

Results from the 2021 sampling events show the following parameters exceed the Ontario Drinking Water Objectives or Guidelines at one or more sampled well location(s): alkalinity, DOC, hardness, TDS, aluminum, iron, and manganese (Table 3, Appendix B).

Results of LIPs suggest leachate influence at monitoring wells MW101 and 08-1, due to elevated levels of alkalinity, chloride, boron, manganese and sulphate during the spring and fall events when compared to background. 08-1 also saw elevated levels of ammonia and iron during both sampling events. Considering the background chemistry at MW102, leachate may be discharging to the tributary from MW101 and 08-1. This is consistent with results from the past year(s) (refer to historic chemistry tables provided in Appendix H).

No samples were available from downgradient monitoring well MW104 due to dry conditions during both the spring and fall. Dry conditions at this well were also noted in 2019 and 2020, which prevented staff from obtaining a full sample set or from sampling altogether. Given that monitoring well MW104 is installed on bedrock, very little groundwater, if any, is inferred to be present in this area. We recommend considering removing this well from the sampling program and to proceed with abandonment, in accordance with MECP 2022 correspondence.

LIPs at downgradient monitoring well MW103 were generally consistent with background concentrations, with the following exceptions:

- Boron concentrations were well below those reported in the leachate impacted wells (MW101 and 08-1) by one degree of magnitude, and generally consistent with levels measured at this location in 2019 and 2020. Moreover, it is possible that the source of boron is natural, originating in clay sediments¹ or the regional geology, rather than indicative of leachate.

¹ Boron is known to be enriched in clays (Kot, 2009)

- Sulphate at MW103 was slightly elevated, although concentrations remain below those detected in the leachate wells, and well below the Ontario Drinking Water Objectives or Guidelines. Sulphate concentrations at MW103 do not represent significant leachate impacts and appear stable based on a review of results from the past 2 years.
- Chloride concentrations were above background concentrations in the spring. Chloride results from the fall event were not available due to low recharge.

Therefore, monitoring well MW103 is considered to have little to no leachate impact, consistent with prior years.

5.0 Surface Water Monitoring Program Results

Surface water run-off flows south-eastwards off the waste mound and into ditches located along the eastern property boundary. Both ditches converge at the southeast corner of the property and flow southwards into the marshy area south of the Site. The marsh drains into a small creek (believed to be a tributary to Sucker Brook) which is located in the neighbouring farmer's field, and which flows to the southwest. The water quality of this creek is represented by SW7, and the creek is dammed at SW6 (Figure 2, Appendix A).

A logger was installed near surface water sample location SW1 on July 30, 2019 and was programmed to collect water level measurements at 20-minute intervals. The intention of installing the logger was to evaluate water levels in the creek east of the landfill. The installed logger recorded water level data throughout the year. The logger data storage capacity was reached on January 22, 2021, and therefore there is a gap in the data until May 18, 2021 when the logger was reset during the spring monitoring program. Based on the logger information, dry periods were observed in January 2021 (Figure 5, Appendix A). Water levels were reported at near dry conditions (<0.1m) approximately 66% of the period during the which the logger recorded data in 2021. During 2020 water levels were reported at near dry conditions (<0.1m) approximately 70% of the period during the which the logger was deployed.

5.1 Compliance Criteria

Surface water results are compared to the Provincial Water Quality Objectives, the Canadian Water Quality Guidelines (Table B), and the Table A: Assessment Criteria for Waste Disposal Sites (MOE 2010).

The following leachate indicator parameters (LIPs) have been selected for the Site: alkalinity, chloride, nitrate, boron, and sulphate. The MECP (2020 correspondence) requested that the following parameters be added to LIPs at the site: ammonia, iron, manganese, and copper. Given that iron is frequently present in the background, we believe this parameter should be avoided as a LIP (a rationale was provided for the exclusion of iron in the 2018 AMR: Table 5). Ammonia levels may be impacted by nearby

agricultural activities (mainly, the neighbouring grazing pasture) and nitrogen fixation processes in the marsh (CCME, 2010). We concur with adding manganese and copper to the list of LIPs for the site. The intent of the list of LIPs is to determine leachate impact to the stream, a process which can be obscured by many parameters.

5.2 Surface Water Quality

The surface water results are presented in Table 4 (Appendix B). Laboratory certificates of analysis are provided in Appendix G. Results from SW7 in fall 2021 indicate background loading of iron and phosphorus (Table 4, Appendix B).

The following parameters exceed the PWQO at one or more location during one or more sampling events in 2021: un-ionized ammonia (lab calculated not field), phenols, total phosphorous, aluminum (dissolved), boron, cobalt, iron, zinc, pH (field), and dissolved oxygen (DO). Historical trends for the main LIPs at the site are presented in Figure 4 (a-e), Appendix A. All parameters met the Table A: Assessment Criteria for Waste Disposal site concentration and Table B: Alternative Review Criteria, except for iron and cadmium respectfully. Historical data tables are provided in Appendix H. The following summarizes the LIP trend results:

- Elevated alkalinity is present at SW1, SW3 and SW6 (see Figure 4a and 4b: Note that three potential anomalous data points at SW1 are omitted from the Figure 4b graph to allow for clearer examination of an alkalinity trend). The alkalinity results from the remaining surface water stations do not appear to have degraded the natural quality of the stream by more than 25%. While there is considerable variation, the range of variability has remained generally consistent over the past 5 years. Alkalinity at SW1 in the fall 2021 was significantly higher than the other values, which occurred during dryer conditions with a lack of water flow at the monitoring station.
- Chloride concentrations were generally consistent between the SW stations in 2021 and remain marginally above the detection limits, below the Table A: Assessment Criteria and Table B CWQGs (Figure 4c, Appendix A).
- Boron concentrations were slightly elevated at downgradient surface water stations (SW5 and SW6). The concentration of boron at SW1 exceeded the PWQO standards in the fall, which occurred during dryer conditions with a lack of water flow at the monitoring station. Concentrations exceeding the PWQO were previously seen in June 2003, July 2009, August 2010, July 2013, and May 2015. The concentration of boron at downgradient monitoring stations was reported below the PWQO (Figure 4d, Appendix A).
- Sulphate concentrations were slightly elevated at SW1, SW3, SW5 and SW6 in the spring when compared to the background SW7 (Figure 4e, Appendix A). Concentrations are well below the Table A: Assessment Criteria.

- Nitrate levels at sampled surface water stations were below the detection limit in the spring except for SW3 and SW7, at concentrations just above the reporting limit. During the fall slightly elevated levels were observed at all locations when compared to the background station SW7.
- Ammonia levels are slightly elevated at SW1, SW5 and SW6 in the spring event compared to background station SW7. During the fall event, slightly elevated levels were seen at SW1, SW2 and SW6, compared to SW7.
- Iron concentrations were observed to be just below and just above the PWQO at the spring and fall sampling events at the background station respectively. Iron exceeded the PWQO at SW2, SW5, and SW6 in the spring and SW1 and SW3 exceeded the Table A criteria. At the fall event iron exceeded the Table A: Assessment Criteria at SW1, SW2 and SW6. Iron was elevated in the fall compared to the spring which occurred during dryer conditions with a general lack of water flow at the monitoring stations.
- Copper is slightly elevated at SW1 (spring and fall), SW2 (spring and fall), and SW3 (spring), when compared to background station SW7. However, results remain below the PWQO.
- Manganese was significantly elevated at SW1 and SW6 in the fall compared to background and the other stations, which occurred during dryer conditions with a general lack of water flow at the monitoring stations.

While chemistry at SW1, SW3, and SW5 suggests some leachate impact, attenuation appears to be occurring further downstream (SW6). Results from 2021 suggest that there is minor leachate impact, however, these impacts appear intermittent in nature and may also include influences from the geologic setting of the area and a seasonal lack of water flow. Overall, the concentrations of LIPs generally remain below the historical highs which is to be expected considering the landfill has been closed since 1991 (refer to Appendix H).

6.0 Guideline B-7 Assessment

The reasonable use policy (RUP) provides a mechanism to calculate the reasonable use limits (RUL) for the Site using historical data from background well MW102 (and former background well 89-1), per Ministry Guideline B-7. Several groundwater RUL exceedances were reported for monitoring wells MW101, MW102, MW103, and 08-1 as presented in Table 3 (Appendix A). The site is inferred to be out of compliance with the B-7 guideline, however, groundwater is inferred to discharge to surface water and compliance is largely measured via surface water monitoring.

6.1 B-7 Action Plan

As discussed in Section 2.4, the Township has proposed a B-7 action plan to mitigate non-compliance with the RUP, which includes purchase of lands leading up to and

Malroz Engineering Inc.

including the tributary as a contaminant attenuation zone (CAZ). The Township is currently in the process of purchasing additional CAZ lands as discussed in the submitted action plan which will help resolve B-7 compliance issues at the site. We understand the CAZ acquisition was initiated in 2021 and is expected to be completed in 2022.

7.0 Conclusions and Recommendations

The Leeds WDS closed in 1991 and has an ongoing surface water and groundwater monitoring program. Groundwater at the site is anticipated to discharge to surface water at the site, with surface water being the primary compliance monitoring media. A B-7 action plan was submitted in 2020 to address groundwater and surface water compliance issues. Implementation of the plan has been initiated and the CAZ acquisition is expected to be completed in 2022.

Groundwater analyses results showed evidence of leachate at the southern and eastern extents of the waste mound. Since the groundwater is interpreted to discharge to surface water south and east of the WDS, there is minimal risk anticipated to groundwater quality beyond the discharge locations.

Surface water analyses results suggest that there is potential leachate impact to the surface water east and south of the waste mound. However, results also suggest attenuation within the current monitoring network is occurring. Fall reports generally reported higher concentration, including for iron. The fall sampling event was noted to have generally non flowing water which is anticipated to have contributed to the observed conditions and reported concentrations and is not anticipated to be indicative of flowing conditions. Future sampling events should target post rainfall events sampling events.

The following recommendations are provided for the Leeds WDS monitoring program:

1. Continue with program to purchase land to form a CAZ which extends from the landfill's southern and eastern extent up to surface water station SW3.
2. Considering the site has been closed since 1991, evaluate feasibility and options for full closure of the site with the purchase of the CAZ.
3. Develop and submit groundwater and surface water triggers and submit to the ministry following the purchase of additional CAZ lands.
4. Remove the logger from the stream following the purchase of additional CAZ.
5. Remove MW104 from the sampling program due to continued dry conditions that prevent sampling as approved by MECP 2022 correspondence. We recommend the abandonment of MW104 in accordance with O. Reg. 903 following purchase of the CAZ lands.
6. Submit a request to the MECP director regarding a revision to the monitoring plan per the MECP correspondence (section 2.4) following purchase of the CAZ lands.

8.0 References

Andrew Day. 2015. Draft Annual Monitoring Report (ECA No. 442002), Township of Leeds and the Thousand Islands, March 2016.

Canadian Council of Ministers of the Environment (CCME). 2010. Ammonia: Canadian Environmental Quality Guidelines for the Protection of Aquatic Life, retrieved from <http://ceqg-rcqe.ccme.ca/download/en/141>

Water and Earth Science Associates Ltd (WESA, 1990), Hydrogeological Investigation and Operation/Closure Plan for Leeds WDS (ECA No. A442002). Prepared for the Township of Front of Leeds and Lansdowne, File No. 1774.

Jupe, D.F., and B. Jackson. 1963. Map 2054 Gananoque Area. *Ontario Department of Mines*, 1:126,720.

Kot, F.S. 2009. "Boron sources, speciation and its potential impact on health." *Environ. Sci. Biotechnol.*, 8, 3-28.

Landfill Standards: Guideline on the Regulatory and Approval Requirements for New or Expanding Landfilling Sites. Queen's Printer for Ontario 2010 (revised January 2012). PIDS 7792e.

Ontario Drinking Water Standards (ODWS) from Ontario Regulation 169/03 of the Safe Drinking Water Act (2002). Last amendment: O. Reg. 373/15.

Ministry of Environment and Energy (1994). Water Management Policies & Guidelines: Provincial Water Quality Objectives (PWQO).

Ministry of the Environment (November 2010). Technical Guidance Document: Monitoring and Reporting for Waste Disposal Sites Groundwater and Surface Water.

Appendix A
Figures



approximate location of residential water well


agricultural

Leeds WDS


Pelow Road

feral lands

agricultural



0 100 200 m



Legend

 approximate property boundary

D0	2021-02-14	issued in final	MW	TB
Rev	Date	Description	By	Chkd


Site Location Plan

2021 Annual Monitoring Report
 Leeds WDS - A442002
 Pelow Road, Township of Leeds and
 the Thousand Islands, Ontario

File: 1040-126.00

**Figure
1**





Legend

- approximate property boundary
- area of capped former waste mound
- proposed CAZ to be purchased
- proposed buffer lands to be purchased
- fence
- stream
- surface water feature
- ▼ surface water station
- monitoring well installed by Malroz (2018)
- ⊙ existing residential well
- ⊙ abandoned monitoring well
- ⊙ abandoned and replaced monitoring well
- ⊙ monitoring well not located (assumed destroyed)

Rev	Date	Description	MW By	TB Chkd
D0	2021-02-14	issued in final	MW	TB

Site Layout


2021 Annual Monitoring Report
 Leeds WDS - A442002
 Pelow Road, Township of Leeds and
 the Thousand Islands, Ontario

File: 1040-126.00

Figure 2



Data Sources: Figure based on Malroz field observations and Google Earth imagery.




Legend


- approximate property boundary
- area of capped former waste mound
- fence
- surface water feature
- monitoring well locations and groundwater elevation
- stream
- inferred groundwater contours (October 14, 2021)
- ← inferred groundwater flow direction

D0	2021-02-14	issued in final	MW	TB
Rev	Date	Description	By	Chkd
<p>Inferred Overburden Groundwater Contours (October 2021)</p> <p>2021 Annual Monitoring Report Leeds WDS - A442002 Pelow Road, Township of Leeds and the Thousand Islands, Ontario</p>				
File: 1040-126.00		<p>Figure 3</p>		


Data Sources: Figure based on Malroz field observations and Google Earth imagery.




Data Input: MW
Data Check: JeMP




Data Input: MW
Data Check: JeMP



Data Input: MW
Data Check: JeMP




Data Input: MW
Data Check: JeMP



Data Input: MW
Data Check: JeMP

Figure 5
Water Level at SW1



Appendix B
Tables

Table 1
Groundwater Monitoring Results

Location	DTW (mbTOP)	DTB (mbTOP)	TOP Elevation (masl)	Grade Elevation (masl)	Groundwater Elevation (masl)	Methane Concentration (%LEL)	Observations		
							Colour	Sediment	Odour
April 28, 2021									
08-1	2.59	4.36	119.03	118.11	116.44	nr	brown	some	sulphur
MW101	1.22	3.52	118.48	117.45	117.26	nr	brown	some	sulphur
MW102	1.18	2.93	121.18	120.24	120.00	nr	brown	adundant	none
MW103	1.34	2.27	116.00	114.30	114.66	nr	brown	adundant	none
MW104	1.48	1.93	115.70	114.56	114.22	<1 ^[a]	insufficient water for sample		
October 14, 2021									
08-1	3.10	4.45	119.03	118.11	115.93	nr	brown	some	sulphur
MW101	1.30	3.47	118.48	117.45	117.18	nr	brown	some	none
MW102	2.33	2.88	121.18	120.24	118.85	nr	brown	some	none
MW103	1.78	2.45	116.00	114.30	114.22	nr	brown	adundant	none
MW104	1.72	2.14	115.70	114.56	113.98	nr	insufficient water for sample		sulphur

Notes

^[a] methane elimination was not taken therefore this value refers to full gas response
 %LEL denotes lower explosive limit
 nr indicates no response
 DTW depth to water
 DTB depth to well bottom
 masl meters above mean sea level
 mbTOP denotes meters below top of piezometer

Data Input: MW
Data Check: TB

Elevations are geodetic, based on survey data obtained by Malroz Engineering from October 8, 2019, using the Trimble R10 GNSS

Table 2
Well Inspection

Well ID	Coordinates ¹		Well Type	Well Construction	Well Integrity			Well Observations
	Easting	Northing	Protective casing	Material	Locked	Capped	Condition ²	Remarks
08-1	405560	4916212	PVC outer Casing	2" Schedule 40 PVC	Y	slip cap	good	-
MW101	405508	4916160	Monument Casing	2" Schedule 40 PVC	Y	J-Plug	good	installed February 2018
MW102	405375	4916240	Monument Casing	2" Schedule 40 PVC	Y	J-Plug	good	installed February 2018
MW103	405530	4916087	Monument Casing	1.25" Schedule 40 PVC	Y	J-Plug	good	installed February 2018
MW104	405555	4916117	Monument Casing	1.25" Schedule 40 PVC	Y	J-Plug	good	installed February 2018

Notes

Well inspection completed on April 28 and October 14, 2021

¹ Coordinates based on survey data obtained by Malroz Engineering from October 8, 2019, using the Trimble R10 GNSS

² Well conditions ranked as good (no maintenance required), fair (minor maintenance required), poor (requires maintenance or abandonment)

Data Input: MW

Data checked: TB

Table 3
2021 Groundwater Chemistry

Monitoring Location	Sample ID	Parameter (units)	General Inorganics														Anions										Metals														Field Parameters				
			Alkalinity	N - Ammonia	BOD	COD	DOC	Conductivity umhos/cm	Hardness	pH	Phenols	Phosphorus (total)	O - Phosphate	TDS	TSS	N - Total Kjeldahl	Chloride	N - Nitrate	N - Nitrite	Sulphate	Mercury	Aluminum	Arsenic	Barium	Boron	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Potassium	Silver	Sodium	Vanadium	Zinc	Un-ionized Ammonia Calc. 1)	Temperature	pH	DO	Conductivity	
			30-500 ^{OD}				5 ^{AD}	80-100 ^{OD}	6.5-8.5 ^{AD}							250 ^{AD}	10.0 ^{CS}	1.0 ^{CS}	500 ^{AD}	0.001 ^{CS}	0.1 ^{CS}	0.010 ^{CS}	1.0 ^{CS}	5.0 ^{CS}	0.005 ^{CS}		0.05 ^{CS}		1 ^{AD}	0.3 ^{AD}	0.010 ^{CS}		0.06 ^{AD}			200 ^{AD}	5 ^{CS}	15 ^{AD}	6.5-8.5 ^{OD}						
		ODWS (mg/L)	(note 1)					6.5-8.5	0.001	0.02				500 ^{AD}					0.0002	0.075 (note 2)	0.005		0.200	(note 3)	(note 4)	0.0009	(note 5)	0.3	(note 6)				0.0001		0.006	0.02				6.5-8.5	(note 10)				
		PWQO (mg/L)		0.01	3	5	0.2	1	1	0.002	0.01	0.002	3	3	0.1	0.5	0.05	0.05	1	0.00002	0.01	0.0001	0.001	0.005	0.000015	0.02	0.001	0.0001	0.0001	0.005	0.00002	0.02	0.001	0.1	0.0001	0.2	0.0001	0.005	0.001						
		2021 RL (mg/L)					4.48													0.00033	0.063	0.0029	0.269	1.3	0.00127		0.013		0.50	0.175	0.0026		0.029		100.0	2.50									
		Units		mg/L	mg/L	mg/L	mg/L	umhol/cm	mg/L	pH units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
		Date																																											
MW102 (replaced 00-1)	21-W010	21-Apr-28	228	0.01	<	104	3.5	453	227	8.06	<	15.5	0.180	234	42500	5.8	2.8	0.06	<	18	<	0.37	0.0002	0.035	0.012	<	59.3	0.001	0.0003	0.0017	0.318	0.00028	19.2	0.009	0.5	<	19.8	0.0019	<	<	8.11	7.62	7.32	0.466	
	21-W018 ⁴	21-Oct-14	268	0.24	-	104	2.4	505	288	8.07	<	10.9	0.440	261	-	4.5	3.1	0.13	<	20	<	1.82	0.0004	0.090	0.023	0.000015	75.0	0.004	0.0016	0.0072	1.83	0.00162	24.4	0.059	1.2	<	16.8	0.0071	0.012	-	-	-	-		
	21-W007	21-Apr-28	811	<	<	117	16.4	1580	924	7.80	<	4.31	<	863	2100	3.0	12.5	0.84	<	131	<	0.30	0.0003	0.060	0.600	0.000055	230	<	0.0006	0.0034	0.243	0.00027	84.9	0.757	1.5	<	50.9	0.0021	0.006	<	9.34	7.31	8.07	1.83	
	21-W015	21-Oct-14	796	<	<	74	12.7	1500	848	7.66	<	1.62	0.102	818	1480	0.9	27.4	<	<0.5	152	<	0.06	0.0003	0.064	0.634	0.000067	211	<	0.0004	0.0027	0.042	0.00013	77.8	0.864	1.8	<	51.7	0.0016	<	<	18.34	7.14	8.24	0.877	
	21-W008	21-Apr-28	847	11.4	5	87	18.0	1610	866	7.74	<	1.48	0.008	880	460	13.9	17.8	1.09	<	45	<	0.11	0.0005	0.308	0.831	0.000195	226	<	0.0013	0.0005	23.3	0.00006	73.3	1.75	37.9	<	34.9	0.0002	0.187	0.042	10.43	7.28	7.23	1.90	
	21-W016 ⁵	21-Oct-14	871	5.04	-	222	15.3	1510	891	7.97	<	9.85	0.153	823	-	16.9	34.4	1.03	<0.5	32	<	0.06	0.0006	0.310	0.981		219	<	0.0022	0.0004	0.362	0.00009	83.3	3.30	30.3	<	44.3	0.0013	<	-	-	-	-		
MW103 (installed in 2018)	21-W004	21-Apr-28	185	0.04	-	379	4.9	404	215	8.07	<	37.3	0.365	208	-	25.1	3.1	0.15	<	29	-	0.03	0.0001	0.031	0.063	<	47.9	<	<	0.0014	0.005	0.00003	23.1	0.013	0.4	<	12.8	0.0011	<	-	-	-	-		
	21-W014 ⁷	21-Oct-14	-	0.29	-	1180	5.9	-	206	-	<	64.5	-	-	-	62.9	-	-	-	-	<	0.04	0.0002	0.036	0.077	<	45.6	<	0.0003	0.0023	0.039	0.00012	22.3	0.120	0.7	<	13.8	0.0019	<	-	-	-	-		
MW104 (Installed in 2018)	Dry	21-Apr-28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Dry	21-Oct-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Notes:
 1 Alkalinity should not decrease by more than 25% of the natural concentration.
 2 Aluminum standard for PWQO is pH dependent (4.5 to 5.5 = 0.015mg/L, 5.5 to 6.5 = <10% above background, 6.5 to 9.0 = 0.075 mg/L)
 3 Cadmium criteria: 0-100 mg/L, Hardness = 0.0001 mg/L, >100 mg/L, Hardness = 0.0005 mg/L.
 4 Chromium reported as total, published standards are for Chromium VI (0.001 mg/L) and Chromium III (0.0089 mg/L).
 5 Copper criteria: if <20 mg/L, Hardness = 0.001 mg/L; if >20 mg/L, Hardness = 0.005 mg/L.
 6 Lead criteria: if <30 mg/L, Hardness = 0.001 mg/L; if 30 to 80 mg/L, Hardness = 0.003 mg/L; if >80 mg/L, Hardness = 0.005 mg/L.
 7 Beryllium criteria: <75 mg/L, Hardness = 0.011 mg/L, >75 mg/L, Hardness = 1.1 mg/L.
 8 Insufficient sample quantity for full parameter analysis.
 9 Un-ionized ammonia calculated using field parameters for pH and temperature.
 10 DO criteria: 0°C-5°C = ≥7mg/L, 5°C-10°C = ≥8mg/L, 10°C-20°C = ≥5mg/L, 20°C-25°C = ≥4mg/L.
 11 Reasonable Use Limits calculated using background concentrations from 11-4 for overburden wells.
 ** denotes not analyzed.
 "RL" denotes reporting limit.
 "<" denotes results below reporting limit.
 "MW102" and "88 - 8" denote groundwater monitoring well.
 denotes concentration exceeds the 2003 Ontario Drinking Water Quality Standards (as updated in 2020)
 denotes concentration exceeds the 1994 PWQO (as updated in 1999)
 indicates RUL exceedance
 sediment was noted in the metals bottle by the lab following the fall 2022 event

Input: MW
Checked: JuMP

Table 4
2021 Surfacewater Chemistry

Parameter	General Inorganics													Anions						Metals													Field Parameters															
	Alkalinity	N - Ammonia	N - Ammonia(U)lab	BOD	COD	DOC	Conductivity	Hardness	pH	Phenols	o-Phosphate (P)	Phosphorus (total)	TDS	TSS	N - Total Kjeldahl	Chloride	N - Nitrate	N - Nitrite	Sulphate	Aluminum (dissolved)	Mercury	Arsenic	Barium	Boron	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Nickel	Potassium	Sodium	Vanadium	Zinc	Silicon	Uranium	Un-ionized Ammonia, Calc. (U)	Temperature	pH	DO	Conductivity			
Provincial Water Quality Objectives (mg/L)	(note a)		0.020						6.5-8.5	0.001		0.02							100	0.075 ^(h)	0.0002	0.005		0.200	(note d)		(note e)	0.0009	(note f)	0.300	(note g)							0.025			0.006	0.02		0.005	0.02	6.5-8.5	(note i)	
Table A: Assessment Criteria for Waste Disposal Sites (mg/L)			0.100						6.0-9.0	0.04 ^(h)								180			0.15		2.3	3.550	0.00021		0.064	0.0069	1.000	0.002								0.089			0.1		6.0-9.0					
Table B: Alternative Review Criteria (mg/L)										0.004 ^(h)								128	2.9	0.06			1.5	0.00017																								
Monitoring Location	Sample ID	2021 RL (mg/L)	Units	5	0.01	0.01	3	5	0.2	1	1	0.001	0.002	0.01	3	3	0.1	0.5	0.05	0.05	1	0.01	0.0002	0.0001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	
SW1	21-W009	21-Apr-28		101	0.07	<	<	18	8.1	205	104	7.77	<	<	0.05	104	14	0.7	2.5	<	5	0.01	<	0.0002	0.041	0.057	<	27.7	<	0.0003	0.0011	1.22	0.00017	8.91	0.104	<	2.0	4.2	0.0006	0.010	2.99	0.00021	<	11.28	7.57	7.29	0.251	
SW2	21-W017	21-Oct-14		408	0.79	0.03	16	297	15.1	736	400	7.81	0.009	0.010	5.79	384	1780	8.5	10.1	0.14	<	<	0.04	<	0.0032	0.472	0.310	0.000061	102	0.002	0.0051	0.0017	103	0.00066	35.3	4.04	<	10.7	15.9	0.0043	0.027	15.4	0.00022	0.012	21.96	7.52	1.35	0.748
SW3	21-W011	21-Oct-14		65	0.18	<	<	61	12.9	122	63	6.98	0.002	0.009	0.20	62	24	1.5	1.9	0.17	<	<	0.12	<	0.0008	0.042	0.010	0.000069	16.7	<	0.0051	0.0012	7.99	0.00082	5.23	0.685	<	1.0	2.6	0.0029	0.024	4.280	0.00008	0.002	17.82	7.45	8.12	0.142
SW3	21-W006	21-Apr-28		132	<	<	<	25	8.9	272	143	7.98	<	<	0.08	139	12	0.7	3.1	0.06	<	8	0.03	<	0.0003	0.057	0.090	0.000048	36.6	0.001	0.0009	0.0015	1.58	0.00086	12.6	0.329	<	2.9	5.9	0.0020	0.016	4.09	0.00045	<	13.53	8.02	8.59	0.287
SW5	21-W003	21-Apr-28		141	0.03	<	<	53	11.4	283	151	7.79	<	0.034	0.31	145	116	1.5	2.4	<	<	9	0.03	<	0.0003	0.035	0.067	<	38.7	<	0.0002	0.0006	0.526	0.00193	13.1	0.027	<	1.2	6.3	0.0006	<	1.12	0.00034	<	12.21	6.68	5.37	0.290
SW6	21-W005	21-Apr-28		109	0.01	<	<	3	32	12.0	223	115	7.73	<	0.016	0.08	114	8	0.8	2.2	<	5	0.03	<	0.0003	0.027	0.044	0.000015	31.5	<	0.0004	0.0008	0.586	0.00019	10.3	0.420	<	0.8	5.1	0.0004	0.009	2.34	0.00014	<	11.73	6.87	5.45	0.238
SW7 (background)	21-W013	21-Oct-14		129	0.04	<	5	62	12.0	237	130	7.17	<	0.103	0.91	121	63	1.7	1.9	0.13	<	<	0.03	<	0.0010	0.068	0.049	0.000044	37.0	<	0.0057	0.0008	17.1	0.00053	10.0	5.95	<	1.5	3.2	0.0010	0.018	7.80	0.00009	<	17.38	6.27	2.34	0.296
SW7 (background)	21-W002	21-Apr-28		39	<	<	<	10	5.0	82	42	7.30	<	0.003	0.02	41	<	0.3	1.9	0.07	<	3	0.03	<	0.0001	0.010	0.016	<	12.1	<	0.0001	0.0008	0.246	0.00010	2.86	0.033	<	0.5	1.7	0.0003	<	2.96	0.00005	<	10.64	7.33	8.68	0.089
SW7 (background)	21-W012	21-Oct-14		59	<	<	<	28	7.7	106	56	7.24	<	0.041	0.05	53	5	0.1	2.0	<	<	<	0.02	<	0.0002	0.016	0.032	<	16.1	<	0.0003	0.0005	0.327	0.00006	3.40	0.239	<	1.2	0.7	0.0004	<	3.63	<	<	17.56	6.84	6.28	0.107

Notes:
 (a) Alkalinity should not be decreased by more than 25% of the natural concentration
 (b) Table A and Table B standards apply only to Phenol
 (c) Aluminum standard for PWQO is pH dependent: 4.5 - 5.5 = 0.015 mg/L, >5.5 - 6.5 = no more than 10% above background, >6.5 - 9.0 = 0.075 mg/L. If background is above the PWQOs, no condition is permitted that increases the aluminum greater than 10%.
 (d) Cadmium criteria: 0-100 mg/L, Hardness = 0.0001 mg/L, >100 mg/L, Hardness = 0.0005 mg/L
 (e) Chromium reported as total, published standards are for chromium VI (0.001 mg/L) and chromium III (0.0089 mg/L)
 (f) Copper criteria: 0-20 mg/L, Hardness = 0.001 mg/L, >20 mg/L, Hardness = 0.005 mg/L
 (g) Lead criteria: <30 mg/L, Hardness = 0.001 mg/L, 30 to 80 mg/L, Hardness = 0.003 mg/L, >80 mg/L, Hardness = 0.005 mg/L
 (h) Beryllium criteria: <75 mg/L, Hardness = 0.011 mg/L, >75 mg/L, Hardness = 1.1 mg/L
 (i) DO criteria: 0°C - 5°C = ≥7mg/L, 5°C - 10°C = ≥6mg/L, 10°C - 20°C = ≥5mg/L, 20°C - 25°C = ≥4mg/L
 (j) Un-ionized ammonia calculated using field parameters for pH and temperature.
 Metals are reported as "total" with the exception of Mercury and Aluminum (reported as dissolved)
 - not analyzed/not available

denotes concentration exceeds the 1994 PWQO (as updated in 1999)
 denotes concentration exceeds Table A: Assessment Criteria for Waste Disposal Sites (Source Aquatic Protection Values), from the Monitoring and Reporting for Waste Disposal Sites Groundwater and Surface Water Technical Guidance Document (2010)
 denotes concentration exceeds Table B: Alternative Review Criteria (Source Canadian Water Quality Guideline), from the Monitoring and Reporting for Waste Disposal Sites Groundwater and Surface Water Technical Guidance Document (2010)

Input: MW
Checked: JUMP

Table 5
Surface Water Station Observations

Station	UTMs (NAD 83, Zone 18T)				Flow Conditions	
	Apr-21		Oct-21		Apr-21	Oct-21
	Northing (m)	Easting (m)	Northing (m)	Easting (m)		
SW1	4916217	405566	4916215	405572	lotic	lentic
SW2	4916276	405572	4916273	405569	not flowing	not flowing
SW3	4916135	405566	4916135	405563	lentic	dry
SW5	4915957	405608	4915954	405605	not flowing	dry
SW6*	4915886	405598	4915887	405600	not flowing	not flowing
SW7	4915988	405709	4915994	405704	lotic	lentic

Notes

* SW6 was moved upstream due to dry conditions

Data Input: MW

Data Check: TB

Appendix C
ECA No. A442002

AMENDED ENVIRONMENTAL COMPLIANCE APPROVALNUMBER A442002
Issue Date: March 21, 2016

The Corporation of the Township of Leeds and the Thousand Islands
1233 Prince St Lansdowne
Post Office Box, No. 280
Leeds and the Thousand Islands, Ontario
K0E 1L0

Site Location: Leeds Waste Disposal Site (Closed)
Twp. of Front of Leeds and Lansdowne
Lot 11, Concession 3
Leeds and the Thousand Islands Township, United Counties of Leeds and Grenville

You have applied under section 20.2 of Part II.1 of the Environmental Protection Act, R.S.O. 1990, c. E. 19 (Environmental Protection Act) for approval of:

the operation, monitoring and maintenance of a 0.8 hectare landfilling within a total waste disposal site area of 1.7 hectares.

For the purpose of this environmental compliance approval, the following definitions apply:

"Approval " means this Environmental Compliance Approval and any Schedules to it, including the application and supporting documentation listed in Schedule "A".

"Director" means any Ministry employee appointed in writing by the Minister pursuant to section 5 of the EPA as a Director for the purposes of Part II.1 of the EPA;

"District Manager" means the District Manager of the local district office of the *Ministry* in which the *Site* is geographically located;

"EPA" means *Environmental Protection Act* , R.S.O. 1990, c. E. 19, as amended;

"Ministry" means the Ontario Ministry of the Environment and Climate Change;

"Owner" means any person that is responsible for the establishment or operation of the *Site* being approved by this *Approval*, and includes The Corporation of the Township of Leeds and the Thousand Islands its successors and assigns;

"*Regional Director* " means the Regional Director of the local Regional Office of the *Ministry* in which the *Site* is located;

"*Regulation 903*" means Regulation 903, R.R.O. 1990, made under the *OWRA*, as amended; and

"*Site* " means the entire waste disposal site, including the buffer lands, and contaminant attenuation zone at Leeds Waste Disposal Site (Closed), Lot 11, Concession 3, Leeds and the Thousand Islands Township, United Counties of Leeds and Grenville.

You are hereby notified that this environmental compliance approval is issued to you subject to the terms and conditions outlined below:

TERMS AND CONDITIONS

1. GENERAL

Compliance

- (1) The *Owner* and *Operator* shall ensure compliance with all the conditions of this *Approval* and shall ensure that any person authorized to carry out work on or operate any aspect of the *Site* is notified of this *Approval* and the conditions herein and shall take all reasonable measures to ensure any such person complies with the same.
- (2) Any person authorized to carry out work on or operate any aspect of the *Site* shall comply with the conditions of this *Approval* .

In Accordance

- (3) Except as otherwise provided by this *Approval*, the *Site* shall be designed, developed, built, operated and maintained in accordance with the documentation listed in the attached Schedule "A".

Interpretation

- (4) Where there is a conflict between a provision of any document listed in Schedule "A" in this *Approval*, and the conditions of this *Approval*, the conditions in this *Approval* shall take precedence.
- (5) Where there is a conflict between the application and a provision in any document listed in Schedule "A", the application shall take precedence, unless it is clear that the purpose of the document was to amend the application and that the *Ministry* approved the amendment.
- (6) Where there is a conflict between any two documents listed in Schedule "A", the document bearing the most recent date shall take precedence.

- (7) The conditions of this *Approval* are severable. If any condition of this *Approval*, or the application of any condition of this *Approval* to any circumstance, is held invalid or unenforceable, the application of such condition to other circumstances and the remainder of this *Approval* shall not be affected thereby.

Other Legal Obligations

- (8) The issuance of, and compliance with, this *Approval* does not:
- (a) relieve any person of any obligation to comply with any provision of any applicable statute, regulation or other legal requirement; or
 - (b) limit in any way the authority of the *Ministry* to require certain steps be taken or to require the *Owner* and *Operator* to furnish any further information related to compliance with this *Approval*.

Adverse Effect

- (9) The *Owner* shall take steps to minimize and ameliorate any adverse effect on the natural environment or impairment of water quality resulting from the *Site*, including such accelerated or additional monitoring as may be necessary to determine the nature and extent of the effect or impairment.
- (10) Despite an *Owner* or any other person fulfilling any obligations imposed by this *Approval* the person remains responsible for any contravention of any other condition of this *Approval* or any applicable statute, regulation, or other legal requirement resulting from any act or omission that caused the adverse effect to the natural environment or impairment of water quality.

Change of Ownership

- (11) The *Owner* shall notify the *Director*, in writing, and forward a copy of the notification to the *District Manager*, within 30 days of the occurrence of any changes in the following information:
- (a) the ownership of the *Site*;
 - (b) the *Operator* of the *Site*;
 - (c) the address of the *Owner* or *Operator*; and
 - (d) the partners, where the *Owner* or *Operator* is or at any time becomes a partnership and a copy of the most recent declaration filed under the *Business Names Act*, R. S. O. 1990, c. B.17, shall be included in the notification.
- (12) No portion of this *Site* shall be transferred or encumbered prior to or after closing of the *Site* unless the *Director* is notified in advance and sufficient financial assurance is deposited with the *Ministry* to ensure that these conditions will be carried out.
- (13) In the event of any change in ownership of the *Site*, other than change to a successor municipality, the *Owner* shall notify the successor of and provide the successor with a copy of this *Approval*, and the *Owner* shall provide a copy of the notification to the *District Manager* and the *Director*.

Certificate of Requirement/Registration on Title

- (14) Prior to dealing with the property in any way, the *Owner* shall provide a copy of this *Approval* and any amendments, to any person who will acquire an interest in the property as a result of the dealing.
- (15)
 - (a) Within ninety (90) calendar days from the date of issuance of this *Approval*, the *Owner* shall submit to the *Director* a completed Certificate of Requirement which shall include:
 - (i) a plan of survey prepared, signed and sealed by an Ontario Land Surveyor, which shows the area of the *Site* where waste has been or is to be deposited at the *Site*;
 - (ii) proof of ownership of the *Site*;
 - (iii) a letter signed by a member of the Law Society of Upper Canada or other qualified legal practitioner acceptable to the *Director*, verifying the legal description provided in the Certificate of Requirement;
 - (iv) the legal abstract of the property; and
 - (v) any supporting documents including a registerable description of the *Site*.
 - (b) Within fifteen (15) calendar days of receiving a Certificate of Requirement authorized by the *Director*, the *Owner* shall:
 - (i) register the Certificate of Requirement in the appropriate Land Registry Office on the title to the property; and
 - (ii) submit to the *Director* written verification that the Certificate of Requirement has been registered on title.

2. INSPECTIONS, RECORD KEEPING AND REPORTING

Inspections and Log Book

- (1) An inspection of the entire *Site* for the following shall be carried out a minimum of twice per year during monitoring events:
 - (a) integrity of the final cover and landscaping;
 - (b) presence of any leachate seeps;
 - (c) that the *Site* is not causing any nuisances or any adverse effects on the environment;
 - (d) the *Site* is secure; and
 - (e) that the *Site* is being operated in compliance with this *Approval*.
- (2) Any deficiencies discovered as a result of the inspection shall be remedied immediately.
- (3) Presence of any leachate seeps shall be reported verbally to the *District Manager* within one (1) business day.
- (4) A record of the inspections shall be kept in a log book that includes:
 - (a) the name and signature of person that conducted the inspection;

- (b) the date and time of the inspection;
- (c) the list of any deficiencies discovered;
- (d) the recommendations for remedial action; and
- (e) the date, time and description of actions taken.

Annual Report

- (5) A written report on the operation, maintenance and monitoring of the *Site*, shall be completed annually (the “Annual Report”). The Annual Report shall be submitted to the *District Manager*, by March 31st of the year following the period being reported upon.
- (6) The Annual Report shall include but not be limited to the following information:
 - (a) the results and an interpretive analysis of the results of all leachate, groundwater and surface water monitoring, including an assessment of the need to amend the monitoring programs;
 - (b) an assessment on the *Site's* compliance with Guideline B7;
 - (c) a summary of any complaints received and the responses made;
 - (d) a summary of the findings during inspections and a summary of any remedial work conducted at the *Site*.
 - (e) a report on the status of all monitoring wells and a statement as to compliance with *Ontario Regulation 903*; and
 - (f) any other information with respect to the *Site* which the *District Manager* may require from time to time.

3. LANDFILL MONITORING

Compliance

- (1) The *Site* shall be operated/maintained in such a way as to ensure compliance with the following:
 - (a) Reasonable Use Guideline B-7 for the protection of the groundwater at the *Site*; and
 - (b) Provincial Water Quality Objectives included in the July 1994 publication entitled *Water Management Policies, Guidelines, Provincial Water Quality Objectives*, as amended from time to time or limits set by the *Regional Director*, for the protection of the surface water at and off the *Site*.

Surface Water and Groundwater

- (2) Within two (2) months from the date of this *Approval*, the *Owner* shall submit to the *Director* for approval, with copies to the *District Manager*, a report detailing the current groundwater and surface water monitoring program for the *Site* and a revised groundwater and surface water monitoring plan which fully delineate the horizontal and vertical extent of leachate migration

resulting from the landfilling activities at the *Site*. The report shall include but not be limited to the following:

- (a) a drawing showing the sampling locations;
 - (b) current parameters that are analyzed and any revisions to the parameters;
 - (c) the sampling frequency;
 - (d) the groundwater measurement, flow measurement and sampling protocols;
 - (e) the latest annual report summary and interpretation of historical environmental monitoring data collected at the *Site*; and
 - (f) sketch of historical waste placement with respect to monitoring locations and current businesses/operations at the *Site*.
- (3) A certified Professional Geoscientist or Engineer possessing appropriate hydrogeologic training and experience shall execute or directly supervise the execution of the groundwater monitoring and reporting program.

Trigger Mechanisms and Contingency Plans

- (4)
 - (a) Within two (2) months from the date of this *Approval*, the *Owner* shall submit to the *Director*, for approval, and copies to the *District Manager*, details of a trigger mechanisms plan for surface water and groundwater quality monitoring for the purpose of initiating investigative activities into the cause of increased contaminant concentrations.
 - (b) Within two (2) months from the date of this *Approval*, the *Owner* shall submit to the *Director* for approval, and copies to the *District Manager*, details of a contingency plan to be implemented in the event that the surface water or groundwater quality exceeds any trigger mechanism.
- (5) In the event of a confirmed exceedance of a site-specific trigger level relating to leachate mounding or groundwater or surface water impacts due to leachate, the *Owner* shall immediately notify the *District Manager*, and an investigation into the cause and the need for implementation of remedial or contingency actions shall be carried out by the *Owner* in accordance with the approved trigger mechanisms and associated contingency plans.
- (6) If monitoring results, investigative activities and/or trigger mechanisms indicate the need to implement contingency measures, the *Owner* shall ensure that the following steps are taken:
 - (a) The *Owner* shall notify the *District Manager*, in writing of the need to implement contingency measures, no later than 30 days after confirmation of the exceedances;
 - (b) Detailed plans, specifications and descriptions for the design, operation and maintenance of the contingency measures shall be prepared and submitted by the *Owner* to the *District Manager* for approval; and
 - (c) The contingency measures shall be implemented by the *Owner* upon approval by the *District Manager*.

- (7) The *Owner* shall ensure that any proposed changes to the site-specific trigger levels for leachate impacts to the surface water or groundwater, are approved in advance by the *Director* via an amendment to this *Approval*.

Groundwater Wells and Monitors

- (8) The *Owner* shall ensure that all groundwater monitoring wells which form part of the monitoring program are properly capped, locked and protected from damage.
- (9) Any groundwater monitoring well included in the on-going monitoring program that are damaged shall be assessed, repaired, replaced or decommissioned by the *Owner*, as required.
 - (a) The *Owner* shall repair or replace any monitoring well which is destroyed or in any way made to be inoperable for sampling such that no more than one regular sampling event is missed.
 - (b) All monitoring wells which are no longer required as part of the groundwater monitoring program, and have been approved by the *District Manager* for abandonment, shall be decommissioned by the *Owner*, as required, in accordance with *Regulation 903*, that will prevent contamination through the abandoned well. A report on the decommissioning of the well shall be included in the Annual Report for the period during which the well was decommissioned.

Changes to the Monitoring Plan

- (10) The *Owner* may request to make changes to the monitoring program(s) to the *District Manager* in accordance with the recommendations of the annual report. The *Owner* shall make clear reference to the proposed changes in separate letter that shall accompany the annual report.
- (11) Within fourteen (14) days of receiving the written correspondence from the *District Manager* confirming that the *District Manager* is in agreement with the proposed changes to the environmental monitoring program, the *Owner* shall forward a letter identifying the proposed changes and a copy of the correspondences from the *District Manager* and all other correspondences and responses related to the changes to the monitoring program, to the *Director* requesting the *Approval* be amended to approve the proposed changes to the environmental monitoring plan prior to implementation.
- (12) In the event any other changes to the environmental monitoring program are proposed outside of the recommendation of the annual report, the *Owner* shall follow current ministry procedures for seeking approval for amending the *Approval*.

4. CLOSURE PLAN

- (1) Except as otherwise provided by these conditions, the *Site* shall be closed in accordance with report titled "Groundwater and Surface Water Sampling Update and Revised Closure Plan, Leeds Waste Disposal Site, Township of Front of Leeds and Lansdowne" dated January 1994 and prepared by Water and Earth Science Associates Ltd.
- (2) This landfill has been closed since December 1991 and no waste shall be accepted for disposal at the *Site*.
- (3) Waste deposited within the 0.7 hectare beyond the approved limits of 0.8 hectare is hereby recognized. Boundary of the total waste disposal foot print of 1.5 hectares shall be marked with visible markers.

SCHEDULE "A"

1. Application for a Certificate of Approval for a Waste Disposal Site and Supporting Information to an approval of a Waste Disposal Site date June 1, 1971.
2. Application for a Certificate of Approval for a Waste Disposal Site and Supporting Information to an approval of a Waste Disposal Site (Transfer) date June 19, 1990.
3. Letter from Mr. J.D. Bishop (Kingston District Office), to Mr. J. Raycroft (Township of Front of Leeds and Lansdowne), dated November 28, 1991.
4. Letter from Mr. D.J. Andrijiw (Approvals Branch), to Mr. J. Raycroft (Township of Front of Leeds and Lansdowne), dated December 18, 1991.
5. Report titled "Groundwater and Surface Water Sampling Update and Revised Closure Plan, Leeds Waste Disposal Site, Township of Front of Leeds and Lansdowne" dated January 1994 and prepared by Water and Earth Science Associates Ltd.
6. Facsimile transmission from Mrs. A. Mitton (Southeastern Region), to Mr. O. Ibrahim (Approvals Branch), dated December 20, 1993.

The reasons for the imposition of these terms and conditions are as follows:

GENERAL

- The reason for Conditions 1(1), (2), (4), (5), (6), (7), (8), (9) and (10) is to clarify the legal rights and responsibilities of the *Owner* under this *Approval* .
- The reasons for Condition 1(3) is to ensure that the *Site* is designed, operated, monitored and maintained in accordance with the application and supporting documentation submitted by the *Owner*, and not in a manner which the *Director* has not been asked to consider.

- The reasons for Condition 1(11) are to ensure that the *Site* is operated under the corporate name which appears on the application form submitted for this approval and to ensure that the *Director* is informed of any changes.
- The reasons for Condition 1(12) are to restrict potential transfer or encumbrance of the *Site* without the approval of the *Director* and to ensure that any transfer of encumbrance can be made only on the basis that it will not endanger compliance with this *Approval* .
- The reason for Condition 1(13) is to ensure that the successor is aware of its legal responsibilities.
- The reason for Condition 1(14) and (15) are that the Part II.1 *Director* is an individual with authority pursuant to Section 197 of the Environmental Protection Act to require registration on title and provide any person with an interest in property before dealing with the property in any way to give a copy of the *Approval* to any person who will acquire an interest in the property as a result of the dealing.

INSPECTIONS, RECORD KEEPING AND REPORTING

- The reasons for Conditions 2(1), 2(2) and 2(3) are to ensure that the *Site* is operated, inspected and maintained in an environmentally acceptable manner and does not result in a hazard or nuisance to the natural environment or any person.
- The reason for Condition 2 (4) is to ensure that accurate records are maintained to ensure compliance with the conditions in this Approval (record keeping, annual reporting etc.), the EPA and its regulations.
- The reasons for Conditions 2(5) and 2(6) are to ensure that regular review of site development, operations and monitoring data is documented and any possible improvements to site design, operations or monitoring programs are identified. An annual report is an important tool used in reviewing site activities and for determining the effectiveness of site design.

LANDFILL MONITORING

- Condition 3(1) is included to provide the groundwater and surface water limits to prevent water pollution at the *Site*.
- Conditions 3(2) and 3(3) is included to require the *Owner* to demonstrate that the *Site* is performing as designed and the impacts on the natural environment are acceptable. This condition is also to require the *Owner* to revise and update the monitoring plan. Regular monitoring allows for the analysis of trends over time and ensures that there is an early warning of potential problems so that any necessary remedial/contingency action can be taken.
- Conditions 3(4), 3(5), 3(6) and 3(7) are included to ensure the integrity of the groundwater

monitoring network so that accurate monitoring results are achieved and the natural environment is protected.

- Reasons for conditions 3(8), 3(9) and 3(10) are included to streamline the approval of the changes to the monitoring plan.

CLOSURE PLAN

- The reasons for Condition 4(1) and 4(2) are to ensure that final closure of the *Site* is completed in an aesthetically pleasing manner, in accordance with *Ministry* standards, and to ensure the long-term protection of the health and safety of the public and the environment.
- The reasons for Condition 4(3) are to allow the *Owner* to leave the waste deposited outside the approved limits in place and to ensure the long-term protection of the health and safety of the public and the environment.

Upon issuance of the environmental compliance approval, I hereby revoke Approval No(s). A442002 issued on January 4, 1994 and associated notices of amendments.

In accordance with Section 139 of the Environmental Protection Act, you may by written Notice served upon me and the Environmental Review Tribunal within 15 days after receipt of this Notice, require a hearing by the Tribunal. Section 142 of the Environmental Protection Act provides that the Notice requiring the hearing shall state:

1. The portions of the environmental compliance approval or each term or condition in the environmental compliance approval in respect of which the hearing is required, and;
2. The grounds on which you intend to rely at the hearing in relation to each portion appealed.

Pursuant to subsection 139(3) of the Environmental Protection Act, a hearing may not be required with respect to any terms and conditions in this environmental compliance approval, if the terms and conditions are substantially the same as those contained in an approval that is amended or revoked by this environmental compliance approval.

The Notice should also include:

3. The name of the appellant;
4. The address of the appellant;
5. The environmental compliance approval number;
6. The date of the environmental compliance approval;
7. The name of the Director, and;
8. The municipality or municipalities within which the project is to be engaged in.

And the Notice should be signed and dated by the appellant.

This Notice must be served upon:

The Secretary*
Environmental Review Tribunal

The Director appointed for the purposes of Part II.1 of
the Environmental Protection Act

655 Bay Street, Suite 1500
Toronto, Ontario
M5G 1E5

AND

Ministry of the Environment and Climate Change
135 St. Clair Avenue West, 1st Floor
Toronto, Ontario
M4V 1P5

* **Further information on the Environmental Review Tribunal's requirements for an appeal can be obtained directly from the Tribunal at: Tel: (416) 212-6349, Fax: (416) 326-5370 or www.ert.gov.on.ca**

The above noted activity is approved under s.20.3 of Part II.1 of the Environmental Protection Act.

DATED AT TORONTO this 21st day of March, 2016



Dale Gable, P.Eng.

Director

appointed for the purposes of Part II.1 of the
Environmental Protection Act

RM/

c: District Manager, MOECC Kingston - District
Vanessa Latimer

Appendix D
Monitoring Program

1040 Leeds Waste Disposal Site - Proposed Sampling Program

Semi Annual Monitoring Tasks

- 1 Monitor groundwater elevation
- 2 GPS Wells and SW stations
- 3 Photo Wells and SW Stations
- 4 Site inspection
- 5 GW and SW Sampling
- 6 Measure DTW and DTB at monitoring wells

Sampling Program

Groundwater Monitoring Wells: 08-1, MW101, MW102, MW103, MW104
 VOCs¹: 08-1 and MW101 next sampling: 2023
total 5
 Lab criteria: ODWS

Surface Water Stations: SW1, SW2, SW3, SW5, SW6, SW7
total 6
 Lab criteria: PWQO

Monitoring Program	Groundwater		Surface Water	
	Spring and Fall		Spring and Fall	
Parameters	Alkalinity	Barium	Alkalinity	Mercury, dissolved
	N - Ammonia	Boron	N - Ammonia	Arsenic
	BOD	Cadmium	N - Ammonia(U)	Barium
	COD	Calcium	BOD	Boron
	DOC	Chromium	COD	Cadmium
	Conductivity	Cobalt	DOC	Calcium
	Hardness	Copper	Conductivity	Chromium
	pH	Iron	Hardness	Cobalt
	Phenols	Lead	pH	Copper
	Phosphorus (total)	Magnesium	Phenols	Iron
	TDS	Manganese	Phosphorus (total)	Lead
	TSS	Potassium	Phosphorus (dissolved)	Magnesium
	N - Total Kjeldahl	Silver	TDS	Manganese
	Chloride	Sodium	TSS	Nickel
	N - Nitrate	Strontium	N - Total Kjeldahl	Potassium
	N - Nitrite	Uranium	Chloride	Silver
	Sulphate	Vanadium	N - Nitrate	Sodium
	Mercury	Zinc	N - Nitrite	Strontium
	Aluminum		Sulphate	Vanadium
	Arsenic		Aluminum-dissolved	Zinc
	VOCs at MW101 and 08-1: ¹			
	Acetone	Dichloropropene, trans-1,3-		
	Benzene	Dichloropropene, Total-1,3		
	Bromodichloromethane	Ethylbenzene		
	Bromoform	Hexane		
	Bromomethane	Methyl Butyl Ketone		
	Carbon Tetrachloride	Methyl Ethyl Ketone		
	Chloroethane	Methyl Isobutyl Ketone		
	Chloroform	Methyl-t-butyl Ether		
	Chloromethane	Chlorobenzene		
	Dibromochloromethane	Styrene		
	Ethylene Dibromide	Tetrachloroethane, 1,1,1,2-		
	Dichlorobenzene, 1,2-	Tetrachloroethane, 1,1,2,2-		
	Dichlorobenzene, 1,3-	Tetrachloroethylene		
	Dichlorobenzene, 1,4-	Toluene		
	Dichlorodifluoromethane	Trichloroethane, 1,1,1-		
	Dichloroethane, 1,1-	Trichloroethane, 1,1,2-		
	Dichloroethane, 1,2-	Trichloroethylene		
Dichloroethane, 1,1-	Trichlorofluoromethane			
Dichloroethane, cis-1,2-	Trimethylbenzene, 1,3,5-			
Dichloroethane, trans-1,2-	Vinyl Chloride			
Dichloroethylene, Total-1,2	Xylene, m,p-			
Methyl Chloride	Xylene, o-			
Dichloropropane, 1,2-	Xylene, total			
Dichloropropene, cis-1,3-				
Field	pH	N-NH3 unionized (Calc)	pH	N-NH3 unionized (Calc)
	Temperature	Turbidity	Temperature	Turbidity
	Dissolved Oxygen	ORP	Dissolved Oxygen	Turbidity
	Conductivity	Groundwater elevations	Conductivity	ORP

¹ VOC analysis will occur every 5 years starting in 2019 (next sampling 2023)

In: CM
Chk: MW

Appendix E
MECP Correspondence

From: [John Pyke](#)
To: [Mallory Wright](#)
Cc: [Justina Poisson](#)
Subject: FW: Leeds WDS - 2020 Annual Monitoring Report
Date: January 26, 2022 2:21:06 PM
Attachments: [ECA Notice 2 August 2019.pdf](#)

Doesn't look like we have much to deal with.

John Pyke, P.Geo. Malroz Engineering Inc. T: 613-548-3446 x 34 C: 613-561-5363

From: Matthews, Nathalie (MECP) <Nathalie.Matthews@ontario.ca>
Sent: January 26, 2022 2:14 PM
To: David Holliday <directoroperations@townshipleeds.on.ca>
Cc: John Pyke <Pyke@malroz.com>
Subject: Leeds WDS - 2020 Annual Monitoring Report

Good afternoon Dave,

We have completed our review of the 2020 annual monitoring report for the Leeds waste disposal site and offer the following comments:

- The site is in a known state of non-compliance with Guideline B-7. A proposed plan (prepared by Malroz) was forwarded to the Ministry on October 20, 2020 (attached) and comments on the proposal were provided in an email dated January 8, 2021 (attached). The acquisition of additional buffer and contaminant attenuation zone lands was proposed to address the sites non-conformance with Guideline B-7. Our ministry continues to support this proposal. The 2020 AMR provides no additional information related to the completion of the action plan but does recommend that the proposed action plan be completed.
 - REQUEST: Ensure that the 2021 annual report includes an update on the acquisition of buffer and the CAZ.
- The 2020 AMR proposes the removal (and abandonment) of monitoring well MW104 from the monitoring program. The reason for the proposed change is that the monitoring well is perpetually dry. We have no objection to the removal of this monitoring well from the monitoring program.
 - To note: Conditions 3(10) and 3(11) of Notice No. 2 issued

on August 16, 2019 (attached to this email) outline requirements for changes to the approved monitoring programs.

- Once the site is brought into conformance with Guideline B-7, we can consider potential reductions to the groundwater monitoring program and reporting requirements at the site.
- Condition 3(4)(a) and 3(4)(b) of Environmental Compliance Approval A442002 (dated March 21, 2016) required the submission of groundwater and surface water trigger mechanisms and contingency plans by May 21, 2016. To my knowledge, these plans have not been submitted.
 - REQUEST: Include the plans or an action plan for the development of these plans in the 2021 annual report.

If you have any questions, please call or email.

Nathalie Matthews, Provincial Officer

Ministry of the Environment, Conservation and Parks - Kingston District Office - 1259 Gardiners Road, Unit 3, Kingston, ON K7P 3J6

☎ 613.548.6917 | Spills Action Centre: 800.268.6060 | Pollution Hotline: 866.MOE.TIPS/866.663.8477 | www.ontario.ca/ministry-environment

We want to hear from you. You can provide feedback on my service at (888) 745-8888 or ontario.ca/inspectionfeedback. | Votre opinion nous importe. Faites-nous part de vos commentaires sur mes services au (888) 745-8888 ou à ontario.ca/retroactioninspection.

This email message (including any attachments) is intended only for the above named recipient(s) and may contain information that is privileged, confidential and/or exempt from disclosure under applicable law. If you have received this message in error, or are not the named recipient(s), please immediately notify the sender and delete this email message. Ce courriel est destiné exclusivement au(x) destinataire(s) mentionné(s) ci-dessus et peut contenir de l'information privilégiée, confidentielle et/ou dispensée de divulgation aux termes des lois applicables. Si vous avez reçu ce message par erreur, ou s'il ne vous est pas destiné, veuillez le mentionner immédiatement à l'expéditeur et effacer ce courriel.

Appendix F
Site Inspection



Landfill Site Inspection

Date: April 28/2021
Inspected by: MW
Temperature: 10°C
Project #: 1040

Time: 12:00



Page 1 of 2

Inspection Item	Condition/Result	Notes
Is signage displayed that outlines the hours of operation, acceptable wastes etc. per ECA?	N/A	
Was a site attendant present during operational hours of the landfill? Record name of attendant.	N/A	
Were any hazardous or liquid wastes observed being disposed of at the site?	No	
Are recycling materials being placed in the appropriate bins?	N/A	
Were vermin, vectors, dust or litter present?	No	
Is windblown litter present at the site? If yes, has a schedule been set for removal?	litter from someone dumping	- Construction/furniture dumped @ gate - glass/wood/misc. dumped on side of the road (southside) near Malroz.
Are brush and clean wood segregated from other wastes?	N/A	
Did any waste burning occur at the site?	ND	
Is interim cover being applied to the site?	N/A	
Is the property locked outside of posted hours? Is the gate and fencing in good condition?	ATZ No fence still on east side of gate (north side of mound)	
Drainage conditions (e.g. ponded water).	Good	
Are surface water features obstructed?	No	

Proj #: 1040

Date: April 28, 2021

Page 2 of 2

Inspection Item	Condition	Notes
Are all ditches, swales, sediment control ponds, and rock check dams in working order?	Yes	
Is there evidence of excessive erosion on the on-site road?	NO	
Condition of the landfill cap? Is erosion of the cap occurring? Condition of vegetation?	1. Good 2. NO 3. Good	
Are leachate springs evident anywhere on site?	NO	
Have all monitoring wells been located? Do all wells have proper caps? Do any wells need repair?	1. YES 2. YES 3. NO	
Are there seeps present?	NO	Staining & seep notes on east side of the mound in the stream between SW1 & SW2.
What is the condition of the methane venting system?	N/A	
Was waste observed outside of the approved fill area?	N/A	
Were any unapproved wastes deposited or observed at the site?	NO	
Are on-site structures in good condition?	N/A	
Methane monitoring in on site structures?	N/A	
Other:	N/A	

General Comments:

Signature: _____

M. Wright


Leeds Site Inspection

Date: Oct. 14/21
 Inspected by: Mallory Wright
 Weather Conditions: Sun/cloud (18°C)

Time: 14:20

Inspection Item	condition	notes
Condition of the waste cap (Erosion, repairs needed?)	Good	
Are there seep present.	NO	steps & irridescence in the east stream up from SW
Condition of perimeter fence and gate.	Good	no fence on north side of mound
Is the site secure.	Yes	
Were vermin, vectors, dust or litter present.	Very Small amount at front entrance. Everything else no.	

General Comments


 Signature

Appendix G
Laboratory Certificates

C.O.C.: G103293

REPORT No. B21-12242

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada

Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 28-Apr-21

JOB/PROJECT NO.: 1040-LEEDS

DATE REPORTED: 06-May-21

P.O. NUMBER:

SAMPLE MATRIX: Surface Water

WATERWORKS NO.

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed	Client I.D.	21-W001	21-W002	21-W003	21-W005
					Sample I.D.	28-Apr-21	28-Apr-21	28-Apr-21	28-Apr-21
Alkalinity(CaCO3) to pH4.5	mg/L	5	SM 2320B	03-May-21/O	B21-12242-1	44	39	141	109
pH @25°C	pH Units		SM 4500H	03-May-21/O	B21-12242-2	7.17	7.30	7.79	7.73
Conductivity @25°C	µmho/cm	1	SM 2510B	03-May-21/O	B21-12242-3	89	82	283	223
Chloride	mg/L	0.5	SM4110C	30-Apr-21/O	B21-12242-4	1.7	1.9	2.4	2.2
Nitrate (N)	mg/L	0.05	SM4110C	30-Apr-21/O		< 0.05	0.07	< 0.05	< 0.05
Nitrite (N)	mg/L	0.05	SM4110C	30-Apr-21/O		< 0.05	< 0.05	< 0.05	< 0.05
Sulphate	mg/L	1	SM4110C	30-Apr-21/O		2	3	9	5
BOD(5 day)	mg/L	3	SM 5210B	29-Apr-21/K		< 3	< 3	< 3	< 3
Total Suspended Solids	mg/L	3	SM2540D	29-Apr-21/K		18	< 3	116	8
o-Phosphate (P)	mg/L	0.002	PE4500-S	03-May-21/K		0.005	0.003	0.034	0.016
Phosphorus-Total	mg/L	0.01	E3199A.1	01-May-21/K		0.07	0.02	0.31	0.08
Total Kjeldahl Nitrogen	mg/L	0.1	E3199A.1	01-May-21/K		0.7	0.3	1.5	0.8
Ammonia (N)-Total	mg/L	0.01	SM4500-NH3-H	03-May-21/K		< 0.01	< 0.01	0.03	0.01
Ammonia (N)-unionized	mg/L	0.01	CALC	03-May-21/K		< 0.01	< 0.01	< 0.01	< 0.01
Total Dissolved Solids	mg/L	3	SM 2540D	04-May-21/O		45	41	145	114
Dissolved Organic Carbon	mg/L	0.2	EPA 415.2	30-Apr-21/O		7.6	5.0	11.4	12.0
Phenolics	mg/L	0.001	MOEE 3179	04-May-21/K		0.006	< 0.001	< 0.001	< 0.001
COD	mg/L	5	SM5220C	30-Apr-21/K		20	10	53	32
Hardness (as CaCO3)	mg/L	1	SM 3120	30-Apr-21/O		39	42	151	115
Aluminum	mg/L	0.01	SM 3120	30-Apr-21/O		0.03	0.03	0.03	0.03
Arsenic	mg/L	0.0001	EPA 200.8	30-Apr-21/O		0.0002	0.0001	0.0003	0.0003
Barium	mg/L	0.001	SM 3120	30-Apr-21/O		0.018	0.010	0.035	0.027
Boron	mg/L	0.005	SM 3120	30-Apr-21/O		0.005	0.016	0.067	0.044
Cadmium	mg/L	0.000015	EPA 200.8	30-Apr-21/O		< 0.000015	< 0.000015	< 0.000015	0.000015
Calcium	mg/L	0.02	SM 3120	30-Apr-21/O		9.88	12.1	38.7	31.5
Chromium	mg/L	0.001	EPA 200.8	30-Apr-21/O		< 0.001	< 0.001	< 0.001	< 0.001
Cobalt	mg/L	0.0001	EPA 200.8	30-Apr-21/O		0.0003	0.0001	0.0002	0.0004



R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie

Michelle Dubien
 Lab Manager

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G103293

REPORT No. B21-12242

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada
Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 28-Apr-21
 DATE REPORTED: 06-May-21
 SAMPLE MATRIX: Surface Water

JOB/PROJECT NO.: 1040-LEEDS
 P.O. NUMBER:
 WATERWORKS NO.

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed	Client I.D.	21-W001	21-W002	21-W003	21-W005
					Sample I.D.	28-Apr-21	28-Apr-21	28-Apr-21	28-Apr-21
Copper	mg/L	0.0001	EPA 200.8	30-Apr-21/O	B21-12242-1	0.0018	0.0008	0.0006	0.0008
Iron	mg/L	0.005	SM 3120	30-Apr-21/O	B21-12242-2	0.413	0.246	0.526	0.586
Lead	mg/L	0.00002	EPA 200.8	30-Apr-21/O	B21-12242-3	0.00013	0.00010	0.00193	0.00019
Magnesium	mg/L	0.02	SM 3120	30-Apr-21/O	B21-12242-4	3.28	2.86	13.1	10.3
Manganese	mg/L	0.001	SM 3120	30-Apr-21/O		0.022	0.033	0.027	0.420
Mercury	mg/L	0.00002	SM 3112 B	04-May-21/O		< 0.00002	< 0.00002	< 0.00002	< 0.00002
Nickel	mg/L	0.01	SM 3120	30-Apr-21/O		< 0.01	< 0.01	< 0.01	< 0.01
Potassium	mg/L	0.1	SM 3120	30-Apr-21/O		0.5	0.5	1.2	0.8
Silicon	mg/L	0.01	SM 3120	30-Apr-21/O		1.64	2.96	1.12	2.34
Sodium	mg/L	0.2	SM 3120	30-Apr-21/O		2.0	1.7	6.3	5.1
Uranium	mg/L	0.00005	EPA 200.8	30-Apr-21/O		0.00014	0.00005	0.00034	0.00014
Vanadium	mg/L	0.0001	EPA 200.8	30-Apr-21/O		0.0005	0.0003	0.0006	0.0004
Zinc	mg/L	0.005	SM 3120	30-Apr-21/O		0.006	< 0.005	< 0.005	0.009
pH	pH Units		Client Supplied Data	28-Apr-21		7.81	7.33	6.68	6.87
Temperature	°C		Client Supplied Data	28-Apr-21		11.2	10.6	12.2	11.7



Michelle Dubien
 Lab Manager

R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G103293

REPORT No. B21-12242

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada

Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 28-Apr-21

JOB/PROJECT NO.: 1040-LEEDS

DATE REPORTED: 06-May-21

P.O. NUMBER:

SAMPLE MATRIX: Surface Water

WATERWORKS NO.

Client I.D.	21-W006	21-W009		
Sample I.D.	B21-12242-5	B21-12242-6		
Date Collected	28-Apr-21	28-Apr-21		

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed				
Alkalinity(CaCO3) to pH4.5	mg/L	5	SM 2320B	03-May-21/O	132	101		
pH @25°C	pH Units		SM 4500H	03-May-21/O	7.98	7.77		
Conductivity @25°C	µmho/cm	1	SM 2510B	03-May-21/O	272	205		
Chloride	mg/L	0.5	SM4110C	30-Apr-21/O	3.1	2.5		
Nitrate (N)	mg/L	0.05	SM4110C	30-Apr-21/O	0.06	< 0.05		
Nitrite (N)	mg/L	0.05	SM4110C	30-Apr-21/O	< 0.05	< 0.05		
Sulphate	mg/L	1	SM4110C	30-Apr-21/O	8	5		
BOD(5 day)	mg/L	3	SM 5210B	29-Apr-21/K	< 3	< 3		
Total Suspended Solids	mg/L	3	SM2540D	29-Apr-21/K	12	14		
o-Phosphate (P)	mg/L	0.002	PE4500-S	03-May-21/K	< 0.002	< 0.002		
Phosphorus-Total	mg/L	0.01	E3199A.1	01-May-21/K	0.08	0.05		
Total Kjeldahl Nitrogen	mg/L	0.1	E3199A.1	01-May-21/K	0.7	0.7		
Ammonia (N)-Total	mg/L	0.01	SM4500-NH3-H	03-May-21/K	< 0.01	0.07		
Ammonia (N)-unionized	mg/L	0.01	CALC	03-May-21/K	< 0.01	< 0.01		
Total Dissolved Solids	mg/L	3	SM 2540D	04-May-21/O	139	104		
Dissolved Organic Carbon	mg/L	0.2	EPA 415.2	30-Apr-21/O	8.9	8.1		
Phenolics	mg/L	0.001	MOEE 3179	04-May-21/K	< 0.001	< 0.001		
COD	mg/L	5	SM5220C	30-Apr-21/K	25	18		
Hardness (as CaCO3)	mg/L	1	SM 3120	30-Apr-21/O	143	104		
Aluminum	mg/L	0.01	SM 3120	30-Apr-21/O	0.03	0.01		
Arsenic	mg/L	0.0001	EPA 200.8	30-Apr-21/O	0.0003	0.0002		
Barium	mg/L	0.001	SM 3120	30-Apr-21/O	0.057	0.041		
Boron	mg/L	0.005	SM 3120	30-Apr-21/O	0.090	0.057		
Cadmium	mg/L	0.00015	EPA 200.8	30-Apr-21/O	0.000046	< 0.000015		
Calcium	mg/L	0.02	SM 3120	30-Apr-21/O	36.6	27.7		
Chromium	mg/L	0.001	EPA 200.8	30-Apr-21/O	0.001	< 0.001		
Cobalt	mg/L	0.0001	EPA 200.8	30-Apr-21/O	0.0009	0.0003		



Michelle Dubien
 Lab Manager

R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G103293

REPORT No. B21-12242

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada

Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 28-Apr-21

JOB/PROJECT NO.: 1040-LEEDS

DATE REPORTED: 06-May-21

P.O. NUMBER:

SAMPLE MATRIX: Surface Water

WATERWORKS NO.

Client I.D.	21-W006	21-W009		
Sample I.D.	B21-12242-5	B21-12242-6		
Date Collected	28-Apr-21	28-Apr-21		

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed				
Copper	mg/L	0.0001	EPA 200.8	30-Apr-21/O	0.0015	0.0011		
Iron	mg/L	0.005	SM 3120	30-Apr-21/O	1.58	1.22		
Lead	mg/L	0.00002	EPA 200.8	30-Apr-21/O	0.00086	0.00017		
Magnesium	mg/L	0.02	SM 3120	30-Apr-21/O	12.6	8.91		
Manganese	mg/L	0.001	SM 3120	30-Apr-21/O	0.329	0.104		
Mercury	mg/L	0.00002	SM 3112 B	04-May-21/O	< 0.00002	< 0.00002		
Nickel	mg/L	0.01	SM 3120	30-Apr-21/O	< 0.01	< 0.01		
Potassium	mg/L	0.1	SM 3120	30-Apr-21/O	2.9	2.0		
Silicon	mg/L	0.01	SM 3120	30-Apr-21/O	4.09	2.99		
Sodium	mg/L	0.2	SM 3120	30-Apr-21/O	5.9	4.2		
Uranium	mg/L	0.00005	EPA 200.8	30-Apr-21/O	0.00045	0.00021		
Vanadium	mg/L	0.0001	EPA 200.8	30-Apr-21/O	0.0020	0.0006		
Zinc	mg/L	0.005	SM 3120	30-Apr-21/O	0.016	0.010		
pH	pH Units		Client Supplied Data	28-Apr-21	8.02	7.57		
Temperature	°C		Client Supplied Data	28-Apr-21	13.5	11.3		



Michelle Dubien
 Lab Manager

R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G103292

REPORT No. B21-12245

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada

Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 28-Apr-21

JOB/PROJECT NO.: 1040-LEEDS

DATE REPORTED: 06-May-21

P.O. NUMBER:

SAMPLE MATRIX: Groundwater

WATERWORKS NO.

Client I.D.	21-W004	21-W007	21-W008	21-W010
Sample I.D.	B21-12245-1	B21-12245-2	B21-12245-3	B21-12245-4
Date Collected	28-Apr-21	28-Apr-21	28-Apr-21	28-Apr-21

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed				
Alkalinity(CaCO3) to pH4.5	mg/L	5	SM 2320B	03-May-21/O	185	811	847	228
pH @25°C	pH Units		SM 4500H	03-May-21/O	8.07	7.80	7.74	8.06
Conductivity @25°C	µmho/cm	1	SM 2510B	03-May-21/O	404	1580	1610	453
Chloride	mg/L	0.5	SM4110C	30-Apr-21/O	3.1	12.5	17.8	2.8
Nitrite (N)	mg/L	0.05	SM4110C	30-Apr-21/O	< 0.05	< 0.05	< 0.05	< 0.05
Nitrate (N)	mg/L	0.05	SM4110C	30-Apr-21/O	0.15	0.84	1.09	0.06
Sulphate	mg/L	1	SM4110C	30-Apr-21/O	29	131	45	18
BOD(5 day)	mg/L	3	SM 5210B	29-Apr-21/K		< 3	5	< 3
Total Suspended Solids	mg/L	3	SM2540D	29-Apr-21/K		2100	460	42500
o-Phosphate (P)	mg/L	0.002	PE4500-S	03-May-21/K	0.365	< 0.002	0.008	0.180
Phosphorus-Total	mg/L	0.01	E3199A.1	01-May-21/K	37.3	4.31	1.48	15.5
Total Kjeldahl Nitrogen	mg/L	0.1	E3199A.1	01-May-21/K	25.1	3.0	13.9	5.8
Ammonia (N)-Total	mg/L	0.01	SM4500-NH3-H	03-May-21/K	0.04	< 0.01	11.4	0.01
Total Dissolved Solids	mg/L	3	SM 2540D	04-May-21/O	208	863	880	234
Dissolved Organic Carbon	mg/L	0.2	EPA 415.2	29-Apr-21/O	4.9	16.4	18.0	3.5
Phenolics	mg/L	0.002	MOEE 3179	04-May-21/K	< 0.002	< 0.002	< 0.002	< 0.002
COD	mg/L	5	SM5220C	30-Apr-21/K	379	117	87	104
Hardness (as CaCO3)	mg/L	1	SM 3120	30-Apr-21/O	215	924	866	227
Aluminum	mg/L	0.01	SM 3120	30-Apr-21/O	0.03	0.30	0.11	0.37
Arsenic	mg/L	0.0001	EPA 200.8	04-May-21/O	0.0001	0.0003	0.0005	0.0002
Barium	mg/L	0.001	SM 3120	30-Apr-21/O	0.031	0.060	0.308	0.035
Boron	mg/L	0.005	SM 3120	30-Apr-21/O	0.063	0.600	0.831	0.012
Cadmium	mg/L	0.00015	EPA 200.8	04-May-21/O	< 0.00015	0.000055	0.000195	< 0.00015
Calcium	mg/L	0.02	SM 3120	30-Apr-21/O	47.9	230	226	59.3
Chromium	mg/L	0.001	EPA 200.8	04-May-21/O	< 0.001	< 0.001	< 0.001	0.001
Cobalt	mg/L	0.0001	EPA 200.8	04-May-21/O	< 0.0001	0.0006	0.0013	0.0003
Copper	mg/L	0.0001	EPA 200.8	04-May-21/O	0.0014	0.0034	0.0005	0.0017



R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie

Michelle Dubien
 Lab Manager

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G103292

REPORT No. B21-12245

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada

Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 28-Apr-21

JOB/PROJECT NO.: 1040-LEEDS

DATE REPORTED: 06-May-21

P.O. NUMBER:

SAMPLE MATRIX: Groundwater

WATERWORKS NO.

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed	Client I.D.	21-W004	21-W007	21-W008	21-W010
					Sample I.D.	B21-12245-1	B21-12245-2	B21-12245-3	B21-12245-4
Date Collected					28-Apr-21	28-Apr-21	28-Apr-21	28-Apr-21	28-Apr-21
Iron	mg/L	0.005	SM 3120	30-Apr-21/O	0.005	0.243	23.3	0.318	
Lead	mg/L	0.00002	EPA 200.8	04-May-21/O	0.00003	0.00027	0.00006	0.00026	
Magnesium	mg/L	0.02	SM 3120	30-Apr-21/O	23.1	84.9	73.3	19.2	
Manganese	mg/L	0.001	SM 3120	30-Apr-21/O	0.013	0.757	1.75	0.009	
Mercury	mg/L	0.00002	SM 3112 B	04-May-21/O		< 0.00002	< 0.00002	< 0.00002	
Potassium	mg/L	0.1	SM 3120	30-Apr-21/O	0.4	1.5	37.9	0.5	
Silver	mg/L	0.0001	EPA 200.8	04-May-21/O	< 0.0001	< 0.0001	< 0.0001	< 0.0001	
Sodium	mg/L	0.2	SM 3120	30-Apr-21/O	12.8	50.9	34.9	19.8	
Vanadium	mg/L	0.0001	EPA 200.8	04-May-21/O	0.0011	0.0021	0.0002	0.0019	
Zinc	mg/L	0.005	SM 3120	30-Apr-21/O	< 0.005	0.006	0.187	< 0.005	

1. Results unavailable for certain requested parameters due to low sample volumes



Michelle Dubien
 Lab Manager

R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G92666

REPORT No. B21-33639

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada

Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 14-Oct-21

JOB/PROJECT NO.: 1040-LEEDS

DATE REPORTED: 18-Nov-21

P.O. NUMBER:

SAMPLE MATRIX: Surface Water

WATERWORKS NO.

Client I.D.	21-W011	21-W012	21-W013	21-W017
Sample I.D.	B21-33639-1	B21-33639-2	B21-33639-3	B21-33639-4
Date Collected	14-Oct-21	14-Oct-21	14-Oct-21	14-Oct-21

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed				
Alkalinity(CaCO3) to pH4.5	mg/L	5	SM 2320B	18-Oct-21/O	65	59	129	408
pH @25°C	pH Units		SM 4500H	18-Oct-21/O	6.98	7.24	7.17	7.81
Conductivity @25°C	µmho/cm	1	SM 2510B	18-Oct-21/O	122	106	237	736
Chloride	mg/L	0.5	SM4110C	20-Oct-21/O	1.9	2.0	1.9	10.1
Nitrite (N)	mg/L	0.05	SM4110C	20-Oct-21/O	< 0.05	< 0.05	< 0.05	< 0.05
Nitrate (N)	mg/L	0.05	SM4110C	20-Oct-21/O	0.17	< 0.05	0.13	0.14
Sulphate	mg/L	1	SM4110C	20-Oct-21/O	< 1	< 1	< 1	< 1
BOD(5 day)	mg/L	3	SM 5210B	15-Oct-21/K	< 3	< 3	5	16
Total Suspended Solids	mg/L	3	SM2540D	15-Oct-21/K	24	5	63	1760
o-Phosphate (P)	mg/L	0.002	PE4500-S	19-Oct-21/K	0.069	0.041	0.103	0.010
Phosphorus-Total	mg/L	0.01	E3199A.1	20-Oct-21/K	0.20	0.05	0.91	5.79
Total Kjeldahl Nitrogen	mg/L	0.1	E3199A.1	20-Oct-21/K	1.5	0.1	1.7	8.5
Ammonia (N)-Total	mg/L	0.01	SM4500-NH3-H	19-Oct-21/K	0.18	< 0.01	0.04	0.79
Ammonia (N)-unionized	mg/L	0.01	CALC	19-Oct-21/K	< 0.01	< 0.01	< 0.01	0.03
Total Dissolved Solids	mg/L	3	SM 2540D	19-Oct-21/O	62	53	121	384
Dissolved Organic Carbon	mg/L	0.2	EPA 415.2	20-Oct-21/O	12.9	7.7	12.0	15.1
Phenolics	mg/L	0.001	MOEE 3179	18-Oct-21/K	0.002	< 0.001	< 0.001	0.009
COD	mg/L	5	SM5220C	18-Oct-21/K	61	28	62	297
Hardness (as CaCO3)	mg/L	1	SM 3120	20-Oct-21/O	63	56	130	400
Aluminum	mg/L	0.01	SM 3120	19-Oct-21/O	0.12	0.02	0.03	0.04
Arsenic	mg/L	0.0001	EPA 200.8	21-Oct-21/O	0.0008	0.0002	0.0010	0.0032
Barium	mg/L	0.001	SM 3120	20-Oct-21/O	0.042	0.016	0.068	0.472
Boron	mg/L	0.005	SM 3120	20-Oct-21/O	0.010	0.032	0.049	0.310
Cadmium	mg/L	0.000015	EPA 200.8	21-Oct-21/O	0.000069	< 0.000015	0.000044	0.000061
Calcium	mg/L	0.02	SM 3120	20-Oct-21/O	16.7	16.1	37.0	102
Chromium	mg/L	0.001	EPA 200.8	21-Oct-21/O	< 0.001	< 0.001	< 0.001	0.002
Cobalt	mg/L	0.0001	EPA 200.8	21-Oct-21/O	0.0051	0.0003	0.0057	0.0051



R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston, W-Windsor, O-Ottawa, R-Richmond Hill, B-Barrie

Michelle Dubien
 Lab Manager

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G92666

REPORT No. B21-33639

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada

Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 14-Oct-21

JOB/PROJECT NO.: 1040-LEEDS

DATE REPORTED: 18-Nov-21

P.O. NUMBER:

SAMPLE MATRIX: Surface Water

WATERWORKS NO.

Client I.D.	21-W011	21-W012	21-W013	21-W017
Sample I.D.	B21-33639-1	B21-33639-2	B21-33639-3	B21-33639-4
Date Collected	14-Oct-21	14-Oct-21	14-Oct-21	14-Oct-21

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed				
Copper	mg/L	0.0001	EPA 200.8	21-Oct-21/O	0.0012	0.0005	0.0008	0.0017
Iron	mg/L	0.005	SM 3120	20-Oct-21/O	7.90	0.327	17.1	103
Lead	mg/L	0.00002	EPA 200.8	21-Oct-21/O	0.00062	0.00006	0.00053	0.00066
Magnesium	mg/L	0.02	SM 3120	20-Oct-21/O	5.23	3.40	10.0	35.3
Manganese	mg/L	0.001	SM 3120	20-Oct-21/O	0.685	0.239	5.95	4.04
Mercury	mg/L	0.00002	SM 3112 B	19-Oct-21/O	< 0.00002	< 0.00002	< 0.00002	< 0.00002
Nickel	mg/L	0.01	SM 3120	20-Oct-21/O	< 0.01	< 0.01	< 0.01	< 0.01
Potassium	mg/L	0.1	SM 3120	20-Oct-21/O	1.0	1.2	1.5	10.7
Silicon	mg/L	0.01	SM 3120	20-Oct-21/O	4.28	3.63	7.80	15.4
Sodium	mg/L	0.2	SM 3120	20-Oct-21/O	2.6	0.7	3.2	15.9
Uranium	mg/L	0.00005	EPA 200.8	21-Oct-21/O	0.00008	< 0.00005	0.00009	0.00022
Vanadium	mg/L	0.0001	EPA 200.8	21-Oct-21/O	0.0029	0.0004	0.0010	0.0043
Zinc	mg/L	0.005	SM 3120	20-Oct-21/O	0.024	< 0.005	0.018	0.027



R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston, W-Windsor, O-Ottawa, R-Richmond Hill, B-Barrie

Michelle Dubien
 Lab Manager

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G101575

REPORT No. B21-33648

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada
Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 14-Oct-21
 DATE REPORTED: 28-Oct-21
 SAMPLE MATRIX: Groundwater

JOB/PROJECT NO.: 1040-LEEDS
 P.O. NUMBER:
 WATERWORKS NO.

Parameter	Units	R.L.	Client I.D.		21-W014	21-W015	21-W016	21-W018
			Reference Method	Date/Site Analyzed	B21-33648-1	B21-33648-2	B21-33648-3	B21-33648-4
Alkalinity(CaCO3) to pH4.5	mg/L	5	SM 2320B	19-Oct-21/O		796	871	268
pH @25°C	pH Units		SM 4500H	19-Oct-21/O		7.66	7.97	8.07
Conductivity @25°C	µmho/cm	1	SM 2510B	19-Oct-21/O		1500	1510	505
Chloride	mg/L	0.5	SM4110C	20-Oct-21/O		27.4	34.4	3.1
Nitrite (N)	mg/L	0.05	SM4110C	20-Oct-21/O		< 0.5	< 0.5	< 0.05
Nitrate (N)	mg/L	0.05	SM4110C	20-Oct-21/O		< 0.5	1.03	0.13
Sulphate	mg/L	1	SM4110C	20-Oct-21/O		152	32	20
BOD(5 day)	mg/L	3	SM 5210B	15-Oct-21/K		< 3		
Total Suspended Solids	mg/L	3	SM2540D	15-Oct-21/K		1480		
o-Phosphate (P)	mg/L	0.002	PE4500-S	19-Oct-21/K		0.102	0.153	0.440
Phosphorus-Total	mg/L	0.01	E3199A.1	22-Oct-21/K	64.5	1.62	9.85	10.9
Total Kjeldahl Nitrogen	mg/L	0.1	E3199A.1	22-Oct-21/K	62.9	0.9	16.9	4.5
Ammonia (N)-Total	mg/L	0.01	SM4500-NH3-H	19-Oct-21/K	0.29	< 0.01	5.04	0.24
Total Dissolved Solids	mg/L	3	SM 2540D	20-Oct-21/O		818	823	261
Dissolved Organic Carbon	mg/L	0.2	EPA 415.2	20-Oct-21/O	5.9	12.7	15.3	2.4
Phenolics	mg/L	0.002	MOEE 3179	19-Oct-21/K	< 0.002	< 0.002	< 0.002	< 0.002
COD	mg/L	5	SM5220C	18-Oct-21/K	1180	74	222	104
Hardness (as CaCO3)	mg/L	1	SM 3120	19-Oct-21/O	206	848	891	288
Aluminum	mg/L	0.01	SM 3120	19-Oct-21/O	0.04	0.06	0.08	1.82
Arsenic	mg/L	0.0001	EPA 200.8	21-Oct-21/O	0.0002	0.0003	0.0008	0.0004
Barium	mg/L	0.001	SM 3120	19-Oct-21/O	0.036	0.064	0.310	0.090
Boron	mg/L	0.005	SM 3120	19-Oct-21/O	0.077	0.634	0.981	0.023
Calcium	mg/L	0.02	SM 3120	19-Oct-21/O	45.6	211	219	75.0
Cadmium	mg/L	0.000015	EPA 200.8	21-Oct-21/O	< 0.000015	0.000067	< 0.000015	0.000015
Chromium	mg/L	0.001	EPA 200.8	21-Oct-21/O	< 0.001	< 0.001	< 0.001	0.004
Cobalt	mg/L	0.0001	EPA 200.8	21-Oct-21/O	0.0003	0.0004	0.0022	0.0016
Copper	mg/L	0.0001	EPA 200.8	21-Oct-21/O	0.0023	0.0027	0.0004	0.0072



R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie

Michelle Dubien
 Lab Manager

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

C.O.C.: G101575

REPORT No. B21-33648

Report To:

Malroz Engineering Inc.
 308 Wellington Street, 2nd Floor
 Kingston ON K7K 7A8 Canada
Attention: Mallory Wright

Caduceon Environmental Laboratories

285 Dalton Ave
 Kingston Ontario K7K 6Z1
 Tel: 613-544-2001
 Fax: 613-544-2770

DATE RECEIVED: 14-Oct-21
 DATE REPORTED: 28-Oct-21
 SAMPLE MATRIX: Groundwater

JOB/PROJECT NO.: 1040-LEEDS
 P.O. NUMBER:
 WATERWORKS NO.

Parameter	Units	R.L.	Reference Method	Date/Site Analyzed	Client I.D.	21-W014	21-W015	21-W016	21-W018
					Sample I.D.	21-W014	21-W015	21-W016	21-W018
Iron	mg/L	0.005	SM 3120	19-Oct-21/O	B21-33648-1	0.039	0.042	0.362	1.83
Lead	mg/L	0.00002	EPA 200.8	21-Oct-21/O	B21-33648-2	0.00012	0.00013	0.00009	0.00162
Magnesium	mg/L	0.02	SM 3120	19-Oct-21/O	B21-33648-3	22.3	77.8	83.3	24.4
Manganese	mg/L	0.001	SM 3120	19-Oct-21/O	B21-33648-4	0.120	0.864	3.30	0.059
Mercury	mg/L	0.00002	SM 3112 B	19-Oct-21/O		< 0.00002	< 0.00002	< 0.00002	< 0.00002
Potassium	mg/L	0.1	SM 3120	19-Oct-21/O		0.7	1.8	30.3	1.2
Silver	mg/L	0.0001	EPA 200.8	21-Oct-21/O		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Sodium	mg/L	0.2	SM 3120	19-Oct-21/O		13.8	51.7	44.3	16.8
Vanadium	mg/L	0.0001	EPA 200.8	21-Oct-21/O		0.0019	0.0016	0.0013	0.0071
Zinc	mg/L	0.005	SM 3120	19-Oct-21/O		< 0.005	< 0.005	< 0.005	0.012

1. Sediment present in metals bottle
2. Results unavailable for certain requested parameters due to low sample volume



Michelle Dubien
 Lab Manager

R.L. = Reporting Limit

Test methods may be modified from specified reference method unless indicated by an *

Site Analyzed=K-Kingston,W-Windsor,O-Ottawa,R-Richmond Hill,B-Barrie

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from

Appendix H
Historical Chemistry

Historical Groundwater Chemistry

Monitoring Location	Sample ID (post 2018)	Parameter (units)	General Inorganics													Anions													
			Alkalinity	N - Ammonia	BOD	COD	DOC	Conductivity umho/cm	Hardness	pH	Phenols	Phosphorus (total)	O - Phosphate	TDS	TSS	N - Total Kjeldahl	Chloride	N - Nitrate	N - Nitrite	Sulphate	Mercury	Aluminum	Arsenic	Barium	Boron	Cadmium	Calcium		
			ODWS (mg/L)				5 ^{AO}	80-100 ^{OG}	6.5-8.5 ^{AO}							500 ^{AO}	250 ^{AO}	10.0 ^{CS}	1.0 ^{CS}	500 ^{AO}	0.001 ^{CS}	0.1 ^{OG}	0.010 ^{CS}	1.0 ^{CS}	5.0 ^{CS}	0.005 ^{CS}			
PWQO (mg/L)	(note 1)						6.5-8.5	0.001	0.02										0.0002	0.075 (note 2)	0.005		0.200	(note 3)					
Date																													
89-1		90-Sep-01	118	0.1	1	8	-	1546	701	N/S	0.002	0.18	-	-	-	0.1	422	0.1	0.1	43	-	-	-	-	-	-	-	-	185
		90-Sep-11	98	nd	-	8	-	2020	325	7.15	nd	nd	-	-	-	0.39	564	nd	nd	52	-	-	-	-	-	-	-	-	179
		93-Oct-13	213	0.06	nd	18	-	1120	389	7.46	nd	nd	-	-	-	0.27	182	nd	nd	80	-	-	-	-	-	-	-	-	94
		94-Sep-14	222	0.03	nd	13	-	779	347	7.62	nd	5.07	-	-	-	0.22	89	nd	nd	56	-	-	-	-	-	-	-	-	101
		98-Mar-11	244	-	-	-	-	530	220	7.19	-	-	-	-	-	-	24.5	-	-	50.8	-	-	-	-	-	-	-	-	-
		99-Oct-19	200	-	-	-	3.4	-	390	N/S	-	-	-	-	-	-	22	-	-	58	-	-	-	-	-	-	-	-	-
		01-Apr-12	160	-	-	-	5.5	374	167	7.48	-	-	-	-	-	-	5.9	-	-	38.4	-	-	-	-	-	-	-	-	46.5
		02-Dec-13	134	-	-	-	3.6	345	151	7.87	-	-	-	-	-	-	5.8	-	-	43	-	0.011	nd	0.022	nd	nd	nd	nd	42.2
		Nov-09	200	0.12	<2	57	3.6	390	179	7.73	<0.001	0.78	-	214	-	1.6	2	0.1	<0.1	17	<0.00010	-	<0.0001	<0.0001	<0.02	<0.005	<0.0002	<0.005	50.2
		10-Apr-13	198	<0.05	<2	10	2.8	427	224	7.76	<0.001	0.21	-	235	256	0.52	1.1	<0.1	<0.1	23	<0.00010	0.06	0.0002	0.033	0.009	<0.00002	<0.00002	64	
		11-Apr-11	180	<0.05	<2	48	2.6	398	202	7.84	<0.001	1.47	-	219	1200	2.6	1.3	0.2	<0.1	8	<0.00010	0.37	<0.0005	0.018	<0.0005	<0.0001	<0.0001	58.2	
		12-Apr-11	174	<0.01	5	344	2.7	386	175	7.81	<0.001	2.49	-	212	3450	3.63	4.9	0.1	<0.1	18	<0.00010	0.5	0.0001	0.035	0.011	<0.00002	<0.00002	50	
		16-Nov-30	88	0.06	ND (12)	91	5.1	218	81	7.4	ND (0.001)	1.13	-	136	1340	2.8	2	ND (0.1)	ND (0.05)	17	<0.0001	0.151	ND (.001)	0.016	0.024	ND (0.0001)	ND (0.0001)	23	
		17-Aug-17	261	0.1	2	85	5.4	487	273	7.9	<0.001	0.16	-	300	1740	0.5	<1	<0.1	<0.05	10	0.0001	0.004	<0.0001	0.032	0.014	<0.0001	<0.0001	78.5	
		17-Dec-21	193	0.05	<2	53	4.7	369	117	7.6	<0.001	0.33	-	198	714	1	2	<0.1	<0.05	11	<0.0001	0.003	<0.001	0.025	0.025	<0.0001	<0.0001	30.1	
		MW102 (replaced 89-1 in 2018) background well	19-W010 [8]	18-Apr-26	232	0.07	3	48	8.2	458	261	8.26	<0.001	9.58	-	251	5130	4.7	2.4	<0.05	<0.05	19	<0.00002	0.05	0.0004	0.029	0.017	0.000018	0.000018
18-Nov-15	261			0.07	-	50	6.7	524	277	7.88	<0.002	1.81	-	271	1000	0.5	3.2	0.09	<0.05	21	-	0.05	<0.001	0.037	0.027	<0.0000015	<0.0000015	75.8	
19-May-02	244			-	-	-	-	510	253	8.12	-	-	-	264	-	-	2.1	<0.05	<0.05	18	<0.00002	0.05	0.0001	0.024	0.014	<0.000015	<0.000015	68.2	
19-Oct-08	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20-Apr-23	215			0.01	<3	54	4.3	460	267	8.01	<0.002	2.96	0.009	238	3900	1	2.1	0.09	<0.05	17	<0.00002	0.03	0.0002	0.018	0.017	<0.000015	<0.000015	56.5	
20-Nov-16	-			-	-	-	2.1	-	252	-	-	-	-	-	-	-	-	-	-	-	-	-	0.08	0.0002	0.03	0.017	<0.000015	<0.000015	66.8
89-4		21-Apr-28	228	0.01	<3	104	3.5	453	227	8.06	<0.002	15.5	0.180	234	42500	5.8	2.8	0.06	<0.05	18	<0.00002	0.37	0.0002	0.035	0.012	<0.000015	<0.000015	59.3	
		21-Oct-14	268	0.24	-	104	2.4	505	288	8.07	<0.002	10.9	0.440	261	-	4.5	3.1	<0.05	20	<0.00002	1.82	0.0004	0.090	0.023	0.000015	0.000015	75.0		
		90-Sep-01	-	-	-	3	-	189	102	-	0.002	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	26	
		90-Sep-11	96	nd	-	nd	-	210	95	-	nd	7.62	-	-	-	0.35	nd	nd	nd	7	-	-	-	-	-	-	-	25	
		93-Oct-13	95	nd	nd	nd	-	198	105	-	nd	8.04	-	-	-	0.02	nd	nd	nd	7	-	-	-	-	-	-	-	26	
		94-Sep-14	98	nd	7	2	-	215	104	-	nd	7.9	-	-	-	0.52	8	0.28	nd	9	-	-	-	-	-	-	-	30	
95-Jun-09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
98-Mar-11	100	-	-	0.7	-	1.86	80.9	-	-	6.8	-	-	-	-	-	-	-	6.3	-	-	-	-	-	-	-	-			
99-Oct-19	110	-	-	2.5	1	-	130	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-			
00-Oct-19	90	-	-	0.5	0.8	-	89	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-			
01-Apr-12	126	-	-	1.1	1.7	247	127	-	-	7.87	-	-	-	-	-	-	-	6.2	-	-	-	-	-	-	-	-	37.7		
02-Dec-13	62	-	-	0.6	1.8	136	63	-	-	7.72	-	-	-	-	-	-	-	6.2	-	0.009	nd	0.012	nd	nd	nd	18.6			
03-May-11	93	nd	0.9	0.8	2.4	188	92	-	N/A	7.8	-	112	-	0.36	N/A	nd	nd	6.1	-	nd	nd	0.018	0.013	nd	nd	27.7			
04-Nov-16	49	0.03	1.4	0.9	2.1	108	45	-	-	7.4	-	70	-	0.13	-	nd	N/A	4.8	-	0.068	nd	0.015	0.011	nd	nd	13.2			
05-Dec-19	84	nd	nd	1	1.1	122	77.3	nd	-	8	-	268	-	nd	-	nd	N/A	7	-	0.021	nd	0.018	nd	nd	nd	23			
06-Oct-20	96	0.09	<2	N/A	1.3	186	87	-	-	7.9	-	121	-	0.3	1	<0.1	N/A	6	-	0.006	<0.001	0.023	<0.01	N/A	N/A	25			
07-Dec-07	32	<.5	7	4	2.4	94	47	-	-	6.21	-	62	-	8	-	1.4	-	10	-	0.03	<.0005	0.029	0.008	<.0005	<.0005	13.7			
08-Jun-02	28	0.17	2	1	2.3	69	28	-	-	6.91	-	38	-	0.5	-	0.2	-	4	-	0.03	0.002	0.01	0.011	<0.00002	<0.00002	8.35			
Apr-09	37	0.12	<2	15	1.3	95	32	6.4	<0.001	0.41	-	52	355	0.4	<1	<0.1	<0.1	5	-	0.12	0.0003	0.008	0.006	<0.00002	<0.00002	9.29			
11-Apr-11	21	0.39	<2	5	1.2	49	18	7.1	<0.001	1.23	-	27	1330	0.7	0.5	0.2	<0.1	4	-	0.54	<0.0005	0.007	<0.0005	<0.0001	<0.0001	5.13			
12-Apr-12	12	0.05	<2	141	1.3	38	14	6.89	<0.001	0.3	-	21	1260	0.85	0.9	0.1	<0.1	3	-	1.49	0.0001	0.032	<0.0005	<0.00002	<0.00002	3.87			
89-5		90-Sep-01	-	-	-	3	-	423	222	0.002	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	64		
		90-Sep-11	146	-	-	nd	-	423	160	7.75	nd	-	-	-	nd	1	-	-	-	-	-	-	-	-	-	-	-	59	
		93-Oct-13	171	0.04	nd	8	-	510	266	7.84	nd	nd	-	-	0.06	5	nd	nd	85	-	-	-	-	-	-	-	-	75	
		94-Sep-14	187	nd	2	10	-	540	267	7.83	nd	nd	-	-	0.15	7	nd	nd	89	-	-	-	-	-	-	-	-	82	
		95-Jun-09	186	0.07	nd	5	-	507	256	7.74	-	0.03	-	-	0.25	6	nd	nd	69	-	-	-	-	-	-	-	-	76	
		98-Mar-11	184	-	-	-	-	230	6.95	-	-	-	-	-	-	6.7	-	-	121	-	-	-	-	-	-	-	-	-	
		99-Oct-19	180	-	-	-	0.8	-	290	-	-	-	-	-	-	3.5	-												

Monitoring Location	Sample ID (post 2018)	Parameter (units)	General Inorganics														Anions										
			Alkalinity	N - Ammonia	BOD	COD	DOC	Conductivity umho/cm	Hardness	pH	Phenols	Phosphorus (total)	O - Phosphate	TDS	TSS	N - Total Kjeldahl	Chloride	N - Nitrate	N - Nitrite	Sulphate	Mercury	Aluminum	Arsenic	Barium	Boron	Cadmium	Calcium
			ODWS (mg/L)				5 ^{AO}	80-100 ^{OG}	6.5-8.5 ^{AO}					500 ^{AO}			250 ^{AO}	10.0 ^{CS}	1.0 ^{CS}	500 ^{AO}	0.001 ^{CS}	0.1 ^{OG}	0.010 ^{CS}	1.0 ^{CS}	5.0 ^{CS}	0.005 ^{CS}	
			PWQO (mg/L)	(note 1)						6.5-8.5	0.001	0.02										0.0002	0.075 (note 2)	0.005		0.200	(note 3)
Date																											
DUP		10-Apr-13	175	<0.05	<2	<5	1.3	431	225	8.01	<0.001	0.06	-	237	26	<0.05	1.3	<0.1	<0.1	49	-	0.39	0.0003	0.077	0.05	<0.00002	68.6
		10-Nov-25	169	0.14	<2	<5	1.4	423	234	8.16	<0.001	0.09	-	233	79	<0.1	2	<0.1	<0.1	46	-	0.97	0.0002	0.089	0.051	<0.00002	70
		11-Oct-11	172	0.08	<2	<5	1.5	424	345	8.17	<0.001	1.35	-	233	320	0.24	2	<0.1	<0.1	47	-	4.26	0.0005	0.175	0.056	0.00005	99
		11-Oct-11	172	0.06	<2	<5	1.5	423	349	8.19	<0.001	1.23	-	233	242	0.58	2	<0.1	<0.1	47	-	5.15	0.0007	0.186	0.055	0.00011	99.1
		12-Apr-11	174	<0.01	<2	<5	1.3	427	203	8.12	<0.001	0.01	-	235	<2	<0.05	1.3	<0.1	<0.1	45	-	0.02	0.0003	0.067	0.05	<0.00002	62.1
	Oct-12	172	0.046	<2	<5	1.3	422	214	8.1	<0.001	0.07	-	232	-	0.2	1.1	<0.1	<0.1	41	-	0.12	0.0013	0.072	0.039	<0.00002	65.6	
89-7		90-Sep-01	156	0.1	1	49	-	486	259	-	0.002	0.26	-	-	-	0.1	5	0.17	0.1	31	-	-	-	-	-	-	61
		90-Sep-11	150	-	N/S	60	-	567	243	7.74	nd	nd	-	-	nd	nd	nd	-	-	N/S	-	-	-	-	-	-	61
		93-Oct-13	174	nd	nd	72	-	619	308	7.8	nd	nd	-	-	0.06	nd	nd	-	-	43	-	-	-	-	-	-	72
		94-Sep-14	164	nd	nd	60	-	556	262	7.82	nd	0.71	-	-	-	0.11	5	0.14	nd	37	-	-	-	-	-	-	67
		95-Jun-09	175	0.04	2	49	-	540	278	7.89	-	0.05	-	-	-	1.61	18	0.19	nd	44	-	-	-	-	-	-	70
		98-Mar-11	214	-	-	15.6	-	428	223	7.3	-	-	-	-	-	-	-	-	-	44.7	-	-	-	-	-	-	-
		99-Oct-19	200	-	-	12	0.6	N/S	530	N/S	-	-	-	-	-	-	-	-	-	12	-	-	-	-	-	-	-
		00-Oct-19	260	-	-	12	8	N/S	490	N/S	-	-	-	-	-	-	-	-	-	33	-	-	-	-	-	-	-
		01-Apr-12	242	-	-	7.1	1.7	492	255	7.74	-	-	-	-	-	-	-	-	-	33.4	-	-	-	-	-	-	65.7
		02-Dec-13	258	-	-	11	1.5	547	272	7.97	-	-	-	-	-	-	-	-	-	35.9	-	nd	nd	0.032	0.007	nd	69.8
		Nov-09	282	<0.05	<2	85	1.6	600	313	7.26	<0.001	1.51	-	330	3900	0.8	3	0.1	<0.1	35	-	0.07	0.0002	0.035	<0.005	<0.00002	80.3
		10-Apr-13	263	<0.05	<2	<5	1.3	551	291	7.97	<0.001	0.59	-	303	540	0.31	2.3	<0.1	<0.1	35	-	0.13	0.0001	0.032	0.006	<0.00002	75.8
		10-Nov-25	258	0.16	5	384	1.5	557	302	8.08	<0.001	3.2	-	306	5340	1.2	2	<0.1	<0.1	36	-	0.17	0.0018	0.039	0.015	<0.00002	77.7
		11-Apr-11	258	<0.05	<2	5	1.3	553	285	7.99	<0.001	2.6	-	304	3000	0.9	1.2	0.1	<0.1	7	-	0.4	<0.0005	0.024	<0.005	<0.0001	73.8
		11-Oct-11	265	0.07	7	15	1.5	571	317	7.95	<0.001	7.42	-	314	10700	4.51	2	0.2	<0.1	36	-	0.29	0.0002	0.043	0.006	<0.00002	81.9
		12-Apr-11	266	0.13	5	24	2.5	555	276	7.97	<0.001	2.75	-	305	2610	2.89	1.6	0.1	<0.1	31	-	0.12	0.0002	0.032	0.011	<0.00002	71.5
		13-Jul-18	345	<0.050	<2.0	200	-	660	342	7.57	<0.0010	0.103	-	-	-	0.69	<1.0	<0.50	<0.50	32	-	-	-	-	-	-	89.1
		14-Jun-17	278	0.118	<2.0	25	1.5	541	275	7.88	0.0021	2.93	-	-	-	0.22	<2.0	<0.10	<0.10	29.0	<0.00010	-	-	-	-	-	72.9
00-1		00-Oct-19	640	N/S	N/S	68	8.4	N/S	2000	-	N/S	N/S	-	-	-	N/S	N/S	N/S	N/S	350	-	N/S	N/S	N/S	N/S	N/S	N/S
		01-Apr-12	431	N/S	N/S	22.8	7.1	1040	536	-	N/S	7.85	-	-	-	N/S	N/S	N/S	N/S	165	-	N/S	N/S	N/S	N/S	N/S	136
		02-Dec-13	421	N/S	N/S	43.4	6.1	1170	600	-	N/S	7.93	-	-	-	N/S	N/S	N/S	N/S	248	-	nd	nd	0.034	0.384	nd	150
		03-Nov-05	506	0.04	0.8	34.3	9	1170	878	-	N/A	7.85	-	798	-	0.46	N/A	nd	nd	163	-	0.061	nd	0.055	0.507	nd	164
		04-Nov-16	758	0.18	7.7	25.6	22.3	1500	945	-	-	7.78	-	1030	-	3.45	-	0.3	N/A	188	-	0.011	nd	0.065	0.591	nd	nd
		05-Dec-19	779	nd	nd	18	7.9	1080	812	-	-	8.1	-	1120	-	3.7	-	nd	N/A	137	-	nd	nd	0.046	0.52	nd	220
		06-Oct-20	516	0.16	2	34	8.8	1110	620	-	-	8.2	-	684	-	1.9	18	<0.1	N/A	142	-	0.007	<0.001	0.054	0.57	<0.0001	160
		08-Jun-02	602	<0.05	<2	13	11.7	1870	782	-	-	7.56	-	1030	-	1	-	0.1	-	354	-	<0.01	0.002	0.1	0.682	<0.00002	170
		08-Nov-01	724	0.29	2	19	7.9	1650	767	-	-	7.75	-	905	-	1.3	-	0.1	-	262	-	0.21	<0.03	0.054	0.515	<0.005	184
		Apr-09	763	<0.05	<2	49	9.1	1480	939	7.02	<0.001	2.01	-	813	2780	4	13	0.2	<0.1	156	-	18.8	0.0006	0.377	0.45	<0.0001	235
		Nov-09	600	<0.05	3	185	9.4	1580	870	7.58	<0.001	2.5	-	870	3160	5	19	0.1	<0.1	190	-	0.08	0.0006	0.039	0.493	<0.00002	216
		10-Apr-13	681	<0.05	<2	41	9.3	1390	777	7.76	<0.001	0.4	-	764	1030	1.11	12.9	<0.1	<0.1	134	-	0.07	0.0006	0.077	0.456	0.00004	193
		11-Apr-11	671	0.18	5	77	9.9	1460	781	7.68	<0.001	7.1	-	800	9300	10.1	2.4	0.2	<0.1	10	-	0.75	0.0006	0.052	0.437	<0.0001	190
		11-Oct-28	520	0.69	14	201	10.2	1310	-	8.04	-	4.67	-	718	5220	5.88	<1	0.1	<0.1	202	-	-	-	-	-	-	-
		12-Apr-12	687	<0.01	<2	234	8.9	1420	811	7.59	<0.001	1.2	-	782	1640	1.4	10.9	<0.1	<0.1	130	-	0.19	0.0007	0.047	0.444	<0.00002	205
		12-Apr-12	694	<0.01	<2	274	9.2	1440	721	7.61	<0.001	2	-	790	1430	2.11	11.7	<0.1	<0.1	134	-	0.1	0.0006	0.052	0.389	<0.00002	187
		Oct-12	877	0.136	7	107	13.4	1660	899	7.16	-	1.57	-	910	-	0.7	20.5	0.1	<0.1	201	-	0.1	0.001	0.052	0.66	0.00006	217
		13-Oct-22	580	-	<2.0	146	11.0	1560	847	7.38	0.0018	-	-	-	-	0.70	20.3	<0.10	<0.10	-	-	-	-	-	-	-	223
	14-Jun-17	857	0.064	<2.0	65	14.3	1480	896	7.81	<0.0010	1.88	-	-	-	0.64	106	0.27	<0.10	76.9	<0.00010	-	-	-	-	-	240	
	14-Oct-15	463	0.098	<2.0	52	15.5	1240	880	7.85	<0.0010	0.673	-	-	-	0.51	18.2	<0.10	<0.10	175	<0.00010	-	-	-	-	-	220	
	15-May-11	747	0.12	nd	140	14.5	1470	867	7.5	0.004	1.95	-	930	1730	2.7	15	nd	nd	147	nd	nd	nd	0.065	0.639	nd	220	
	16-Nov-30	573	0.09	4	89	10.2	1320	613	7.7	<0.001	2.73	-	830	2130	1.3	20	<0.1	<0.05	211	<0.0001	0.167	<0.001	0.046	0.481	<0.0001	153	
MW101 (replaced 00-1 in 2018)	19-W006 19-W015 20-W007 20-W017 21-W007 21-W015	18-Apr-26	888	0.08	3	49	19.1	1690	950																		

Monitoring Location	Sample ID (post 2018)	Parameter (units)	General Inorganics													Anions												
			Alkalinity	N - Ammonia	BOD	COD	DOC	Conductivity umho/cm	Hardness	pH	Phenols	Phosphorus (total)	O - Phosphate	TDS	TSS	N - Total Kjeldahl	Chloride	N - Nitrate	N - Nitrite	Sulphate	Mercury	Aluminum	Arsenic	Barium	Boron	Cadmium	Calcium	
			ODWS (mg/L)	30-500 ^{OG}			5 ^{AO}	80-100 ^{OG}	6.5-8.5 ^{AO}	0.001	0.02		500 ^{AO}			250 ^{AO}	10.0 ^{CS}	1.0 ^{CS}	500 ^{AO}	0.001 ^{CS}	0.1 ^{OG}	0.010 ^{CS}	1.0 ^{CS}	5.0 ^{CS}	0.005 ^{CS}			
		PWQO (mg/L)	(note 1)						6.5-8.5	0.001	0.02									0.0002	0.075 (note 2)	0.005		0.200	(note 3)			
		Date																										
DUP		13-Jul-18	936	12.4	3.1	219	-	1730	882	7.09	<0.0010	0.033	-	-	-	12.7	31	<0.50	<0.50	39	-	-	-	-	-	-	221	
		13-Jul-18	932	12.1	2.8	230	-	1720	869	7.18	<0.0010	<0.030	-	-	-	12	29	<0.50	<0.50	38	-	-	-	-	-	-	213	
		13-Oct-22	944	-	<2.0	162	16.1	1730	829	6.93	<0.0010	-	-	-	-	5.32	31.4	0.14	<0.10	-	-	-	-	-	-	-	201	
		14-Jun-17	946	11.6	2.3	120	16.8	1620	843	7.19	0.0010	1.50	-	-	-	12.0	25.0	<0.10	<0.10	51.5	<0.00010	-	-	-	-	-	221	
DUP		14-Oct-15	909	6.63	<2.0	56	16.1	1480	810	7.19	<0.0010	1.23	-	-	-	7.65	26.7	<0.10	<0.10	19.6	<0.00010	-	-	-	-	-	200	
		14-Oct-15	908	6.61	<2.0	56	17.4	1490	804	7.21	<0.0010	1.78	-	-	-	8.11	26.3	<0.10	<0.10	19.6	<0.00010	-	-	-	-	-	198	
		15-May-11	774	10.1	33	78	15.7	1420	725	6.6	0.004	0.4	-	-	928	1420	8.7	23	nd	nd	47	nd	nd	0.279	0.853	nd	189	
		16-Jun-27	946	6.76	16	123	13.4	1730	857	7.2	0.008	1.04	-	-	990	1640	7	25	ND (0.1)	ND (0.05)	36	ND (0.0001)	0.001	0.001	0.211	0.793	ND (0.0001)	207
		16-Nov-30	804	3.53	25	203	12.9	1630	715	7.4	ND(0.001)	5.16	-	-	1000	2860	8.4	14	0.5	ND (0.05)	162	ND (0.0001)	0.367	0.001	0.286	0.9	ND (0.0001)	175
		17-Aug-17 (not located)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DUP		17-Dec-21	985	10.5	21	115	17.9	1680	593	7.4	0.004	1.75	-	-	976	2110	12.3	23	<0.1	<0.05	61	<0.0001	0.002	<0.001	0.298	0.913	0.0001	133
		17-Dec-21	1000	11.2	20	111	20.4	1700	541	7.4	0.004	1.78	-	-	964	1850	12.6	23	<0.1	<0.05	62	<0.0001	0.002	<0.001	0.289	0.866	0.0001	121
		18-Apr-26	875	9.78	11	79	19.8	1600	900	7.41	<0.001	1.13	-	-	875	1250	12.2	16.4	0.08	0.05	83	<0.02	0.1	0.001	0.291	0.835	0.000062	234
		18-Nov-15	599	1.38	9	80	14.1	1470	795	7.68	<0.002	1.36	-	-	801	2600	3.1	14	1.74	0.06	217	<0.02	0.10	0.0006	0.258	1.28	0.00108	206
	19-W007	19-May-02	807	7.54	<3	45	16.0	1550	793	7.64	<0.002	0.41	-	-	846	880	8.8	16.4	<0.05	<0.05	36	<0.00002	0.10	0.0007	0.281	0.731	0.000067	204
	19-W016	19-Oct-08	804	7.18	18	295	22.0	1530	874	8.01	<0.002	15.4	-	-	835	13400	16.3	20.1	<0.05	<0.05	54	-	0.12	0.0010	0.281	0.975	0.000036	216
	20-W008	20-Apr-23	816	9.05	17	90	18.6	1640	851	7.50	<0.002	0.61	0.018	-	898	600	11.7	18.0	0.37	0.06	57	<0.00002	0.10	0.0006	0.268	0.839	0.000024	219
	20-W019	20/Nov/16	615	2.54	4	140	10.3	1500	856	7.24	<0.002	3.23	1.54	-	818	1370	5.2	12.0	0.94	0.1	193	<0.00002	0.11	0.0010	0.256	1.36	0.000468	218
	21-W008	21-Apr-28	847	11.4	5	87	18.0	1610	866	7.74	<0.002	1.48	0.008	-	880	460	13.9	17.8	1.09	<0.05	45	<0.00002	0.11	0.0005	0.308	0.831	0.000195	226
	21-W016 ⁸	21-Oct-14	871	5.04	-	222	15.3	1510	891	7.97	<0.002	9.85	0.153	-	823	-	16.9	34.4	1.03	<0.5	32	<0.00002	0.08	0.0008	0.310	0.981	<0.000015	219
08-2 (well damaged in 2010)		08-Nov-01	306	0.21	2	4	1	584	280	-	-	7.91	-	-	321	-	6.3	-	0.1	-	22	-	0.15	<0.03	0.078	0.019	<0.005	65.4
		April-09	303	<0.05	<2	242	1.5	570	3530	7.26	<0.001	4.7	-	-	313	6300	1.6	3	0.2	<0.1	22	-	116	0.0013	3.56	0.119	<0.0001	885
		Nov-09	254	0.07	<2	188	1.5	542	267	7.97	<0.001	11.3	-	-	298	32800	6	2	<0.1	<0.1	20	-	1.39	0.0009	0.106	0.01	<0.00002	59.4
		10-Apr-13	315	<0.05	<2	267	1.2	632	270	8.16	<0.001	10.9	-	-	348	28500	1.63	2.1	0.2	<0.1	31	-	2.2	0.0017	0.134	0.014	0.00004	61.1
MW103 (installed in 2018)	19-W005	18-Apr-26	253	0.14	-	577	-	595	266	8.19	<0.001	18.3	-	-	309	-	15.3	6.8	0.07	<0.05	52	<0.02	0.04	0.0002	0.033	0.039	0.000017	58.2
		18-Nov-15	135	0.09	-	463	7.6	343	193	7.96	0.002	26.6	-	-	176	51000	27.8	3	0.08	<0.05	38	<0.02	0.03	0.0001	0.027	0.039	<0.000015	43.2
		19-May-02	176	0.13	5	2400	7.3	415	211	7.95	<0.002	55.6	-	-	215	103000	45.2	2.8	<0.05	<0.05	32	<0.00002	0.04	0.0002	0.031	0.105	<0.000015	48.2
		19-Oct-08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	20-W006[8]	20-Apr-23	212	0.25	-	1080	5.3	510	263	8.03	-	30.2	7.45	-	264	-	21.2	4.4	0.06	<0.05	44	<0.00002	0.21	0.0002	0.040	0.064	<0.000015	58.8
	20-W016 ⁸	20/Nov/16	118	0.06	-	225	5.4	311	175	8.09	-	14.3	-	-	160	-	4.8	2.9	<0.05	<0.05	32	-	0.04	0.0002	0.026	0.062	<0.000015	39.9
	21-W004 ⁸	21-Apr-28	185	0.04	-	379	4.9	404	215	8.07	-	37.3	0.365	-	208	-	25.1	3.1	0.15	<0.05	29	-	0.03	0.0001	0.031	0.063	<0.000015	47.9
	21-W014 ⁸	21-Oct-14	-	0.29	-	1180	5.9	-	206	-	<0.002	64.5	-	-	-	-	62.9	-	-	-	-	<0.00002	0.04	0.0002	0.036	0.077	<0.000015	45.6
MW104 (installed in 2018)	-	18-Nov-15 ⁸	314	-	-	-	-	748	-	8.08	-	-	-	-	391	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	19-May-02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	19-Oct-08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	20-Apr-23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	20/Nov/16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	21-Apr-28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	21-Oct-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Monitoring Location	Sample ID (post 2018)	Parameter (units)	Metals																							Field Parameters							
			Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Potassium	Silver	Sodium	Strontium	Uranium	Vanadium	Zinc	Nickel	Selenium	Silicon	Antimony	Beryllium	Thallium	Tin	Titanium	Tungsten	Molybdenum	Un-ionized Ammonia, Calc. (B)	Temperature °C (field)	PH (Field)	DO	Conductivity		
			ODWS (mg/L)																														
			PWQO (mg/L)	(note 4)	0.0009	(note 5)	0.3	(note 6)				0.0001			0.005	0.006	0.02	0.025			0.006 ^{CS}	(note 7)	0.0003			0.03	0.04		15 ^{AO}	6.5-8.5 ^{OG}	(note 10)		
Date																																	
DUP		10-Apr-13	<0.002	0.0003	<0.002	0.639	0.00017	12.9	0.133	1.4	-	6.9	1.51	0.00086	<0.005	<0.005	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-		
		10-Nov-25	<0.002	<0.005	<0.002	1.74	0.00064	14.4	0.164	1.4	<0.00002	6.6	1.47	0.00089	<0.005	0.006	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-		
		11-Oct-11	0.011	-	0.007	8.81	0.0026	23.8	0.432	3.1	-	7.5	1.68	-	-	0.03	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-		
		11-Oct-11	0.013	-	0.01	10.2	0.00325	24.5	0.446	3.4	-	7.6	1.69	-	-	0.035	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-		
		12-Apr-11	<0.002	<0.005	<0.002	0.477	<0.00002	11.5	0.11	1.1	-	6.4	1.45	0.00064	<0.005	<0.005	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-		
89-7		90-Sep-01	-	-	-	0.05	-	26	0.05	1	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		90-Sep-11	-	-	-	nd	-	22	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		93-Oct-13	-	-	-	0.18	-	31	0.01	nd	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		94-Sep-14	-	-	-	0.12	-	23	0.07	nd	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		95-Jun-09	-	-	-	0.16	-	25	0.01	1	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		98-Mar-11	-	-	-	0.05	-	-	0.22	-	-	18.5	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		99-Oct-19	-	-	-	7.2	-	-	0.65	-	-	16	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		00-Oct-19	-	-	-	5	-	-	0.7	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		01-Apr-12	-	-	0.006	nd	-	22	0.019	1	-	13.5	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		02-Dec-13	nd	0.0001	0.0008	nd	0.0005	23.6	0.014	0.6	-	12.8	0.133	0.0004	0.0013	nd	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		Nov-09	<0.002	0.0151	<0.002	0.067	<0.00002	27.3	0.024	0.7	nd	10.5	0.148	0.00013	<0.005	nd	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		10-Apr-13	<0.002	0.0121	<0.002	0.09	0.00007	24.8	0.021	0.6	<0.00002	9	0.139	0.0001	<0.005	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		10-Nov-25	<0.002	<0.005	<0.002	0.227	0.0002	26.1	0.027	0.7	-	9.3	0.146	0.00014	<0.005	0.008	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		11-Apr-11	0.001	0.0051	<0.002	0.372	-	24.5	0.012	0.7	<0.00002	8.9	0.13	<0.0003	<0.005	0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		11-Oct-11	0.003	-	<0.002	0.348	0.00024	27.3	0.041	1	-	9.6	0.158	-	-	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		12-Apr-11	<0.002	<0.005	<0.002	0.103	0.00012	23.6	0.016	0.7	-	7.7	0.137	0.00007	<0.005	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		13-Jul-18	-	<0.00050	-	<0.050	-	29.1	0.0017	<1.0	-	11	0.177	<0.0010	0.00221	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		14-Jun-17	-	<0.00050	-	<0.050	-	22.6	0.0097	<1.0	-	7.80	0.138	<0.0010	0.00079	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
00-1		00-Oct-19	N/S	N/S	N/S	22	N/S	N/S	6	N/S	74	N/S	N/S	N/S	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		01-Apr-12	nd	N/S	nd	47.4	N/S	47.4	0.026	7	N/S	33.4	N/S	N/S	N/S	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		02-Dec-13	nd	nd	0.0019	nd	0.0005	54.4	0.008	8	N/S	34.5	0.484	0.0026	0.0022	nd	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		03-Nov-05	nd	nd	0.0021	0.04	nd	59.6	nd	6.2	nd	36.8	0.568	0.0028	0.0085	nd	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		04-Nov-16	nd	0.0002	0.0059	nd	nd	nd	0.012	5.4	nd	48.2	0.784	0.0034	0.0027	nd	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		05-Dec-19	nd	0.0006	0.004	0.28	nd	88	0.18	3.4	nd	47	0.65	0.0027	0.002	0.015	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		06-Oct-20	<0.005	<0.0005	0.005	<0.05	<0.0005	55	0.066	7.7	nd	34	0.55	0.002	0.002	0.007	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		08-Jun-02	0.0157	0.0009	0.005	0.039	0.00116	86.8	0.152	9	<0.0001	33.6	1.02	0.00447	<0.005	0.012	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		08-Nov-01	<0.002	-	0.011	0.147	<0.02	74.6	0.019	2.8	-	57.9	-	-	-	0.031	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		Apr-09	<0.001	0.0014	<0.0005	2.51	<0.0001	85.7	0.166	11.4	-	42.4	0.795	0.0006	0.09	0.079	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		Nov-09	<0.002	0.0094	<0.002	0.299	<0.00002	80.3	0.616	1.5	-	41.3	0.556	0.00266	<0.005	0.114	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		10-Apr-13	<0.002	0.0097	<0.002	0.063	0.00006	64.7	0.129	8.1	<0.00002	27.5	0.759	0.00204	<0.005	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		11-Apr-11	0.001	0.0047	0.003	0.716	-	74.8	0.431	5.4	-	29.8	0.747	0.0029	<0.005	0.006	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		11-Oct-28	-	-	-	-	-	-	-	-	-	-	-	-	-	0.007	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		12-Apr-12	<0.002	<0.005	<0.002	0.131	0.00007	72.5	0.862	2.3	-	44.3	0.584	0.00215	<0.005	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		12-Apr-12	<0.002	<0.005	<0.002	0.049	0.00004	61.6	0.468	5	-	30	0.632	0.00192	<0.005	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		Oct-12	<0.002	<0.002	<0.002	0.046	0.00005	86.8	0.882	1.7	-	66	0.586	-	-	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
		13-Oct-22	-	-	-	<0.050	-	70.2	-	7.6	-	34.8	-	-	-	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-			
	14-Jun-17	-	0.00173	-	0.676	-	71.9	1.38	5.7	-	32.0	0.792	0.0026	0.00478	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-				
	14-Oct-15	-	<0.0050	-	<0.50	-	80.0	1.68	<1.0	-	74.7	0.657	<0.010	<0.0050	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-				
	15-May-11	nd	0.0016	nd	nd	nd	76.9	1.78	2.14	nd	62.1	0.728	0.0028	nd	nd	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-				
	16-Nov-30	<0.001	0.0009	<0.0005	0.138	<0.0001	56.1	0.67	1.68	<0.0001	38.3	0.531	0.0026	0.0042	<0.0005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-				
MW101 (replaced 00-1 in 2018)	19-W006 19-W015 20-W007 20-W017 21-W007 21-W015	18-Apr-26	0.005	0.0009	0.0024																												

Monitoring Location	Sample ID (post 2018)	Parameter (units)	Metals																							Field Parameters						
			Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Potassium	Silver	Sodium	Strontium	Uranium	Vanadium	Zinc	Nickel	Selenium	Silicon	Antimony	Beryllium	Thallium	Tin	Titanium	Tungsten	Molybdenum	Un-ionized Ammonia, Calc. [9]	Temperature °C (field)	PH (Field)	DO	Conductivity	
			ODWS (mg/L)																													
		Date	(note 4)	0.0009	(note 5)	0.3	(note 6)			0.0001		0.005	0.006	0.02	0.025				0.02	(note 7)	0.0003			0.03	0.04		15 ^{AO}	6.5-8.5 ^{OG}				
DUP		13-Jul-18	-	0.00178	-	<0.050	-	80.4	1.88	38	-	49.5	1.42	<0.0010	0.00052	0.032	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	
		13-Jul-18	-	0.00163	-	<0.050	-	81.7	1.77	39	-	50.6	1.4	<0.0010	0.0006	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	
		13-Oct-22	-	-	-	9.49	-	79.4	-	34	-	54.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	
		14-Jun-17	-	0.00315	-	21.3	-	71.0	2.79	36.1	-	43.0	1.43	<0.0010	<0.00050	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	
		14-Oct-15	-	<0.0050	-	21.8	-	75.4	2.32	40	-	43.5	1.57	<0.010	<0.0050	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	
		14-Oct-15	-	<0.0050	-	21.8	-	75.4	2.34	38	-	44.3	1.49	<0.010	<0.0050	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	
		15-May-11	nd	0.0018	nd	13.1	0.0001	61.6	2.08	30	nd	32.2	1.39	0.0002	nd	nd	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		16-Jun-27	ND (.001)	0.003	ND (0.0005)	7.98	ND (0.0001)	82.6	4.35	27.5	ND (0.0001)	44.6	1.5	0.0008	ND (0.0005)	0.016	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	
		16-Nov-30	0.001	0.0038	0.0009	5.19	0.0003	67.6	3.56	24.6	ND (0.0001)	39.8	1.67	0.0008	0.0025	0.062	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		17-Aug-17 (not located)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		17-Dec-21	0.008	0.0023	0.0006	12.9	<0.0001	63.2	1.67	36.2	<0.0001	29.9	1.61	0.0004	0.0188	0.057	0.032	<0.001	7.15	<0.0005	<0.0005	<0.0001	<0.005	<0.005	<0.01	<0.0005	<0.001	-	-	-	-	
		17-Dec-21	0.007	0.0024	0.0007	13.6	<0.0001	58.4	1.42	31.8	<0.0001	26.6	1.45	0.0003	0.0163	0.068	0.035	0.001	6.38	<0.0005	<0.0005	<0.0001	<0.005	<0.005	<0.01	<0.0005	<0.001	-	-	-	-	
		18-Apr-26	0.01	0.0018	0.0006	22.1	<0.00002	76.7	1.55	42.8	<0.00002	32.8	0.0003	0.00026	0.006	0.077	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		18-Nov-15	<0.001	0.0015	0.0023	2.5	0.00003	68.2	1.33	37.1	<0.0001	36.4	0.0000	0.00041	<0.005	0.56	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		19-May-02	0.001	0.0016	0.0002	19.0	0.00005	68.8	1.92	29.2	<0.0001	31.9	-	0.00025	<0.005	0.142	-	-	-	-	-	-	-	-	-	0.0094	9.34	6.85	6.92	1.59		
	19-W007	19-Oct-08	<0.001	0.0033	0.0010	7.90	<0.00009	81.3	4.12	32.7	<0.0001	49.1	-	0.00065	<0.005	0.012	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
	20-W008	20-Apr-23	<0.001	0.0021	0.0014	18.9	0.00007	73.8	2.18	39.3	<0.0001	32.4	-	-	0.0005	0.076	-	-	-	-	-	-	-	-	-	0.013	9.70	6.91	1.15	1.74		
	20-W019	20-Nov/16	<0.001	0.0025	0.0035	6.62	0.00009	75.6	2.58	36.6	<0.0001	33.6	-	-	0.0008	0.375	-	-	-	-	-	-	-	-	-	0.008	10.23	[10]	8.26	1.56		
	21-W008	21-Apr-28	<0.001	0.0013	0.0005	23.30	0.00006	73.3	1.75	37.9	<0.0001	34.9	-	-	0.0002	0.187	-	-	-	-	-	-	-	-	-	0.119	10.43	7.28	7.23	1.90		
	21-W016 ⁸	21-Oct-14	<0.001	0.0022	0.0004	0.362	0.00009	83.3	3.30	30.3	<0.0001	44.3	-	-	0.0013	<0.005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
08-2 (well damaged in 2010)		08-Nov-01	<0.002	-	0.009	0.121	<0.02	28.3	0.113	2.1	-	31.4	-	-	0.039	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		April-09	<0.001	0.0081	<0.0005	189	<0.0001	32.1	5.98	55.9	-	30.2	1.41	0.0022	0.683	0.742	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		Nov-09	0.003	0.0021	0.002	1.13	0.00022	28.8	0.141	2.6	-	12.4	0.37	0.0007	<0.005	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		10-Apr-13	0.003	0.0161	0.003	1.53	0.00094	28.7	0.108	3	<0.00002	43.8	0.349	0.00661	<0.005	0.007	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
MW103 (installed in 2018)	19-W005	18-Apr-26	<0.001	0.0002	0.0016	<0.005	0.00006	29.4	0.034	1.1	<0.0001	17.1	0.0023	0.00227	0.013	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		18-Nov-15	<0.001	0.0002	0.0011	<0.005	0.00006	20.7	0.008	0.4	<0.0001	14.4	-	0.00086	<0.005	<0.005	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
		19-May-02	0.001	0.0003	0.0006	<0.005	0.00002	22.1	0.091	0.5	<0.0001	12.4	-	0.00066	<0.005	<0.005	-	-	-	-	-	-	-	-	-	<0.001	6.33	7.14	2.71	0.488		
		19-Oct-08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<0.001	-	-	-	-	-	
	20-W006[8]	20-Apr-23	<0.001	0.0004	0.0017	0.172	0.00016	28.3	0.095	0.6	<0.0001	12.9	-	-	0.0020	<0.005	-	-	-	-	-	-	-	-	-	0.002	6.75	7.82	14.35	0.557		
	20-W016 ⁸	20-Nov/16	<0.001	<0.0001	0.0063	0.011	0.00017	18.2	0.007	0.4	<0.0001	11.7	-	-	0.0014	<0.005	-	-	-	-	-	-	-	-	-	0.001	8.38	[10]	11.15	0.382		
	21-W004 ⁸	21-Apr-28	<0.001	<0.0001	0.0014	0.005	0.00003	23.1	0.013	0.4	<0.0001	12.8	-	-	0.0011	<0.005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	21-W014 ⁸	21-Oct-14	<0.001	0.0003	0.0023	0.039	0.00012	22.3	0.120	0.7	<0.0001	13.8	-	-	0.0019	<0.005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW104 (installed in 2018)	-	18-Nov-15 ⁸	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	dry	19-May-02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	19-Oct-08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	20-Apr-23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	20-Nov/16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	21-Apr-28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	dry	21-Oct-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes:
1 Alkalinity should not decrease by more than 25% of the natural concentration.
2 Aluminum standard for PWQO is pH dependent (4.5 to 5.5 = 15ug/L, 5.5 to 6.5 = <10% above background, 6.5 to 9.0 = 75 ug/L)
3 Cadmium criteria: 0-100 mg/L Hardness = 0.0001 mg/L, >100 mg/L Hardness = 0.0005 mg/L.
4 Chromium reported as total, published standards are for Chromium VI (0.001 mg/L) and Chromium III (0.0089 mg/L).
5 Copper criteria: if 0-20 mg/L Hardness = 0.001 mg/L; if >20 mg/L Hardness = 0.005 mg/L.
6 Lead criteria: if <30 mg/L Hardness = 0.001 mg/L; if 30 to 80 mg/L Hardness = 0.003 mg/L; if >80 mg/L Hardness = 0.005 mg/L.
7 Beryllium criteria: <75 mg/L Hardness = 0.011 mg/L, >75 mg/L Hardness = 1.1 mg/L
8 Insufficient sample quantity for full parameter analysis
9 Un-ionized ammonia calculated using field parameters for pH and temperature.
10 DO criteria: 0°C -5°C = ≥7mg/L 5°C-10°C = ≥6mg/L 10°C-20°C = ≥5mg/L 20°C-25°C = ≥4mg/L
10 pH values not collected due to equipment error
denotes concentration exceeds the 2003 Ontario Drinking Water Quality Standards
AO indicates aesthetic objective OG indicates operational guideline CS indicates chemical standards
PWQO- denotes the Provincial Water Quality Objectives.
"- " denotes not analyzed
"RL" denotes reporting limit
"<" or "ND #" denotes results below reporting limit
"<#" or denotes elevated reporting limit
"MW###" and "# - #" denote groundwater monitoring well
groundwater samples analyzed for metals were field filtered using 0.45 micron filters

Input: MW
Checked: JMP

Monitoring Location	Sample ID (post 2018)	Parameter	General Inorganics																		Anions								
			Alkalinity	N - Ammonia	N - Ammonia(U)/lab	BOD	COD	DOC	Conductivity (uS/cm)	Hardness	pH	Phenols	o-Phosphate (P)	Phosphorus (total)	Phosphorus (dissolved)	TDS	TSS	N - Total Kjeldahl	Chloride	N - Nitrate	N - Nitrite	Sulphate	Aluminum (total)	Aluminum (dissolved)	Mercury	Arsenic	Barium	Boron	Cadmium
			(note a)		0.020					6.5-8.5	0.001		0.02										0.075 ^(d)	0.075 ^(d)	0.0002	0.005		0.200	(note d)
			Sample Date	Table A: Aquatic Protection Value (mg/L)																		Table B: Canadian Water Quality Guideline (mg/L)							
		15-Nov-02	31	0.08	0.0004	ND (2)	36	11.4	265	98	6.9	ND (0.001)	-	0.17	0.16	158	ND (2)	1.3	3	0.3	ND (0.05)	86	0.098	-	nd	nd	0.0360	0.104	nd
		16-Jun-27	160	0.17	0.001	8	94	28	306	121	7	0.026	-	1	0.21	230	181	3.9	ND (1)	ND (0.1)	ND (0.05)	2	0.012	-	ND (0.0001)	0.002	0.0310	0.576	ND (0.0001)
		16-Nov-30	45	0.03	0.0002	3	31	8.3	154	55	7.1	ND (0.001)	-	0.05	0.05	88	10	0.4	3	ND (0.1)	ND (0.05)	23	0.131	-	ND (0.0001)	ND (0.001)	0.0250	0.057	ND (0.0001)
		17-Aug-17	177	0.04	0.001	4	20	18.5	299	158	7.9	-	-	0.34	0.07	200	17	1.1	1	0.5	<0.05	2	0.31	<0.001	<0.001	0.238	0.068	0.001	
		17-Dec-21	139	0.03	0.0006	<2	20	5.4	274	87	7.7	<0.001	-	0.29	0.01	154	48	1.1	3	0.1	<0.05	14	0.190	0.051	<0.0001	<0.001	0.040	0.049	<0.0001
		18-Apr-26	114	< 0.01	< 0.01	3	25	7.9	258	126	7.93	< 0.001	0.01	0.04	-	132	7	1.4	2.4	< 0.05	< 0.05	15	0.030	< 0.00002	0.001	0.033	0.061	< 0.00015	
		11/15/2018 (dry)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		19-May-02	82	0.05	< 0.01	< 3	29	10.3	187	114	7.67	< 0.001	0.05	0.05	-	95	6	0.5	1.3	< 0.05	< 0.05	7	0.03	< 0.00002	0.0002	0.043	0.076	< 0.00015	
		10/8/2019 (dry)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		20-Apr-23	103	0.01	< 0.01	< 3	21	7.3	232	120	7.65	< 0.001	0.025	0.05	-	118	4	0.4	2.1	0.06	< 0.05	10	-	0.10	< 0.00002	0.0002	0.029	0.047	< 0.00015
		20-Nov-16	103	0.02	< 0.01	< 3	65	19.8	296	146	7.24	< 0.001	0.105	0.19	-	152	< 3	1.4	4.9	< 0.05	< 0.05	33	-	0.04	< 0.00002	0.0004	0.045	0.065	0.00082
		21-Apr-28	141	0.03	< 0.01	< 3	53	11.4	283	151	7.79	< 0.001	0.034	0.31	-	145	116	1.5	2.4	< 0.05	< 0.05	9	-	0.03	< 0.00002	0.0003	0.035	0.067	< 0.00015
		21-Oct-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SW6		03-Apr-23	58	<0.03	<0.005	1.1	17	6.1	164	75	7.75	N/A	-	0.063	-	102	7	0.42	4.7	<0.2	<0.2	19.7	0.401	-	<0.00005	<0.002	0.031	0.044	<0.0001
		03-Jun-30	124	0.04	<0.005	3.5	48	16	258	131	7.48	nd	-	0.217	-	162	35	0.99	2.1	<0.2	<0.2	6.8	0.979	-	0.00011	<0.002	0.047	0.072	<0.0001
		03-Nov-05	55	nd	nd	nd	28	8.3	167	71	6.93	nd	-	0.135	-	128	16	0.59	4.8	nd	nd	23.1	0.135	-	nd	nd	0.033	0.049	nd
		04-May-24	97	nd	nd	1.8	-	12.7	187	113	7.35	-	-	0.096	-	160	9	0.82	2.8	nd	-	7.6	0.206	-	-	nd	0.033	0.06	nd
		04-Aug-18	105	nd	0.08	2.6	-	11	218	109	7.32	-	-	0.179	-	148	25	1.31	nd	nd	-	5.1	0.123	-	-	nd	0.027	0.077	nd
		04-Nov-16	111	0.07	nd	12.2	-	15.2	266	120	7.13	-	-	0.289	-	156	49	0.7	6.4	0.4	-	20.4	2.71	-	-	nd	0.072	0.053	0.0001
		06-May-03	106	nd	nd	nd	28	9.2	222	115	7.9	nd	-	0.062	-	145	3	0.8	3	nd	-	14	0.087	-	nd	nd	0.028	0.063	nd
		06-Sep-21	68	0.09	-	< 2	50	13.8	233	110	7.7	< 0.001	-	0.026	-	176	12	2	3	0.1	< 0.01	43	0.75	-	< 0.0001	< 0.001	0.055	0.097	< 0.0001
		06-Oct-20	49	0.12	-	2	35	9.4	111	53	7.6	< 0.001	-	0.16	-	79	9	1.1	2	< 0.1	N/A	7	2.2	-	N/A	< 0.001	0.046	0.018	< 0.0001
		07-May-01	96	<0.05	-	96	42	11.3	157	85	7.14	<0.001	-	<0.01	-	103	6	1.1	0.7	<0.1	<0.1	4	0.56	-	0.0002	<0.0005	0.039	0.037	<0.0001
		07-Dec-07	48	<0.05	<0.05	< 2	19	12	182	41	6.24	<0.001	-	0.13	-	200	36	0.5	3	0.1	<0.1	28	1.61	-	0.00008	<0.0005	0.057	0.041	<0.0001
		08-Jun-01	71	<0.05	-	< 2	26	10.8	145	51	7.58	<0.001	-	0.08	-	80	30	0.9	1	0.2	<0.1	1	0.254	-	<0.00003	0.0008	0.025	0.029	<0.0001
		08-Sep-01	88	-	-	< 2	32	13.2	187	85	6.74	<0.001	-	0.05	-	92	4	-	2	<0.1	<0.1	2	0.07	-	<0.00002	<0.0005	0.02	0.035	<0.0001
		08-Nov-01	44	<0.05	-	< 2	-	6.3	99	38	7.28	<0.001	-	0.03	-	55	4	0.5	1	<0.1	<0.1	4	0.16	-	0.00005	<0.003	0.011	0.018	<0.0001
		09-Apr-01	56	<0.05	-	< 2	17	6.3	100	48	6.77	<0.001	-	0.1	-	55	30	-	1	0.2	<0.1	4	0.563	-	0.00006	<0.0005	0.018	0.021	<0.0001
		09-Jul-01	96	<0.05	-	< 2	26	9.9	202	99	7.14	<0.001	-	0.08	-	111	12	0.7	1	0.1	<0.1	< 1	0.02	-	<0.00002	<0.0005	0.028	0.028	<0.0001
		09-Nov-18	48	<0.05	<0.05	< 2	34	5.4	101	42	7.1	<0.001	-	0.04	-	56	10	0.2	1	0.1	<0.1	3	0.16	-	0.00007	<0.0005	0.011	0.012	<0.0001
		10-Jun-22	97	0.1	-	< 2	27	9	187	96	7.67	<0.001	-	0.03	-	103	46	0.8	1	0.3	<0.1	1	1.04	-	<0.00002	<0.0005	0.043	0.032	<0.0001
		10-Aug-16	91	0.02	<0.01	< 2	36	9.2	184	88	7.41	<0.001	-	0.12	-	101	10	1	< 1	0.1	<0.1	1	0.1	-	<0.00002	<0.0005	0.023	0.041	<0.0001
		10-Aug-16	91	<0.01	<0.01	< 2	39	9.2	184	89	7.47	<0.001	-	0.15	-	101	18	1.1	< 1	0.1	<0.1	1	0.06	-	<0.00002	<0.0005	0.022	0.042	<0.0001
		10-Nov-25	38	<0.01	<0.01	< 2	27	5.9	85	40	7.73	<0.001	-	0.02	-	47	4	0.4	1	< 0.1	< 0.1	3	0.2	-	<0.00002	<0.0005	0.012	0.019	<0.0001
		11-Apr-12	52	<0.05	<0.05	< 2	9	4.7	128	62	7.82	<0.001	-	0.02	-	71	6	0.4	1.6	0.2	< 0.1	7	0.17	-	<0.00002	0.0003	0.013	<0.005	<0.0002
		11-Aug-16	87	<0.01	<0.01	< 2	384	9.5	176	155	7.67	<0.001	-	3.2	-	97	248	7.8	1	0.1	< 0.1	< 1	16.2	-	<0.00002	0.0005	0.034	0.062	<0.0002
		13-Oct-22	83	-	-	< 2	51	9.6	163	81	7.77	0.0022	-	0.047	-	86	8.4	0.67	-	< 0.1	< 0.1	4.5	0.293	-	-	0.0254	0.045	<0.00002	
		14-Jun-17	63	<0.050	<0.00052	< 2	36	10.3	128	67	7.69	<0.0010	-	0.0635	-	86	8.4	0.66	< 2.0	< 0.1	< 0.1	< 2.0	0.124	-	<0.00010	<0.0010	0.0183	0.034	<0.00002
		14-Oct-15	60	-	-	< 2	43	9.1	95.6	51	7.92	<0.0010	-	0.042	-	-	-	0.51	-	< 0.1	< 0.1	< 2.0	0.393	-	-	0.0166	0.023	<0.00002	
		15-May-11	88	0.05	0.009	5	36	13.1	173	82	8.7	0.003	-	0.07	0.04	134	16	1	2	ND (0.1)	ND (0.05)	2	nd	-	0.0004	nd	0.0140	0.045	nd
		15-May-11	87	0.05	0.009	4	36	13.1	173	79	8.7	0.002	-	0.09	0.03	138	19	1.1	2	ND (0.1)	ND (0.05)	3	nd	-	nd	nd	0.0060	0.047	nd
		15-Nov-02	32	0.04	0.0004	ND (2)	34	9.9	202	78	7.3	ND (0.001)	-	0.1	0.08	108	6	0.6	2	0.6	ND (0.05)	53	0.066	-	nd	nd	0.0300	0.072	nd
		16-Jun-27	66	0.0																									

Historical Surface Water Chemistry (cont'd)

Monitoring Location	Sample ID (post 2018)	Parameter	Metals																							Field Parameters																															
			Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Nickel	Potassium	Silver	Sodium	Strontium	Vanadium	Zinc	Silicon	Uranium	Antimony	Beryllium Standard	Beryllium	Thallium	Tin	Titanium	Tungsten	Molybdenum	Un-ionized Ammonia, Calc (field)	Temperature - °C (field)	pH (field)	DO	Conductivity																									
			PWQO (mg/L) Table A: Aquatic Protection Value (mg/L)		(note e)	0.0009	(note f)	0.300	(note g)			0.025		0.0001			0.006	0.02		0.005	0.02		(note h)						0.03	0.04	0.02		6.5-8.5	(note i)																							
			Sample Date	Table B: Canadian Water Quality Guideline (mg/L)																																																					
SW1		90-May-05	19	-	-	-	nd	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-																		
		93-May-27	46	-	-	-	0.93	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-																	
		93-Jun-30	46	-	-	-	2.68	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-														
		93-Oct-13	16	-	-	-	0.33	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-													
		94-May-17	20	-	-	-	0.62	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-												
		94-Nov-30	9	-	-	-	1.32	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-											
		95-Dec-05	17	-	-	-	0.33	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-										
		98-Mar-11	22.7	-	-	-	0.06	-	9.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-									
		99-Oct-19	11	-	-	-	0.4	-	3.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-								
		01-Nov-14	18.2	nd	0.0002	0.0009	0.08	nd	6.18	0.006	nd	1.3	nd	4.1	-	nd	nd	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-								
		01-Apr-12	16	nd	0.0002	0.0011	0.39	nd	4.7	0.013	nd	1.1	nd	2.8	-	nd	0.053	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-							
		02-May-11	15.2	nd	0.0003	0.0029	0.61	0.0009	4.45	0.018	0.001	1.3	nd	3.3	-	0.0013	0.068	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-							
		03-Apr-23	19.3	<0.005	0.0002	0.0013	0.43	<0.0005	5.09	0.02	<0.001	1	<0.0001	2.8	-	0.0009	0.109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-						
		03-Jun-30	120	0.017	0.0108	0.0111	16.4	0.0055	51	2.94	0.016	9.4	<0.0001	36.1	-	0.0215	0.084	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-						
		03-May-11	22.7	nd	0.0009	0.0053	2.32	0.0012	5.02	0.067	0.002	1.6	nd	2.6	-	0.002	0.117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-						
		5-Nov-03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-								
		04-May-24	15.9	nd	0.0003	0.0012	0.86	nd	3.85	0.031	0.001	0.6	nd	1.8	-	0.0016	0.057	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-				
		04-Nov-16	26.5	nd	0.0008	0.0015	1.66	0.0006	9.01	0.139	0.002	1.4	nd	4.6	-	0.0025	0.007	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-				
		05-May-03	38	0.026	0.0091	0.015	19	0.0100	16	0.82	0.018	4.9	-	7.8	-	0.033	0.067	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-				
		06-Sep-21	33	0.019	0.0078	0.014	17	0.0066	13	0.73	0.015	4.4	<0.0001	6.2	-	0.026	0.069	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-				
		06-Oct-20	11	<0.005	<0.0005	0.001	1.1	0.0007	3.3	0.02	0.001	1.8	<0.0001	1.7	-	0.002	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-			
		07-May-23	21	0.003	<0.0005	0.01	0.396	0.0010	8.48	0.088	<0.01	2.1	<0.0001	15.4	-	<0.005	0.031	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-			
		07-Dec-07	16.1	<0.002	<0.005	0.002	0.676	<0.02	5.2	0.044	<0.01	1	<0.005	3	-	<0.005	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-			
		07-Jun-01	57.2	<0.001	0.0014	0.002	0.401	<0.0001	21.7	0.26	<0.01	5	<0.0001	14.8	-	<0.005	0.035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-		
		08-Sep-01	22.2	0.003	<0.0005	0.003	3.78	0.0010	6.48	0.454	<0.01	2.1	<0.0001	3.5	-	0.006	0.017	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-		
		08-Nov-01	20.1	<0.002	<0.005	<0.002	0.482	<0.02	10.1	0.165	<0.01	1.7	<0.005	5.8	-	<0.006	0.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-		
		09-Apr-01	32.6	<0.001	0.0016	<0.0005	0.915	<0.0001	11.5	0.689	<0.01	2.8	<0.0001	6.2	-	<0.005	<0.005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-	
		09-Jul-01	20.7	0.01	0.0046	0.015	67.5	0.0048	33	3.65	<0.01	5.4	<0.0001	21.9	-	0.015	0.071	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-	
		09-Nov-18	20.7	0.06	<0.0005	0.479	0.0053	7.5	0.052	0.65	<0.001	1.2	<0.0001	3.4	-	<0.005	0.027	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-	
		10-Jun-22	57.3	<0.001	0.0051	0.005	7.35	0.0035	24.8	1.42	0.01	5.5	<0.0001	14.3	-	0.009	0.082	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-	
		10-Aug-16	153	0.034	0.0187	0.023	44.5	0.0147	70.6	3.76	0.02	17.8	<0.0001	49.1	-	0.045	0.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.100	-	-	-	-	-
		10-Nov-25	19.9	<0.001	<0.0005	<0.002	0.595	0.0004	6.85	0.043	<0.01	1.3	<0.0001	3.1																																											

Monitoring Location	Sample ID (post 2018)	Parameter	Metals																							Field Parameters									
			Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Nickel	Potassium	Silver	Sodium	Strontium	Vanadium	Zinc	Silicon	Uranium	Antimony	Beryllium Standard	Beryllium	Thallium	Tin	Titanium	Tungsten	Molybdenum	Un-ionized Ammonia Calc (field)	Temperature °C (field)	pH (field)	DO	Conductivity			
			PWQO (mg/L)			(note e)	0.0009	(note f)	0.300	(note g)			0.025	0.0001			0.006	0.02		0.005	0.02		(note h)												
			Table A: Aquatic Protection Value (mg/L)			0.064		0.0069	1.000	0.002								0.089												0.1		6.0-9.0			
Table B: Canadian Water Quality Guideline (mg/L)															0.030					0.001															
17-W004	14-Jun-17	18.1	0.0062	0.00115	0.0018	7.12	<0.00050	5.10	0.249	<0.0010	<1.0	<0.00010	7.73	-	-	0.0229	-	-	-	0.011	-	-	-	-	-	-	-	-	-	-	-	-	-		
	14-Oct-15	13.4	-	0.00304	<0.0010	6.84	-	4.33	0.525	-	2.4	-	3.44	-	-	0.00091	0.0092	-	-	0.011	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15-May-11	23.2	nd	0.00130	nd	7.09	0.0001	7.39	0.299	nd	0.8	nd	2.30	0.136	0.00060	nd	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
	15-Nov-02	06.8	nd	nd	nd	0.36	0.0001	2.41	0.009	nd	1.3	nd	2.07	0.043	0.00080	nd	-	-	-	0.011	-	-	-	-	-	-	-	-	-	-	-	-	-		
	16-Nov-30	05.6	0.0	ND (0.0005)	0.0015	0.29	0.0003	1.84	0.010	ND (0.001)	0.5	ND (0.0001)	1.54	0.039	0.00080	0.0080	-	-	-	0.011	-	-	-	-	-	-	-	-	-	-	-	-	-		
	17-Aug-17	82	<0.001	0.01130	0.01	56	0.081	24	3.680	0.00	5.3	<0.0001	10	0.589	0.00	0.0	6.09	0.0005	<0.0005	1.100	<0.0005	<0.0001	<0.005	<0.005	<0.01	<0.0005	-	-	-	-	-	-	-		
	17-Dec-21	05	0	<0.0005	0.0006	1	0.0040	03	0.038	<0.001	0.5	<0.0001	01	0.056	0.00	0.01	3.85	<0.0001	<0.0005	0.011	<0.0005	<0.0001	<0.005	0.009	<0.01	<0.0005	-	-	-	-	-	-	-		
	18-Apr-26	13	0.001	0.00040	0.0068	1	0.00141	04	0.042	0.002	0.7	<0.0002	03	0.09	<0.005	0.04	0	-	-	-	<0.0005	<0.0001	<0.005	0.009	<0.01	<0.0005	-	-	-	-	-	-	-		
	18-Nov-15	09	<0.001	0.00040	0.0009	1	0.00019	03	0.034	0.001	0.8	<0.0001	02	0.044	<0.005	0.01	4.15	0.00059	0.0003	-	<0.002	<0.00005	<0.05	0.047	<0.01	<0.01	<0.0005	-	-	-	-	-	-		
	19-May-02	15.8	0.002	0.0002	0.0011	0.500	0.00019	4.54	0.022	0.0007	0.400	<0.0001	3.3	0.102	<0.005	0.017	2.63	<0.00005	0.0001	-	<0.002	<0.00005	<0.05	0.016	0.04	0.0002	-	-	-	-	-	-	-		
	19-W011	6.5	<0.001	0.00013	0.0013	2.43	0.00062	1.44	0.136	0.0011	0.600	-	2.7	-	<0.005	0.021	3.55	0.0001	-	-	<0.002	<0.00005	<0.05	0.016	<0.01	-	-	-	-	-	-	-	-		
	20-Apr-23	9.18	<0.001	<0.0001	0.0004	0.121	0.00003	3.00	0.003	<0.01	0.3	-	2.3	-	0.0003	0.006	1.98	<0.00005	-	-	<0.002	<0.00005	<0.05	0.016	<0.01	-	-	-	-	-	-	-	-		
	20-W001	9.25	<0.001	0.0004	0.0029	0.905	0.00029	2.95	0.035	<0.01	1.6	-	1.8	-	0.0012	0.009	3.310	<0.00005	-	-	<0.001	<0.00005	<0.05	0.016	<0.01	-	-	-	-	-	-	-	-		
	20-Nov-16	9.88	<0.001	0.0003	0.0018	0.413	0.00013	3.28	0.022	<0.01	0.5	-	2.0	-	0.0005	0.006	1.640	0.00014	-	-	<0.001	<0.00005	<0.05	0.016	<0.01	-	-	-	-	-	-	-	-		
	21-W001	9.88	<0.001	0.0003	0.0018	0.413	0.00013	3.28	0.022	<0.01	0.5	-	2.0	-	0.0005	0.006	1.640	0.00014	-	-	<0.001	<0.00005	<0.05	0.016	<0.01	-	-	-	-	-	-	-	-		
	21-Oct-14	16.700	<0.001	0.0051	0.0012	7.90	0.00062	5.23	0.685	<0.01	1.0	-	2.6	-	0.0029	0.024	4.280	0.00008	-	-	<0.001	<0.00005	<0.05	0.016	<0.01	-	-	-	-	-	-	-	-		
	SW3	93-May-27	62	-	-	-	0.15	-	25	-	-	-	30	-	-	-	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-	
		93-Jun-30	54	-	-	-	0.16	-	22	0.54	-	-	21	-	-	-	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-	
		93-Oct-13	22	-	-	-	0.13	-	11	0.02	-	-	14	-	-	-	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-	
		94-May-17	24	-	-	-	0.21	-	9	0.06	-	-	3	-	-	-	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-	
		95-Dec-05	20	-	-	-	0.14	-	9	nd	-	-	3	-	-	-	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-	
98-Mar-11		18.8	-	-	-	0.11	-	7.72	nd	-	-	6.39	-	-	-	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
99-Oct-19		17	-	-	-	0.6	-	6.8	0.05	-	-	4.6	-	-	-	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
00-Oct-19		30	nd	nd	nd	0.2	nd	12	0.16	nd	2.3	nd	9	-	nd	nd	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
01-Nov-14		22.7	nd	0.0006	0.0014	0.97	0.0005	8.15	0.095	0.001	1.7	nd	6.5	-	0.0015	0.006	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
01-Apr-12		16.1	nd	0.0002	0.0013	0.36	nd	5.77	0.012	nd	1.2	nd	4.3	-	nd	nd	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
02-May-11		16	nd	0.0005	0.0023	1	0.0009	6.03	0.044	0.001	1.7	nd	4.9	-	0.0018	0.013	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
03-Apr-23		19.7	<0.005	0.0004	0.0014	0.77	0.0006	7.38	0.077	<0.001	1.4	<0.0001	4.8	-	0.0013	0.013	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
03-May-11		15.9	nd	0.0005	0.002	1.24	0.0006	5.49	0.027	0.001	1.5	nd	3.7	-	0.0003	0.009	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
04-May-24		16.8	nd	0.0004	0.0013	0.87	0.0006	5.55	0.049	0.001	0.9	nd	3.4	-	0.0015	0.028	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
04-Nov-16		40.9	nd	0.0018	0.143	3.48	0.0023	15	0.212	0.004	2.3	nd	9.4	-	0.0057	0.025	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
06-May-03		42	nd	nd	nd	0.04	0.15	16	0.01	0.002	3.2	nd	12	-	nd	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
06-Sep-21		32	<0.005	<0.0005	0.002	0.41	<0.0005	11	0.034	<0.001	2.9	<0.0001	9.9	-	<0.001	0.006	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
06-Oct-20		14	<0.005	0.0006	0.002	1.4	0.0007	4.4	0.038	0.002	2.1	<0.0001	2.5	-	<0.001	0.01	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
07-May-01		45.2	<0.002	<0.0005	0.009	0.177	0.0015	15.7	0.028	<0.01	3.8	<0.0001	20.6	-	<0.005	0.025	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
07-Dec-07		10.3	0.009	<0.005	0.014	8.27	<0.02	4.18	0.003	<0.01	1.1	<0.005	4.6	-	0.014	0.077	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
08-Jun-01		74.7	0.002	0.0023	0.0032	1.34	0.0008	28.9	0.244	<0.01	6.3	<0.0001	21.8	-	<0.005	0.018	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-		
09-Apr-01	39.2	<0.001	<0.0005	<0.0005	0.261	<0.0001	14.8	0.023	<0.01	3.4	<0.0001	8.8	-	<0.005	0.018	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-			
09-Nov-18	35.4	0.017	0.0065	0.0064	14.2	0.0087	15.1	2.67	<0.01	3.5	<0.0001	12.4	-	0.022	0.125	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-			
09-Nov-18	35.4	0.017	0.0065	0.0064	14.2	0.0087	15.1	2.67	<0.01	3.5	<0.0001	12.4	-	0.022																					

Monitoring Location	Sample ID (post 2018)	Parameter	Metals																								Field Parameters							
			Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Nickel	Potassium	Silver	Sodium	Strontium	Vanadium	Zinc	Silicon	Uranium	Antimony	Beryllium Standard	Beryllium	Thallium	Tin	Titanium	Tungsten	Molybdenum	Un-ionized Ammonia Calc (field)	Temperature °C (field)	pH (field)	DO	Conductivity		
			PWQO (mg/L)	(note e)	0.0009	(note f)	0.300	(note g)			0.025		0.0001			0.006	0.02		0.005	0.02		(note h)												
			Table A: Aquatic Protection Value (mg/L)	0.064	0.0069	1.000	0.002										0.089												0.1		6.0-9.0	(note i)		
		15-Nov-02	24.9	nd	nd	nd	0.242	0.0001	8.62	0.1150	nd	4.1	nd	5.26	0.142	nd	0.0130	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	
		16-Nov-30	29.8	0.001	0.0016	0.001	0.890	0.0005	11.40	0.3800	ND (0.001)	3.5	ND (0.0001)	2.77	0.206	0.0014	0.0810	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	
		17-Aug-17	13.7	ND (0.001)	ND (0.0005)	0.0015	0.282	0.0002	5.07	0.0200	ND (0.001)	1.2	ND (0.0001)	8.89	0.094	0.0009	0.0070	-	-	-	0.011	-	-	-	-	-	-	-	-	-	-	-	-	
		17-Dec-21	40.8	<0.001	0.0017	0.0145	3.20	0.118	13.6	0.984	0.002	0.887	<0.0001	5.78	0.397	0.0014	0.105	4.27	<0.0001	<0.0005	1.100	<0.0005	<0.0001	<0.005	<0.005	<0.01	<0.0005	-	-	-	-	-	-	
		18-Apr-26	17.3	0.001	<0.0005	0.0007	0.626	0.0004	10.5	0.057	0.001	1.82	<0.0001	4.82	0.189	0.0021	0.008	2.18	<0.0001	<0.0005	1.100	<0.0005	<0.0001	<0.005	0.01	<0.01	<0.0005	-	-	-	-	-	-	
		19-May-02	31.3	<0.001	<0.0001	<0.0001	0.159	0.0001	11.6	0.011	0.002	2.50	<0.00002	5.10	0.179	<0.005	<0.005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		19-May-02 (dry)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		19-May-02 (dry)	29.9	<0.001	0.0002	0.0005	0.535	0.00006	9.61	0.020	0.0007	1.4	<0.0001	5.6	0.181	<0.005	0.012	1.44	0.00011	0.0003	<0.002	<0.00005	<0.05	0.005	0.05	0.0002	-	-	-	-	-	-	-	-
		20-Apr-23	31.3	<0.001	0.0001	0.0010	0.341	0.00016	10.8	0.016	<0.01	1.6	-	5.3	-	0.0005	0.006	2.31	0.00028	-	-	-	-	-	-	-	<0.001	2.20	7.18	7.64	0.259			
		20-Nov-16	37.7	<0.001	0.0008	0.0018	1.07	0.00026	12.7	0.237	<0.01	4.2	-	6.5	-	0.0013	0.016	4.48	0.00013	-	-	-	-	-	-	-	<0.001	5.47	[k]	6.89	0.300			
		21-Apr-28	38.7	<0.001	0.0002	0.0006	0.526	0.00193	13.1	0.027	<0.01	1.2	-	6.3	-	0.0006	<0.0006	1.12	0.00034	-	-	-	-	-	-	-	<0.001	12.21	6.68	5.37	0.290			
		21-Oct-14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SW6	03-Apr-23	18	<0.005	0.0002	0.0014	0.32	<0.0005	7.18	0.013	<0.001	1.6	<0.0001	5.7	-	0.0007	<0.005	-	-	-	0.011	-	-	-	-	-	-	-	-	-	-	-	-	-
		03-Jun-30	32	<0.005	0.0009	0.0013	2.68	0.0008	12.3	0.557	0.002	0.9	<0.0001	8.1	-	0.0015	0.006	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		03-Nov-05	17.8	nd	0.0005	0.0038	0.78	nd	6.51	0.021	nd	3.2	nd	4.5	-	0.0011	0.009	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		04-May-24	30.4	nd	0.0003	0.0014	0.61	nd	8.97	0.121	nd	2.1	nd	5.5	-	0.0006	0.087	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		04-Aug-18	27	nd	0.0003	0.0006	0.69	nd	10	0.142	nd	0.2	nd	6.4	-	nd	0.014	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		04-Nov-16	29.9	0.093	0.001	0.0039	2.98	0.0018	11	0.275	0.002	2	0.0001	6.7	-	nd(0.005)	0.023	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		06-May-03	28	0.07	nd	0.003	0.4	0.0019	11	0.051	nd	2	0.0001	7.5	-	nd	0.006	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		06-Sep-21	26	<0.0005	0.0005	0.003	1.9	<0.0005	11	0.049	0.003	4.2	<0.0001	7	-	<0.001	0.01	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		06-Oct-20	13	<0.0005	0.0011	0.002	2.4	0.0012	5	0.095	0.002	3.1	<0.0001	2.4	-	0.005	0.016	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		07-May-01	21.5	0.002	<0.0005	0.015	1.74	0.0022	7.64	0.058	<0.01	1.6	<0.0001	13	-	<0.005	0.07	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		07-Dec-07	9.46	0.002	<0.005	0.013	1.89	<0.02	4.16	0.213	<0.01	2	<0.005	14.2	-	<0.005	0.04	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		08-Jun-01	11.5	<0.001	0.003	0.0015	0.644	<0.0001	5.46	1.64	<0.01	0.6	<0.0001	2.4	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		08-Sep-01	24	<0.002	<0.0005	<0.002	1.1	<0.0001	6	0.782	<0.01	1.8	<0.0001	1.7	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		08-Nov-01	8.72	<0.002	<0.005	<0.002	0.498	<0.02	4	0.299	<0.01	1.2	<0.005	1.7	-	<0.005	0.01	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		09-Apr-01	13	<0.001	<0.0005	<0.0005	1.72	<0.0001	3.77	0.406	<0.01	0.9	<0.0001	1.8	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		09-Jul-01	26.7	0.003	<0.0005	<0.002	2.15	<0.0001	7.8	3.55	<0.01	1.5	<0.0001	2.7	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		09-Nov-18	11.4	<0.002	<0.0005	<0.0005	0.739	<0.0001	3.29	0.199	<0.01	1	<0.0001	0.5	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		10-Jun-22	25.8	<0.001	0.0008	<0.002	3.41	<0.0001	7.59	2.09	<0.01	0.8	<0.0001	2.7	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		10-Aug-16	24.2	<0.001	<0.0005	<0.002	2.58	<0.0001	6.7	1.09	<0.01	1.2	<0.0001	2	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		10-Aug-16	24.6	<0.001	<0.0005	<0.002	2.45	<0.0001	6.76	1.05	<0.01	1.2	<0.0001	1.9	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		10-Nov-25	11.3	<0.001	<0.0005	<0.002	0.629	0.0002	2.95	0.087	<0.01	0.9	<0.0001	1.3	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		11-Apr-12	16.9	0.0003	0.0001	<0.002	0.587	0.0001	4.8	0.227	<0.01	1.4	-	2.8	-	<0.005	<0.005	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		11-Aug-16	41.8	0.024	0.0002	0.0003	57.9	<0.00002	12.4	38	<0.01	3.5	-	3.5	-	0.045	0.077	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		13-Oct-22	21.3	-	<0.00050	<0.0010	0.653	-	6.85	0.133	-	2.1	-	3.33	-	0.00118	0.0071	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		14-Jun-17	18.2	<0.00050	<0.00050	<0.0010	0.948	<0.00050	5.34	0.380	<0.0010	<1.0	<0.00010	2.22	-	0.00118	0.0046	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		14-Oct-15	13.8	-	<0.00050	<0.0010	0.605	-	4.01	0.0750	<1.0	-	1.72	-	0.00109	0.0070	-	-	-	-	1.100	-	-	-	-	-	-	-	-	-	-	-	-	-
		15-May-11	22.2	nd	nd	nd	0.856	0.0002	6.40	0.2940	nd	1.05	nd	3.7																				

Appendix I
Site Photographs



1. SW1
May-2021



2. SW2
May-2021



3. SW3
May-2021



4. SW5
May-2021



5. SW6
May-2021



6. SW7
May-2021



7. Well 08-1
May-2021



8. Well MW101
May-2021



9. Well MW102
May-2021



10. Well MW103
October-2021



11. Well MW104
May-2021

Appendix J
Borehole Logs



308 Wellington Street
2nd Floor
Kingston, ON K7K 7A8
Canada

613-548-3446
www.malroz.com

PROJECT:
1040 - Leeds Waste Disposal Site

CLIENT:
Township of Leeds and the Thousand Islands

BOREHOLE LOG:
BH101

DRILLING CONTRACTOR: **Strata Drilling Group**

DRILLING EQUIPMENT: **GM100 GT**

DRILLING METHOD: **Macrocore**

SAMPLING METHOD: **5' Macrocore**

WELL ID: **MW101**

WELL TAG#: -
GROUND SURFACE ELEV.: -
TOP ELEVATION: -

DATUM: **NAD 83 Zone 18**
EASTING: **405507**
NORTHING: **4916167**

LOGGED BY:
BC

INPUT BY:
ZL

FIELD INSTRUMENT(S):
RKI Eagle 2 CGI & PID

DATE DRILLED:
February 5, 2018

VALIDATED BY:
BC

CHECK:

Well Construction	Depth (meters)	Lithology	Description	Type	Moisture	Sample	% REC	Blows/Ft (RQD)	CGI (% LEL)			PID (ppm)			
									0	50	100	1	10	100	1000
	0		Silty Clay some sand, brown, soft		Moisture -	Sample -	% REC -	Blows/Ft (RQD) -							
	2.6		End of borehole at refusal (2.6 m)												

Notes: Well Construction Details
steel monument casing
50mm schedule 40 PVC
0.25mm slotted screen
1.5m screen
#1 sand

Groundwater Monitoring Details
yet to be monitored
CGI: --
CGI(ME): --
PID: --

depth to water*: --
depth to bottom*: --

* measurements taken from top of piezometer

MW101 installed to replaced 00-1.

THIS BOREHOLE LOG MUST BE READ TOGETHER WITH THE ACCOMPANYING REPORT



308 Wellington Street
2nd Floor
Kingston, ON K7K 7A8
Canada

613-548-3446
www.malroz.com

PROJECT:
1040 - Leeds Waste Disposal Site

CLIENT:
Township of Leeds and the Thousand Islands

BOREHOLE LOG:
BH102

DRILLING CONTRACTOR: **Strata Drilling Group**

DRILLING EQUIPMENT: **GM100 GT**

DRILLING METHOD: **Macrocore**

SAMPLING METHOD: **5' Macrocore**

WELL ID: **MW102**
WELL TAG#:-
GROUND SURFACE ELEV.: -
TOP ELEVATION: -

DATUM: **NAD 83 Zone 18**
EASTING: **405371**
NORTHING: **4916244**

LOGGED BY:
BC

INPUT BY:
ZL

FIELD INSTRUMENT(S):
RKI Eagle 2 CGI & PID

DATE DRILLED:
February 5, 2018

VALIDATED BY:
BC

CHECK:

Well Construction	Depth (meters)	Lithology	Description	Type	Moisture	Sample	% REC	Blows/Ft (RQD)	CGI (% LEL)			PID (ppm)			
									0	50	100	1	10	100	1000
	0		Silty Clay brown, soft		Moist	-	100								
	2.1														End of borehole at refusal (2.1 m)

Notes: Well Construction Details
steel monument casing
50mm schedule 40 PVC
0.25mm slotted screen
1.2m screen
#1 sand

Groundwater Monitoring Details
yet to be monitored
CGI: --
CGI(ME): --
PID: --

depth to water*: --
depth to bottom*: --

* measurements taken from top of piezometer

MW101 installed to replaced 89-1.

THIS BOREHOLE LOG MUST BE READ TOGETHER WITH THE ACCOMPANYING REPORT



308 Wellington Street
2nd Floor
Kingston, ON K7K 7A8
Canada

613-548-3446
www.malroz.com

PROJECT:
1040 - Leeds Waste Disposal Site

CLIENT:
Township of Leeds and the Thousand Islands

BOREHOLE LOG:
BH103

DRILLING CONTRACTOR: **Strata Drilling Group**

DRILLING EQUIPMENT: **Pionjar**

DRILLING METHOD: **Macrocore**

SAMPLING METHOD: **2' Macrocore**

WELL ID: **MW103**
WELL TAG#: **A189989**
GROUND SURFACE ELEV.: -
TOP ELEVATION: -

DATUM: **NAD 83 Zone 18**
EASTING: **405529**
NORTHING: **4916091**

LOGGED BY:
BC

INPUT BY:
ZL

FIELD INSTRUMENT(S):
RKI Eagle 2 CGI & PID

DATE DRILLED:
February 5, 2018

VALIDATED BY:
BC

CHECK:

Well Construction	Depth (meters)	Lithology	Description	Type	Moisture	Sample	% REC	Blows/Ft (RQD)	CGI (% LEL)			PID (ppm)						
									0	50	100	1	10	100	1000			
	0		Silty Clay grey, mottling, soft		Moist Wet	-	100											
	1		increased gravel content at 1.2 m															
	2		End of borehole at refusal (1.5 m)															

Notes: Well Construction Details
 steel monument casing
 32mm schedule 40 PVC
 0.25mm slotted screen
 0.6m screen
 #1 sand

Groundwater Monitoring Details
 yet to be monitored
 CGI: --
 CGI(ME): --
 PID: --

depth to water*: --
 depth to bottom*: --

* measurements taken from top of piezometer

THIS BOREHOLE LOG MUST BE READ TOGETHER WITH THE ACCOMPANYING REPORT



308 Wellington Street
2nd Floor
Kingston, ON K7K 7A8
Canada

613-548-3446
www.malroz.com

PROJECT:
1040 - Leeds Waste Disposal Site

CLIENT:
Township of Leeds and the Thousand Islands

BOREHOLE LOG:
BH104

DRILLING CONTRACTOR: **Strata Drilling Group**

DRILLING EQUIPMENT: **Pionjar**

DRILLING METHOD: **Macrocore**

SAMPLING METHOD: **2' Macrocore**

WELL ID: **MW104**
WELL TAG#: **A189974**
GROUND SURFACE ELEV.: -
TOP ELEVATION: -

DATUM: **NAD 83 Zone 18**
EASTING: **405514**
NORTHING: **4916114**

LOGGED BY:
BC

INPUT BY:
ZL

FIELD INSTRUMENT(S):
RKI Eagle 2 CGI & PID

DATE DRILLED:
February 5, 2018

VALIDATED BY:
BC

CHECK:

Well Construction	Depth (meters)	Lithology	Description	Type	Moisture	Sample	% REC	Blows/Ft (RQD)	CGI (% LEL)			PID (ppm)						
									0	50	100	1	10	100	1000			
	0		Silty Clay grey, soft		Wet	-	100											
	1.2		End of borehole at refusal (1.2 m)															
	2																	

Notes: Well Construction Details
steel monument casing
32mm schedule 40 PVC
0.25mm slotted screen
0.5m screen
#1 sand

Groundwater Monitoring Details
yet to be monitored
CGI: --
CGI(ME): --
PID: --

depth to water*: --
depth to bottom*: --

* measurements taken from top of piezometer

THIS BOREHOLE LOG MUST BE READ TOGETHER WITH THE ACCOMPANYING REPORT