

Renovations & Additions

Building Permit Application and Information Guide

Municipal Office

1233 Prince Street
P.O. Box 280
Lansdowne, Ontario
K0E 1L0
Phone: 613-659-2415
www.leeds1000islands.ca

Office Hours

Mon - Fri 9:00 am - 4:30 pm

Inspections

buildinginspections@ townshipleeds.on.ca

General Inquiries and Application Submissions

Building Assistant Ext. 206 buildingassistant@ townshipleeds.on.ca

Building Code Inquires

Chief Building Official Ext. 210 cbo@townshipleeds.on.ca

Building Permit Application Checklist

Items Required for a Complete Building Application Submission

- Complete Application
- Copy of Deed (if not the registered owner on file)
- Plot plan showing location of proposed addition in relation to property lines, well, septic, and waterbodies (sample attached)
- One complete set of plans in paper and one copy provided in an electronic version at least 11" by 17" (PDF format). Drawings to include but are not limited to:
 - Details on size and depth of footings
 - Details on type and size of foundation
 - Framing details for floors, walls, and roofs
 - Insulation details such as type and R value
 - Vapour/air barrier details,
 - Location of smoke and CO alarms
- Energy efficiency design summary form to be completed (using Tables 3.1.1.11) for additions (EEDS)
- Approvals from agencies considered applicable law such as:
 - CRCA (Cataraqui Region Conservation Authority)
 Emily Su: 613-546-4228 ext. 258
 www.crca.ca
 - Leeds Grenville and Lanark Health Unit Nancy Carpenter: 613-345-5685 ext. 5685
 - United Counties of Leeds and Grenville: 1-613-342-3840
- Other permits and/or approvals may also be required from:
 - The St. Lawrence Parks Commission: 613-543-3704 www.parks.on.ca
 - Electrical Safety Authority: 1-877-372-7233 Esasafe.com
 - MNRF (Ministry of Natural Resources and Forestry): 613-531-5700
- Pay all applicable fees according to the fees bylaw (attached)

Type of Construction	Value	Proposed Amendment	2022 Fee
Deposits	Value	Amenament	166
Non-Refundable	Value of Construction less	\$150	\$140
Administration fee to file	than \$30,000	•	·
a building permit			
application (to be applied			
to permit fee if building			
permit is issued)			
	Value of Construction	\$500	\$500
	\$30,000 or greater		
Annual Permit Renewal (In	cluding Septic)	\$150	\$120
Change of Use Permit	Flat Fee	\$215	\$215
Transfer Permit (no chang	ge in original plans)	\$150	\$140
Demolition Permit		\$150	\$140
Temporary Tents	Flat Fee	\$150	\$140
Conditional Building Per			
Administration Fee: to	10% of the required permit		
cover legal fees for	permit fee for construction,	, plus registration	n costs for
agreement	agreement where required		
Securities for Condition			
Residential	5% of estimated cost of Co		00 max
Commercial	10% of estimated cost of C		
Commercial, Industrial,	Per \$1,000 of value,	\$18.80	\$18.80
Institutional	minimum \$150		
Agricultural Building	Per \$1,000 of value,	\$12.40	\$12.40
	Minimum \$150		
Residential (including	Per \$1,000 of value,	\$17.55	\$17.55
renovations, building	Minimum \$150		
additions and decks)			=
Accessory residential	Per \$1,000 of value,	\$15.50	\$15.50
buildings/structures	Minimum \$150		1.4.6
Swimming pools above	Flat fee plus deck	\$150	\$140
ground/in-ground			

Schedule A to By-law Number 22-050

Type of Construction	Value	Proposed Amendment	2022 Fee
Heating/Ventilation/Air Conditioning system (HVAC)	Per \$1,000 of value, Minimum \$150	\$11	\$11
Heat Pump	Per \$1,000 of value, Minimum \$150	\$150	\$110
Solar Panels	Per \$1,000 of value, Minimum \$150	\$11	\$11
Solid Fuel Appliances (wood stove, chimney, outdoor furnace)		\$150	\$140
Plumbing Permit	Per \$1,000 of value,	\$150	\$110
Trumbing remit	minimum \$150	Ψ130	ΨΙΙΟ
Occupancy/Final Permit	Flat Fee if required for property sale	\$150	\$110
File Searches	Per Hour	\$60	\$60
Limiting Distance Agreement	Plus cost of legal review and registration	\$500	

Building Permit Deposits	In addition to the permit frequired in the following a		shall be
		Proposed Amendment	2022 Fee
Projects less than \$50,000	Deposits will be returned when final inspection is passed. Building Permit renewal fees may be deducted from deposit if final inspection is not completed in 4 years	\$600	\$560
<u>•</u>	ced to 0 a new deposit in the fer inspections being booked.	full amount is r	required to be

Schedule A to By-law Number 22-050

Infractions	If necessary, deductions shall be subtracted from required deposit fee as outlined below.			
			Proposed Amendment	2022 Fee
Inspection Requested - not ready	Per Occurren	ce	\$150	\$140
Inspection - Not called for	Per Occurren	ice	\$150	\$140
Inspection - Extra required	Per Occurren	ice	\$150	\$140
Other	Per Hour		\$60	\$60
Alternative Solutions:	Where a solution is required outside of the scope of the Building Code (plus third-party costs)		\$1000	\$1000
Withdrawn Permit				
The fees that may be refu permit application is with		that the adm this schedule	all be made for inistration fee a and the admin the permit is ca	as included in istration fee

For Any Construction Started Prior to Obtaining a Building Permit	Proposed Amendment	2022
The Building Permit Fee shall be double the normal fee	Minimum \$500. to a maximum of additional \$2,500 above regular fee	Minimum \$500 to a maximum of additional \$2,500 above regular fee

Evaluation Amounts fo	or Determining Value o	f Constructio	n
Type of Construction		Proposed Amendment	2022 Fee
Residential			
1 st Floor	Contractors Price or per square foot amount	\$172.04	\$155.30
All other floors	Contractors Price or per square foot amount	\$137.63	\$123.80
3 season sunroom, enclosed porch or veranda	Contractors Price or per square foot amount	\$57.35	\$51.75
Covered Deck	Contractors Price or per square foot amount	\$31.50	\$31.50
Uncovered Deck	Contractors Price or per square foot amount	\$17.20	\$15.20
Garage, Shed, Accessory Structure	Contractors Price or per square foot amount	\$34.41	\$31.50
Commondial industrial	Cantus stars Dries or Day	¢105 52	¢06 F0
Commercial, industrial, institutional	Contractors Price or Per Square Foot amount	\$105.52	\$96.50
Farm Building	Contractors Price or Per Square Foot amount	\$34.41	\$30.00

^{**}The greater value of the Contractors provided value in the permit application, or the values above will be applied to determine the permit cost where there is a discrepancy.

Septic Permit and Review Fees				
Sewage system permit	Proposed Fee \$850	Health Unit Fee \$721		
Tertiary sewage system permit	\$1,050	\$798		
Permit Renewal/Revision with no inspection	\$150	\$62		
Permit Renewal/Revision with site inspection	\$280	\$206		
Permit Revision/change of installer	\$75	\$62		
Septic Tank Replacement, alterations to existing system	\$450	\$360		
Maintenance/performance/site inspection	\$250	\$206		
Review of Planning Application: Minor Variances Zoning Amendments	\$215	\$206		
Severance Applications/lot	\$475	\$443		
*Multiple Severances more than 1 application on same property if submitted at the same time	\$200	\$180		
Subdivision Plan Review (non communal system)	\$200/lot to max of \$5,000 + 13% HST	\$200/lot to max of \$5,000 + 13% HST		
File Search	\$110	\$103		
Permit to Decommission Septic System	\$150			
Review for Pool Installation	\$150			



3.1.1.10. Minimum Thermal Resistance of Doors

- (1) Except as provided in Sentence (2) and except for doors in enclosed unheated vestibules and cold cellars, and except for glazed portions of doors, all doors that separate heated space from unheated space shall have a thermal resistance of not less than RSI 0.7 where a storm door is not provided.
- (2) One exterior door system, with a single or multiple leaf door, that does not comply with Sentence (1) is permitted for each *dwelling unit*.
- (3) All doors that separate heated space from unheated enclosed spaces shall have an insulated core and be installed with weatherstripping.

3.1.1.11. Additions to Existing Buildings

- (1) Except as provided in Sentences (2) and (3), an addition to an existing building shall comply with
- (a) one of the applicable compliance packages in Article 3.1.1.2. or 3.1.1.3. in accordance with this Subsection, or
- (b) Sentences 3.1.1.1.(7) to (9), except that the Tables referenced in Sentences 3.1.1.1.(7) and (8) are permitted to be substituted with Table 3.1.1.11. (See Appendix A.)
- (2) For the purpose of Sentences 3.1.1.1.(7) to (9) and Subsection 3.1.2., the addition may be considered independently or in combination with the existing *building*, regardless of the thermal characteristics of the existing *building* envelope. (See Appendix A.)
- (3) A one-storey sunroom addition to an existing *building* shall be deemed to be in compliance with Articles 3.1.1.2. and 3.1.1.3. and Subsection 3.1.2., provided that the *overall coefficient of heat transfer* of
- (a) doors, windows and walls has a maximum U-Value of
 - (i) 1.4 if the building does not use electric space heating, and
 - (ii) 1.2 if the building uses electric space heating, and
- (b) roofs and skylights has a maximum U-Value of 2.6. (See Appendix A.)

Issued July 7, 2016



Table 3.1.1.11. (SI) Thermal Performance Requirements for Additions to Existing Buildings⁽³⁾ Forming Part of Sentence 3.1.1.11.(2)

			Compliance Package	
Component	Thermal Values ⁽⁷⁾	Zone 1	Zone 2	Electric Space Heating
		Less than 5000 Degree Days	5000 or more Degree Days	Zones 1 and 2
	Min. Nominal RSI ⁽¹⁾	10.56	10.56	10.56
Ceiling with Attic Space	Max. U ⁽²⁾	0.096	0.096	0.096
	Min. Effective RSI(2)	10.43	10.43	10.43
	Min. Nominal RSI ⁽¹⁾	5.46	5.46	5.46
Ceiling Without Attic	Max. U ⁽²⁾	0.205	0.205	0.205
Space	Min. Effective RSI(2)	4.87	4.87	4.87
	Min. Nominal RSI(1)	5.46	5.46	5.46
Exposed Floor	Max. U ⁽³⁾	0.190	0.190	0.190
'	Min. Effective RSI(3)	5.25	5.25	5.25
	Min. Nominal RSI(1)	3.34 + 0.88 ci	3.87 + 1.32 ci	3.87 + 1.76 ci
Walls Above Grade	Max. U ⁽³⁾	0.280	0.238	0.215
	Min. Effective RSI(3)	3.58	4.21	4.65
	Min. Nominal RSI(1)	3.52 ci	3.52 ci	3.52 ci
Basement Walls(6)	Max. U ⁽⁴⁾	0.269	0.269	0.269
	Min. Effective RSI(4)	3.72	3.72	3.72
Heated Slab or	Min. Nominal RSI(1)	1.76	1.76	1.76
Slab ≤ 600 mm Below	Max. U ⁽⁴⁾	0.510	0.510	0.510
Grade	Min. Effective RSI(4)	1.96	1.96	1.96
Edge of Below Grade Slab ≤ 600 mm Below Grade	Min. Nominal RSI ⁽¹⁾	1.76	1.76	1.76
Windows and Sliding	Max. U ⁽⁵⁾	1.6	1.4	1.4
Glass Doors	Energy Rating	25	29	29
Column 1	2	3	4	5

Notes to Table 3.1.1.11. (SI):

- (1) The values listed are minimum Nominal RSI-Values for the thermal insulation component only.
- (2) U-Value and effective RSI value shall include entire ceiling assembly components, from interior air film to vented space air film above insulation.
- (3) U-Value and effective RSI value shall include entire exposed floor or above grade wall assembly components, from interior air film to exterior air film.
- (4) U-Value and effective RSI value shall include entire basement wall or slab assembly components and interior air film.
- (5) U-Value is the overall coefficient of heat transfer for a window assembly, sliding glass door assembly or skylight assembly expressed in W/(m²•K).
- (6) In the case of *basement* wall assemblies, where RSI 3.52 ci is required RSI 2.11 + 1.76 ci is permitted to be used or vice versa; or where RSI 2.11 + 0.88 ci is required, RSI 2.64 ci is permitted to be used or vice versa.
- (7) Nominal and effective RSI values are expressed in (m²•K)/W. U-Values are expressed in W/(m²•K).

e₄



Table 3.1.1.11. (IP) Thermal Performance Requirements for Additions to Existing Buildings⁽³⁾ Forming Part of Sentence 3.1.1.11.(2)

			Compliance Package	
Component	Thermal Values ⁽⁷⁾	Zone 1	Zone 2	Electric Space Heating
		Less than 5000 Degree Days	5000 or more Degree Days	Zones 1 and 2
	Min. Nominal R ⁽¹⁾	60	60	60
Ceiling with Attic Space	Max. U ⁽²⁾	0.017	0.017	0.017
	Min. Effective R ⁽²⁾	59.22	59.22	59.22
	Min. Nominal R ⁽¹⁾	31	31	31
Ceiling Without Attic Space	Max. U ⁽²⁾	0.036	0.036	0.036
Space	Min. Effective R ⁽²⁾	27.65	27.65	27.65
1.2731174	Min. Nominal R ⁽¹⁾	31	31	31
Exposed Floor	Max. U ⁽³⁾	0.034	0.034	0.034
	Min. Effective R ⁽³⁾	29.80	29.80	29.80
	Min. Nominal R ⁽¹⁾	19 + 5 ci	22 + 7.5 ci	22 + 10 ci
Walls Above Grade	Max. U ⁽³⁾	0.049	0.042	0.038
	Min. Effective R ⁽³⁾	20.32	23.90	26.40
	Min. Nominal R ⁽¹⁾	20 ci	20 ci	20 ci
Basement Walls(6)	Max. U ⁽⁴⁾	0.047	0.047	0.047
	Min. Effective R ⁽⁴⁾	21.12	21.12	21.12
Heated Slab or	Min. Nominal R ⁽¹⁾	10	10	10
Slab ≤ 600 mm Below	Max. U ⁽⁴⁾	0.090	0.090	0.090
Grade	Min. Effective R ⁽⁴⁾	11.13	11.13	11.13
Edge of Below Grade Slab ≤ 600 mm Below Grade	Min. Nominal R ⁽¹⁾	10	10	10
Windows and Sliding	Max. U ⁽⁵⁾	0.28	0.25	0.25
Glass Doors	Energy Rating	25	29	29
Column 1	2	3	4	5

Notes to Table 3.1.1.11 (IP):

- (1) The values listed are minimum Nominal R values for the thermal insulation component only.
- (2) U-Value and effective R value shall include entire ceiling assembly components, from interior air film to vented space air film above insulation.
- (3) U-Value and effective R value shall include entire exposed floor or above grade wall assembly components, from interior air film to exterior air film.
- (4) U-Value and effective R value shall include entire basement wall or slab assembly components and interior air film.
- (5) U-Value is the overall coefficient of heat transfer for a window assembly, sliding glass door assembly or skylight assembly expressed in Btu/(h•ft²•F).
- (6) In the case of *basement* wall assemblies, where R20 ci is required R12 + 10 ci is permitted to be used or vice versa; or where R12 + 5 ci is required, R15 ci is permitted to be used or vice versa.
- (7) Nominal and effective R values are expressed in (h•ft²•F)/Btu. U-Values are expressed in Btu/(h•ft²•F).

Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act.

	For use	e by Pr	rincipa	I Authority	For use by Principal Authority				
Application number:				umber (if differ	ent):				
Date received:			Roll num	nber:					
Application submitted to: The Townshi	p of Le	eds an	nd the	Thousand Is	<u>slands</u>				
A. Project information									
Building number, street name						Unit number		Lot/con.	
Municipality	Postal	code		Plan number/o	other desc	cription			
Project value est. \$	<u> </u>			Area of work ((m ²)				
B. Purpose of application									
☐ New construction ☐ Addition a existing b			l Altera	tion/repair		Demolition		Conditional Permit	
Proposed use of building		Currer	nt use of	building					
C. Applicant Applicant is:	O wne	r or		A uthorized	l agent o	f owner			
Last name	First na	ime		Corporation o	r partners	hip			
Street address	ı		•			Unit number		Lot/con.	
Municipality	Postal	code		Province		E-mail	I		
Telephone number ()	Fax ()				Cell number			
D. Owner (if different from applicant)									
Last name	First na	ime		Corporation o	r partners	hip			
Street address	•					Unit number		Lot/con.	
Municipality	Postal	code		Province		E-mail	ı		
Telephone number ()	Fax ()				Cell number			

E. Builder (optional)						
Last name	First name	Corporation or partnershi	p (if applicabl	e)		
			L (-	-,		
Street address			Unit number	- 1	Lot/con.	
Street address			Offic Harriber		LOU/COII.	
Municipality	Postal code	Province	E-mail			
Telephone number	Fax		Cell number			
()	()		()			
F. Tarion Warranty Corporation (Ontario	New Home Warr	anty Program)				
i) Is proposed construction for a new home as o	lafined in the Ontario	New Home Warranties Plan	ct2			
If no, go to section G.	defined in the Ornario	Thew Home Warranties Harry		Yes		No
, 0						
ii) Is registration required under the Ontario Nev	v Home Warranties F	Plan Act?		Yes		No
iii) If yes to (ii) provide registration number(s):						
G. Required Schedules						
i) Attach Schedule 1 for each individual who rev	views and takes resp	onsibility for design activities.				
ii) Attach Schedule 2 where application is to con	struct on-site, install	or repair a sewage system.				
H. Completeness and compliance with a	applicable law (Se	ee the attached guide for a	ssistance)			
i) This application meets all the requirements of	clauses 1 3 1 3 (5)	(a) to (d) of Division C of the		Yes		No
Building Code (the application is made in the				163		INO
agent, all applicable fields have been com		cation and required schedule	es,			
and all required schedules are submitted).						
Payment has been made of all fees that are n	equired under the a	onlicable by-law resolution or		Yes		No
regulation made under clause 7(1)(c) of the E			tion			
is made.						
ii) This application is accompanied by the pla			le 🗆	Yes		No
by-law, resolution or regulation made under c	. , , ,					
iii) This application is accompanied by the info				Yes		No
applicable by-law, resolution or regulation ma which enable the chief building official to dete						
demolition will contravene any applicable law.		ropocoa bananig, cononaction				
iv) The proposed building, construction or demoli		ene any applicable law.		Yes		No
I. Declaration of applicant						
2 оснаванен ст арриоант						
1				_decla	are that:	
(print name)						
The information contained in this application is true to the heat of my decrease.		dules, attached plans and spec	ifications, and	dother	attached	
documentation is true to the best of my 2. If the owner is a corporation or partners		rity to hind the corporation or p	artnershin			
2. If the owner to a corporation of partitless	inp, i navo ino autilo	my to bind the sorporation of pr	a.a.o.o.np.			
Date	Signatur	e of applicant				

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

Guide to completeness and compliance with applicable law

J. Heritage Designation (for alteration/repair/renovation/demolition projects only)					
Has this property been designated under The Ontario Heritage Act?	☐ Yes ☐ No Initials:				
Has this property been designated as a property of interest by the Municipal Heritage Committee?	☐ Yes ☐ No Initials:				
	1.6 116				
K. Minimum Distance Separation (for construction of new dwelling or livest					
Is there an existing or proposed barn or livestock facility within 1000 m of an existing or proposed dwelling? If yes, please obtain a copy of Schedule 3 <i>Minimum Distance Separation Formulae</i> , which is available on our website or by contacting the Township office.	☐ Yes ☐ No Initials:				
L. Approvals from Other Agencies					
Cataraqui Region Conservation Authority approval required if construction is within 15 metres of a flood plain, 50 metres of a water course, a Locally Significant Wetland, an Area of Natural and Scientific Interest, within 120 metres of a Provincially Significant Wetland or within 30 metres of all other wetlands greater than 0.5 ha.	☐ Yes ☐ No Initials: If 'Yes", date approval obtained from CRCA:				
Leeds, Grenville and Lanark District Health Unit approval required if new construction, an addition, or an increase in the number of bedrooms or plumbing fixtures.	☐ Yes ☐ No Initials: If 'Yes", date approval obtained from Health Unit:				
St. Lawrence Parks Commission approval required if the construction is within 150 feet of, or fronts or backs onto, the 1000 Islands Parkway.	☐ Yes ☐ No Initials: If 'Yes", date approval obtained from SLPC:				
Other Agency Indicate Agency	☐ Yes ☐ No Initials: If 'Yes", date approval obtained				
M. Owner's Authorization					
I,, am the owner of the land that is subject of th	nis application for a building permit in the				
Township of Leeds and the Thousand Islands and I authorize	to make this application on				
my behalf.					
Date: Signature of Owner:					
IMPORTANT INFORMATION					
	your building permit application:				
 Municipality notifies the following agencies concerning the approval of your building permit application: Municipal Property Assessment Corporation Statistics Canada Tarion New Home Warranty Ministry of Labour Electrical Safety Authority Leeds, Grenville & Lanark District Health Unit Canada Mortgage & Housing 					

** Failure to submit any of the required information may result in your application being returned. **

Records of Site Condition O.Reg. 153/04

When a property is being proposed for a more sensitive land use than its current or most recent use then a Record of Site Condition (RSC) per the Environmental Protection Act (EPA) is required prior to land use change.

Please indicate ('x') if the lands in respect of which the building permit application is made have been used for any of the following uses:

Х	Potentially Contaminating Activity	Х	Potentially Contaminating Activity
	Acid and Alkali Manufacturing, Processing and Bulk Storage		Importation of Fill Material of Unknown Quality
	Adhesives and Resins Manufacturing, Processing and Bulk Storage		Ink Manufacturing, Processing and Bulk Storage
	Airstrips and Hangars Operation		Iron and Steel Manufacturing and Processing
	Antifreeze and De-icing Manufacturing and Bulk Storage		Metal Treatment, Coating, Plating and Finishing
	Asphalt and Bitumen Manufacturing		Metal Fabrication
	Battery Manufacturing, Recycling and Bulk Storage		Mining, Smelting and Refining; Ore Processing; Tailings Storage
	Boat Manufacturing		Oil Production
	Chemical Manufacturing, Processing and Bulk Storage		Operation of Dry Cleaning Equipment (where chemicals are used)
	Coal Gasification		Ordnance Use
	Commercial Autobody Shops		Paints Manufacturing, Processing and Bulk Storage
	Commercial Trucking and Container Terminals		Pesticides (including Herbicides, Fungicides and Anti- Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications
	Concrete, Cement and Lime Manufacturing		Petroleum-derived Gas Refining, Manufacturing, Processing and Bulk Storage
	Cosmetics Manufacturing, Processing and Bulk Storage		Pharmaceutical Manufacturing and Processing
	Crude Oil Refining, Processing and Bulk Storage		Plastics (including Fibreglass) Manufacturing and Processing
	Discharge of Brine related to oil and gas production		Port Activities, including Operation and Maintenance of Wharves and Docks
	Drum and Barrel and Tank Reconditioning and Recycling		Pulp, Paper and Paperboard Manufacturing and Processing
	Dye Manufacturing, Processing and Bulk Storage		Rail Yards, Tracks and Spurs
	Electricity Generation, Transformation and Power Stations		Rubber Manufacturing and Processing
	Electronic and Computer Equipment Manufacturing		Salt Manufacturing, Processing and Bulk Storage
	Explosives and Ammunition Manufacturing, Production and Bulk Storage		Salvage Yard, including automobile wrecking
	Explosives and Firing Range		Soap and Detergent Manufacturing, Processing and Bulk Storage
	Fertilizer Manufacturing, Processing and Bulk Storage		Solvent Manufacturing, Processing and Bulk Storage
	Fire Retardant Manufacturing, Processing and Bulk Storage		Storage, maintenance, fuelling and repair of equipment, vehicles, and material used to maintain transportation systems
	Fire Training		Tannery
	Flocculants Manufacturing, Processing and Bulk Storage		Textile Manufacturing and Processing
	Foam and Expanded Foam Manufacturing and Processing		Transformer Manufacturing, Processing and Use
	Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles		Treatment of Sewage equal to or greater than 10,000 litres per day
	Gasoline and Associated Products Storage in Fixed Tanks		Vehicles and Associated Parts Manufacturing
	Glass Manufacturing		Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than use of biosoils as soil conditioners
			Wood Treating and Preservative Facility and Bulk Storage of Treated and Preserved Wood Products

Schedule 1: Designer Information

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project.

A. Project Information		, , , , , , , , , , , , , , , , , , ,		,		
Building number, street name			Unit no.	Lot/con.		
Municipality	Postal code	Plan number/ other descript	ion			
B. Individual who reviews and takes	responsibili	ty for design activities				
Name		Firm				
Street address			Unit no.	Lot/con.		
Municipality	Province	E-mail				
Telephone number ()		Cell number ()				
C. Design activities undertaken by in Division C]	ndividual ide	ntified in Section B. [Bui	Iding Code Table	3.5.2.1. of		
☐ House	☐ HVAC		Building Stru			
☐ Small Buildings ☐ Large Buildings		g Services on, Lighting and Power	☐ Plumbing – F☐ Plumbing – F☐			
☐ Complex Buildings	☐ Detecti		☐ On-site Sew			
Description of designer's work				age Cyclee		
D. Declaration of Designer						
1		do	clare that (choose o	ac ac appropriate):		
(print name		ue	ciale that (choose of	ne as appropriate).		
(print name	;)					
☐ I review and take responsibility C, of the Building Code. I am of Individual BCIN:	qualified, and th	e firm is registered, in the app				
Firm BCIN:						
☐ I review and take responsibility under subsection 3.2.5.of Divis	sion C, of the B	uilding Code.	priate category as ar	n "other designer"		
Basis for exemption from	registration:					
☐ The design work is exempt from Basis for exemption from	-		ents of the Building C	code.		
I certify that:	rogistiation and	quamouton				
The information contained in this so	chedule is true t	to the best of my knowledge.				
I have submitted this application with the knowledge and consent of the firm.						
 Date		Signature of Designer				

NOTE:

- 1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) d).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.
- Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario
 Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise,
 or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Plot Plan **Required for all new construction and demolitions**

All structures and buildings in the Municipality must conform to the Township's Zoning By-Law as it is applicable law. In order to ensure that the proposed structure is in compliance with the Zoning By-Law, a complete plot plan with the following information is required for review:

Tollowing information is required for review:						
Plot Plan Check List - Property Information						
Dimensions of the property	☐ Dimensions and area of existing and proposed structures					
Location of existing or proposed septic system and well	Height of the proposed structure					
Approximate location of all natural and artificial features	Name of any road/private right-of-way within or abutting property					
From the nearest point of the new construction:	☐ Distance to the high water mark (if applicable)					
Setbacks to centerline of adjacent roads	Distance to all property lines					
Distance to the edge of adjacent right-of-ways	Distance from accessory structure to main use					
Check here if the Plot Plan is on a separate piece of paper and	d is attached to this application.					
New Construction is to be a minimum of ☐ 5 ft from septic tank ☐ 16 ft from hydro lines. Please Indicate the distances on the plo						
Address of Property:						
Owner:						

Energy Efficiency Design Summary (Part 9 Residential)

	ze the ene		For use by D	rincipal Authority			
Application No:				Model/Certification Number			
A. Project Information							
Building number, street name					Unit number	Lot/Con	
Municipality Postal co			code	Reg. Plan number / other des	cription		
B. Compliance Option			1				
☐ SB-12 Prescriptive [SB-12 - 2.1.1.] Table			Table:	Package: A B	CDEFGHI	J K L M (circle one)	
☐ SB-12 Performance* [SB-12 - 2.1.2.]			* Attach en	* Attach energy performance calculations using an approved software			
☐ ENERGY STAR®* [SB-12	- 2.1.3.]		* Attach BC	Attach BOP form			
☐ EnerGuide 80*			* House mu	ıst be evaluated by NR	Can advisor and n	neet a rating of 80	
C. Project Design Condi	tions						
Climatic Zone (SB-1):		Equipme	ent Efficiency	Space Heating Fuel	Source		
□ Zone 1 (< 5000 degree days)	□ ≥ 90%			□ Gas	□ Propane	□ Solid Fuel	
□ Zone 2 (≥ 5000 degree days)		< 90% A	FUE	□ Oil	□ Electric	□ Earth Energy	
Windows+Skylights+Glass Doo Gross Wall Area = m ²	rs			Other Building Conditions			
Gross Wall Area = m ² Gross Window+ Area = m ²	% W	/indows+	· %	□ ICF Basement□ ICF Above Grade	□ Walkout Baseme□ Slab-on-ground	ent □ Log/Post&Beam	
D. Building Specification	1 1 S Inrovida	e values ar	nd ratings of the	l e e e e e e e e e e e e e e e e e e e		Energy Star BOP form	
Building Component	io (piovidi		R values	Building Con		Efficiency Ratings	
Thermal Insulation RSI/F		it raidoo	Windows & Doors ¹		=inioionoy italinigo		
THEITHAI IIISUIAUOH				Windows & Doors ¹			
Ceiling with Attic Space				Windows & Doors ¹ Windows/Sliding Glas	ss Doors		
					ss Doors		
Ceiling with Attic Space				Windows/Sliding Glas	ss Doors		
Ceiling with Attic Space Ceiling without Attic Space				Windows/Sliding Glas Skylights			
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor				Windows/Sliding Glas Skylights Mechanicals			
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade				Windows/Sliding Glass Skylights Mechanicals Space Heating Equip			
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls	de)			Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES			
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade)				Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r	2 m2.K, or ER rating	combined system used	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he	eated)	ition [com	nplete applicable	Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indica	n2.K, or ER rating ate if condensing type o		
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade)	eated)	i tion [com	nplete applicable	Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indica	n2.K, or ER rating ate if condensing type o		
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design V SB-12 Performance: The annual energy consumption	verifica on using	Subsecti	ion 2.1.1. SB	Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indicate sections if SB-12 Performations.	n2.K, or ER rating ate if condensing type of the condensity of t		
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumptic The annual energy consumptic	Verifica on using on of this	Subsecti house a	ion 2.1.1. SB is designed i	Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indicate sections if SB-12 Performates -12 Package	n2.K, or ER rating ate if condensing type of the condensity of t	erGuide80 options used]	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate	Verifica on using on of this the annu	Subsecti s house a ual energ	ion 2.1.1. SB is designed i gy use of the	Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indicates sections if SB-12 Performates -12 Package	m2.K, or ER rating ate if condensing type of the condensity of t	erGuide80 options used]	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption The software used to simulate The building is being designed	verifica on using on of this the annual using a	Subsecti s house a ual energ n air leak	ion 2.1.1. SB is designed i by use of the cage of	Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indical e sections if SB-12 Performation -12 Package S	m2.K, or ER rating ate if condensing type of the condensity of t	erGuide80 options used]	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate the building is being designed ENERGY STAR: BOP form atternance	verifica on using on of this the annual using autached. T	Subsecti s house a ual energ n air leak	ion 2.1.1. SB is designed i by use of the cage of	Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indical e sections if SB-12 Performation -12 Package S	m2.K, or ER rating ate if condensing type of the condensity of t	erGuide80 options used]	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption The software used to simulate The building is being designed	verifica on using on of this the annual using autached. T	Subsecti s house a ual energ n air leak	ion 2.1.1. SB is designed i by use of the cage of	Windows/Sliding Glass Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indicates sections if SB-12 Performates -12 Package	m2.K, or ER rating ate if condensing type of the condensity of t	erGuide80 options used]	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate the building is being designed ENERGY STAR: BOP form attentions.	verifica on using on of this the annual using autached. T	Subsecti s house a ual energ n air leak	ion 2.1.1. SB is designed i by use of the cage of	Windows/Sliding Glas Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indical e sections if SB-12 Performation -12 Package S	m2.K, or ER rating ate if condensing type of the condensity of t	erGuide80 options used]	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate the building is being designed ENERGY STAR: BOP form attentions.	verifica on using on of this the annual using autached. T	Subsecti s house a ual energ n air leak	ion 2.1.1. SB is designed i by use of the cage of	Windows/Sliding Glass Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indicates sections if SB-12 Performates -12 Package	m2.K, or ER rating ate if condensing type of the condensity of t	erGuide80 options used]	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumptic The annual energy consumptic The software used to simulate The building is being designed ENERGY STAR: BOP form att ENERGY STAR and EnerGuic Evaluator/Advisor/Rater Name:	verifica on using on of this the annual using autached. Tide80:	Subsecti s house a ual energ n air leak The hous	ion 2.1.1. SB is designed in ity use of the cage of e will be labe	Windows/Sliding Glass Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indicate sections if SB-12 Performate and sections if SB-12 Performate and sections is sec	m2.K, or ER rating ate if condensing type of the condensity of t	Gj (1 Gj =1000Mj)	
Ceiling with Attic Space Ceiling without Attic Space Exposed Floor Walls Above Grade Basement Walls Slab (all >600mm below grade) Slab (edge only ≤600mm below grade, or he Slab (all ≤600mm below grade, or he E. Performance Design SB-12 Performance: The annual energy consumption The annual energy consumption The software used to simulate the building is being designed ENERGY STAR: BOP form attentions.	verifica on using on of this the annual using autached. Tide80:	Subsecti s house a ual energ n air leak The hous	ion 2.1.1. SB as designed in a use of the age of e will be labe	Windows/Sliding Glass Skylights Mechanicals Space Heating Equip HRV Efficiency (%) DHW Heater (EF) NOTES 1. Provide U-Value in W/r 2. Provide AFUE or indicate sections if SB-12 Performate and sections if SB-12 Performate and sections is sec	m2.K, or ER rating ate if condensing type of the condensity of t	Gj (1 Gj =1000Mj)	

Form authorized by OHBA, OBOA, LMCBO. February 6, 2012

Guide to the Energy Efficiency Design Summary Form

The *Energy Efficiency Design Summary* form summarizes the compliance path used by a house designer to comply with energy efficiency requirements of the Ontario Building Code. This form must accompany the building permit application. The information on this form MUST reflect the drawings and specifications being submitted, or the building permit may be refused. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website at www.mah.gov.on.ca, or the municipal building department.

Beginning January 1, 2012, a house designer must use one of four energy efficiency compliance options in the building code:

- 1. Comply with the SB-12 Prescriptive design tables,
- 2. Use the <u>SB-12 Performance</u> compliance method, and model the design against the prescriptive standards,
- 3. Design to ENERGY STAR standards, or
- 4. Evaluate the design according to EnerGuide technical procedures and achieve a rating of 80 or more.

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

- <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 2.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option.
- <u>SB-12 Performance</u> refers to the alternative method of compliance set out in Subsection 2.1.2. of SB-12.
 Using this approach the designer must use recognized energy simulation software (such as HOT2000 V9.34c1.2 or newer), and submit documents which show that the annual energy use of the building is equal to a prescriptive package.
- <u>ENERGY STAR</u> qualified houses must be designed to <u>ENERGY STAR</u> for New Homes technical specifications and be labelled on completion by EnerQuality or other agency. The <u>ENERGY STAR</u> BOP form must be submitted with the permit documents.
- <u>EnerGuide80</u> houses are validated by NRCan authorized energy advisors and must achieve a rating of 80 or more when evaluated in accordance with EnerGuide administrative and technical procedures.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights and glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22% the SB-12 Prescriptive option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 2.1.1.1. of SB-12 for further details.

Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. Other Building Conditions: These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, RSI 3.52 wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details.

E. Performance Design Summary

This section is not required to be completed if the SB-12 Prescriptive option is being used.

AIRTIGHTNESS REQUIREMENTS FOR NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered. A blower door test to verify the air tightness of the house must be conducted during construction if the *NRCan EnerGuide80* option is used, or if the *SB-12 Performance* or *ENERGY STAR* options are used and an air tightness of less than 2.5 ACH @ 50 Pa in the case of detached houses, or 3.0 ACH @ 50 Pa in the case of attached houses is necessary to meet the required energy efficiency standard.

ENERGY EFFICIENCY LABELING FOR NEW HOUSES

ENERGY STAR and EnerGuide issue labels for new homes constructed under their energy efficiency programs. The building code does not regulate new home labelling.

Sample Plot Plan

