

# Asset Management Plan

Township of Leeds and the  
Thousand Islands

2024



This Asset Management Program was prepared by:



Empowering your organization through advanced  
asset management, budgeting & GIS solutions

# Key Statistics

Replacement cost of  
asset portfolio

**\$148** million

Replacement cost of  
infrastructure per household

**\$29,341** (2021)

Percentage of assets in fair or  
better condition

**75%**

Percentage of assets with  
assessed condition data

**61%**

Annual capital  
infrastructure deficit

**\$584,735**

Recommended timeframe for  
eliminating annual  
infrastructure deficit

**15 Years**

Target reinvestment  
rate

**2.6%**

Actual reinvestment  
rate

**2.2%**

# Table of Contents

- 1. Executive Summary .....1
  - Scope ..... 1
  - Findings..... 2
  - Recommendations ..... 3
- 1 Introduction & Context.....4
  - An Overview of Asset Management ..... 5
  - Key Concepts in Asset Management ..... 7
  - Ontario Regulation 588/17.....11
- 2 Scope and Methodology ..... 13
  - Asset categories included in this AMP .....14
  - The Asset Inventory.....14
  - Deriving Replacement Costs .....15
  - Estimated Useful Life and Service Life Remaining .....15
  - Reinvestment Rate.....16
  - Deriving Asset Condition.....17
- 3 Portfolio Overview ..... 18
  - Total Replacement Cost of Asset Portfolio .....19
  - Target vs. Actual Reinvestment Rate .....19
  - Condition of Asset Portfolio.....20
  - Service Life Remaining .....21
  - Forecasted Capital Requirements .....22
  - Risk & Criticality .....22
- 4 Analysis of Tax-funded Assets..... 24
  - Road Network .....25
  - Bridges & Culverts .....36
  - Storm Sewer System.....43
  - Buildings & Facilities .....51
  - Parks & Land Improvements.....59
  - Machinery & Equipment .....66
  - Fleet.....79
- 5 Analysis of Rate-funded Assets .....86
  - Water System.....87

Sanitary Sewer System.....	96
6 Impacts of Growth .....	105
Description of Growth Assumptions .....	106
Impact of Growth on Lifecycle Activities.....	107
7 Financial Strategy .....	108
Financial Strategy Overview.....	109
Funding Objective.....	112
Financial Profile: Tax Funded Assets.....	112
Financial Profile: Rate Funded Assets.....	115
Use of Debt.....	117
Use of Reserves.....	120
8 Appendices.....	122
Appendix A: 10-Year Capital Requirements .....	123
Appendix B: Level of Service Images and Maps .....	127
Appendix C: Risk Rating Criteria.....	131
Appendix D: Condition Assessment Guidelines.....	138

# 1. Executive Summary

Municipal infrastructure provides the foundation for the economic, social, and environmental health and growth of a community through the delivery of critical services. The goal of asset management is to deliver an adequate level of service in the most cost-effective manner. This involves the development and implementation of asset management strategies and long-term financial planning.

## Scope

This AMP identifies the current practices and strategies that are in place to manage public infrastructure and makes recommendations where they can be further refined. Through the implementation of sound asset management strategies, the Township can ensure that public infrastructure is managed to support the sustainable delivery of municipal services.

This AMP includes the following asset categories:

### Asset Category

 Bridges & Culverts	 Fleet
 Building & Facilities	 Storm Sewer System
 Parks & Land Improvements	 Water System
 Machinery & Equipment	 Sanitary Sewer System
 Road Network	

With the development of this AMP the Township has achieved compliance with O. Reg. 588/17 to the extent of the requirements that must be completed by July 1, 2024. There are additional requirements concerning proposed levels of service and growth that must be met by July 1, 2025.

## Findings

The overall replacement cost of the asset categories included in this AMP totals \$148 million. 75% of all assets analysed in this AMP are in fair or better condition and assessed condition data was available for 61% of assets. For the remaining 39% of assets, assessed condition data was unavailable, and asset age was used to approximate condition – a data gap that persists in most municipalities. Generally, age misstates the true condition of assets, making assessments essential to accurate asset management planning, and a recurring recommendation in this AMP.

The development of a long-term, sustainable financial plan requires an analysis of whole lifecycle costs. This AMP uses a combination of proactive lifecycle strategies (HCB LCB and Gravel roads) and replacement only strategies (all other assets) to determine the lowest cost option to maintain the current level of service.

To meet capital replacement and rehabilitation needs for existing infrastructure, prevent infrastructure backlogs, and achieve long-term sustainability, the Township's average annual capital requirement totals \$3.9 million. Based on a historical analysis of sustainable capital funding sources, the Township is committing approximately \$3.3 million towards capital projects or reserves per year. As a result, there is currently an annual funding gap of \$585,000.


It is important to note that this AMP represents a snapshot in time and is based on the best available processes, data, and information at the Township. Strategic asset management planning is an ongoing and dynamic process that requires continuous improvement and dedicated resources.

Annual Increase  
Per Household



## Recommendations

A financial strategy was developed to address the annual capital funding gap. The following graphics shows annual tax/rate change required to eliminate the Township's infrastructure deficit based on a 15-year plan:



Recommendations to guide continuous refinement of the Township's asset management program. These include:

- Review and consolidate infrastructure data to update and maintain a centralized and accurate asset inventory
- Develop a condition assessment strategy with a regular schedule
- Review and update lifecycle management strategies
- Develop and regularly review short- and long-term plans to meet capital requirements
- Gather and measure the metrics required for the remaining current levels of service and identify sustainable proposed levels of service

# 1 Introduction & Context


## Key Insights

- The goal of asset management is to minimize the lifecycle costs of delivering infrastructure services, manage the associated risks, while maximizing the value ratepayers receive from the asset portfolio
- The Township's asset management policy provides clear direction to staff on their roles and responsibilities regarding asset management
- An asset management plan is a living document that should be updated regularly to inform long-term planning
- Ontario Regulation 588/17 outlines several key milestone and requirements for asset management plans in Ontario between July 1, 2022 and 2025

# An Overview of Asset Management

Municipalities are responsible for managing and maintaining a broad portfolio of infrastructure assets to deliver services to the community. The goal of asset management is to minimize the lifecycle costs of delivering infrastructure services, manage the associated risks, while maximizing the value ratepayers receive from the asset portfolio.

The acquisition of capital assets accounts for only 10-20% of their total cost of ownership. The remaining 80-90% derives from operations and maintenance. This AMP focuses its analysis on the capital costs to maintain, rehabilitate and replace existing municipal infrastructure assets.



These costs can span decades, requiring planning and foresight to ensure financial responsibility is spread equitably across generations. An asset management plan is critical to this planning, and an essential element of broader asset management program. The industry-standard approach and sequence to developing a practical asset management program begins with a Strategic Plan, followed by an Asset Management Policy and an Asset Management Strategy, concluding with an Asset Management Plan.

This industry standard, defined by the Institute of Asset Management (IAM), emphasizes the alignment between the corporate strategic plan and various asset management documents. The strategic plan has a direct, and cascading impact on asset management planning and reporting.

### 1.1.1 Asset Management Policy

An asset management policy represents a statement of the principles guiding the municipality's approach to asset management activities. It aligns with the organizational strategic plan and provides clear direction to municipal staff on their roles and responsibilities as part of the asset management program.

The Township adopted By-law No. 19-011 "A By-law to establish a Strategic Asset Management Policy" on February 11<sup>th</sup>, 2019 in accordance with Ontario Regulation 588/17.

The objectives of the policy include:

- Provide a framework for implement Asset Management
- Delivery of Services/Programs
- Public Input/Council Direction
- Risk/Budgets

### 1.1.2 Asset Management Strategy

An asset management strategy outlines the translation of organizational objectives into asset management objectives and provides a strategic overview of the activities required to meet these objectives. It provides greater detail than the policy on how the municipality plans to achieve asset management objectives through planned activities and decision-making criteria.

The Township's Asset Management Policy contains many of the key components of an asset management strategy and may be expanded on in future revisions or as part of a separate strategic document. Municipal staff have indicated that the development of an asset management strategy is in progress.

### 1.1.3 Asset Management Plan

The asset management plan (AMP) presents the outcomes of the municipality's asset management program and identifies the resource requirements needed to achieve a defined level of service. The AMP typically includes the following content:

- State of Infrastructure
- Asset Management Strategies
- Levels of Service
- Financial Strategies

The AMP is a living document that should be updated regularly as additional asset and financial data becomes available. This will allow the municipality to re-evaluate the state of infrastructure and identify how the organization's asset management and financial strategies are progressing.

# Key Concepts in Asset Management


Effective asset management integrates several key components, including lifecycle management, risk management, and levels of service. These concepts are applied throughout this asset management plan and are described below in greater detail.

## 1.1.4 Lifecycle Management Strategies

The condition or performance of most assets will deteriorate over time. This process is affected by a range of factors including an asset’s characteristics, location, utilization, maintenance history and environment. Asset deterioration has a negative effect on the ability of an asset to fulfill its intended function, and may be characterized by increased cost, risk and even service disruption.

To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration. Since costs to rehabilitate tend to increase towards the end-of-life of an asset, proactive and timely intervention will lead to lower total lifecycle costs.

This concept is further illustrated by the following graph, highlighting the cost impact of a maintenance activity contrasted by the cost impact of a rehabilitative activity later in the life of the asset.



There are several field intervention activities that are available to extend the life of an asset. These activities can be generally placed into one of three categories: maintenance, rehabilitation and replacement. The following table provides a description of each type of activity and the general difference in cost.

<b>Lifecycle Activity</b>	<b>Description</b>	<b>Example (Roads)</b>	<b>Cost</b>
Maintenance	Activities that prevent defects or deteriorations from occurring	Crack Seal	\$
Rehabilitation/ Renewal	Activities that rectify defects or deficiencies that are already present and may be affecting asset performance	Mill & Re-surface	\$\$
Replacement/ Reconstruction	Asset end-of-life activities that often involve the complete replacement of assets	Full Reconstruction	\$\$\$

Depending on initial lifecycle management strategies, asset performance can be sustained through a combination of maintenance and rehabilitation activities, but at some point, replacement is required. Understanding what effect these activities will have on the lifecycle of an asset, and their cost, will enable staff to make better recommendations.

The Township’s approach to lifecycle management is described within each asset category outlined in this AMP. Developing and implementing a proactive lifecycle strategy will help staff to determine which activities to perform on an asset and when they should be performed to maximize useful life at the lowest total cost of ownership.

### 1.1.5 Risk Management Strategies

Municipalities generally take a ‘worst-first’ approach to infrastructure spending. Rather than prioritizing assets based on their importance to service delivery, assets in the worst condition are fixed first, regardless of their criticality. However, not all assets are created equal. Some are more important than others, and their failure or disrepair poses more risk to the community than that of others. For example, a road with a high volume of traffic that provides access to critical services poses a higher risk than a low volume rural road. These high-value assets should receive funding before others.

By identifying the various impacts of asset failure and the likelihood that it will fail, risk management strategies can identify critical assets, and determine where maintenance efforts, and spending, should be focused.

This AMP includes a high-level evaluation of asset risk and criticality. Each asset has been assigned a probability of failure score and consequence of failure score based on available asset data. These risk scores can be used to prioritize maintenance, rehabilitation and replacement strategies for critical assets.

## 1.1.6 Levels of Service

A level of service (LOS) is a measure of what the Township is providing to the community and the nature and quality of that service. Within each asset category in this AMP, technical metrics and qualitative descriptions that measure both technical and community levels of service have been established and measured as data is available.

These measures include a combination of those that have been outlined in O. Reg. 588/17 in addition to performance measures identified by the Township as worth measuring and evaluating. The Township measures the level of service provided at two levels: Community Levels of Service, and Technical Levels of Service.

### Community Levels of Service

Community levels of service are a simple, plain language description or measure of the service that the community receives.

For core asset categories (Roads, Bridges & Culverts, Water, Wastewater, Stormwater) the Province, through O. Reg. 588/17, has provided qualitative descriptions that are required to be included in this AMP.

For non-core asset categories, the Township has determined the community levels of service provided.

### Technical Levels of Service

Technical levels of service are a measure of key technical attributes of the service being provided to the community. These include mostly quantitative measures and tend to reflect the impact of the municipality's asset management strategies on the physical condition of assets or the quality/capacity of the services they provide.

For core asset categories (Roads, Bridges & Culverts, Water, Wastewater, Stormwater) the Province, through O. Reg. 588/17, has provided technical metrics that are required to be included in this AMP.

For non-core asset categories, the Township has determine the technical level of service provided.

## Current and Proposed Levels of Service

This AMP focuses on measuring the current level of service provided to the community. Once current levels of service have been measured, the Township plans to establish proposed levels of service over a 10-year period, in accordance with O. Reg. 588/17.

Proposed levels of service should be realistic and achievable within the timeframe outlined by the Township. They should also be determined with consideration of a variety of community expectations, fiscal capacity, regulatory requirements, corporate goals and long-term sustainability.

Once proposed levels of service have been established, and prior to July 2025, the Township must identify a lifecycle management and financial strategy which allows these targets to be achieved.

# Ontario Regulation 588/17

As part of the *Infrastructure for Jobs and Prosperity Act, 2015*, the Ontario government introduced Regulation 588/17 - Asset Management Planning for Municipal Infrastructure (O. Reg 588/17). Along with creating better performing organizations, more liveable and sustainable communities, the regulation is a key, mandated driver of asset management planning and reporting. It places substantial emphasis on current and proposed levels of service and the lifecycle costs incurred in delivering them.

The diagram below outlines key reporting requirements under O. Reg 588/17 and the associated timelines.

**2019**

Strategic Asset Management Policy

**2022**

Asset Management Plan for Core Assets with the following components:

- Current levels of service
- Inventory analysis
- Lifecycle activities to sustain LOS
- Cost of lifecycle activities
- Population and employment forecasts
- Discussion of growth impacts

**2024**

Asset Management Plan for Core and Non-Core Assets

**2025**

Asset Management Policy Update and an Asset Management Plan for All Assets with the following additional components:

- Proposed levels of service for next 10 years
- Updated inventory analysis
- Lifecycle management strategy
- Financial strategy and addressing shortfalls
- Discussion of how growth assumptions impacted lifecycle and financial

### 1.1.7 O. Reg. 588/17 Compliance Review

The following table identifies the requirements outlined in Ontario Regulation 588/17 for municipalities to meet by July 1, 2024. Next to each requirement a page or section reference is included in addition to any necessary commentary.

<b>Requirement</b>	<b>O. Reg. Section</b>	<b>AMP Section Reference</b>	<b>Status</b>
Summary of assets in each category	S.5(2), 3(i)	4.1.1 - 5.2.1	Complete
Replacement cost of assets in each category	S.5(2), 3(ii)	4.1.1 - 5.2.1	Complete
Average age of assets in each category	S.5(2), 3(iii)	4.1.3 - 5.2.3	Complete
Condition of core assets in each category	S.5(2), 3(iv)	4.1.2 – 5.2.2	Complete
Description of municipality’s approach to assessing the condition of assets in each category	S.5(2), 3(v)	4.1.2 – 5.2.2	Complete
Current levels of service in each category	S.5(2), 1(i-ii)	4.1.6 - 5.2.6	Complete
Current performance measures in each category	S.5(2), 2	4.1.6 - 5.2.6	Complete
Lifecycle activities needed to maintain current levels of service for 10 years	S.5(2), 4	4.1.4 - 5.2.4	Complete
Costs of providing lifecycle activities for 10 years	S.5(2), 4	Appendix A	Complete
Growth assumptions	S.5(2), 5(i-ii) S.5(2), 6(i-vi)	6.1-6.2	Complete

# 2 Scope and Methodology

## Key Insights

- This asset management plan includes 9 asset categories and is divided between tax-funded and rate-funded categories
- Infrastructure asset data from various data sources was consolidated into the Township's tangible capital asset inventory as a starting point to developing a centralized asset inventory
- The source and recency of replacement costs impacts the accuracy and reliability of asset portfolio valuation
- Accurate and reliable condition data helps to prevent premature and costly rehabilitation or replacement and ensures that lifecycle activities occur at the right time to maximize asset value and useful life

# Asset categories included in this AMP

This asset management plan for the Township of Leeds and the Thousand Islands is produced in compliance with Ontario Regulation 588/17. The July 2024 deadline under the regulation—the second of three AMPs—requires analysis of both core (roads, bridges & culverts, water, sanitary, and storm sewer) and non-core (buildings, land improvements, machinery & equipment, and fleet) assets.

The AMP summarizes the state of the infrastructure for the Township’s asset portfolio, establishes current levels of service and the associated technical and customer oriented key performance indicators (KPIs), outlines lifecycle strategies for optimal asset management and performance, and provides financial strategies to reach sustainability for the asset categories listed below.

<b>Asset Category</b>	<b>Source of Funding</b>
Road Network	
Bridges & Culverts	
Storm Sewer System	
Buildings & Facilities	Tax Levy
Machinery & Equipment	
Fleet	
Parks & Land Improvements	
Water System	User Rates
Sanitary Sewer System	

## The Asset Inventory

The asset information presented in this AMP is primarily based on the CityWide Asset Manager Inventory, which originates from the Township’s tangible capital assets inventory. Throughout the development of the AMP, this asset inventory was consolidated with additional asset data from the following data sources:

- 2023 OSIM Inspections
- 2020 Road Needs Study
- Township’s financial software
- Inventory updates provided by Staff
- GIS

The asset inventory was also restructured and refined to establish an asset hierarchy, a standardization of key fields and asset attribute data.

# Deriving Replacement Costs

There are a range of methods to determine the replacement cost of an asset, and some are more accurate and reliable than others. This AMP relies on two methodologies:

- **User-Defined Cost and Cost/Unit:** Based on costs provided by municipal staff which could include average costs from recent contracts; data from engineering reports and assessments; staff estimates based on knowledge and experience
- **Cost Inflation/CPI Tables:** Historical cost of the asset is inflated based on Consumer Price Index or Non-Residential Building Construction Price Index

User-defined costs based on reliable sources are a reasonably accurate and reliable way to determine asset replacement costs. Cost inflation is typically used in the absence of reliable replacement cost data. It is a reliable method for recently purchased and/or constructed assets where the total cost is reflective of the actual costs that the Township incurred. As assets age, and new products and technologies become available, cost inflation becomes a less reliable method.

## Estimated Useful Life and Service Life Remaining

The estimated useful life (EUL) of an asset is the period over which the Township expects the asset to be available for use and remain in service before requiring replacement or disposal. The EUL for each asset in this AMP was assigned according to the knowledge and expertise of municipal staff and supplemented by existing industry standards when necessary.

By using an asset's in-service data and its EUL, the Township can determine the service life remaining (SLR) for each asset. By factoring in the asset condition and the asset's SLR, the Township can more accurately forecast when it will require replacement. The SLR is calculated as follows:

$$\begin{aligned} \text{Service Life Remaining (SLR)} \\ = (\text{In Service Date} + \text{Estimated Useful Life (EUL)} + \text{Asset Condition}) - \text{Current Year} \end{aligned}$$

# Reinvestment Rate

As assets age and deteriorate they require additional investment to maintain a state of good repair. The reinvestment of capital funds, through asset renewal or replacement, is necessary to sustain an adequate level of service. The reinvestment rate is a measurement of available or required funding relative to the total replacement cost.

By comparing the actual vs. target reinvestment rate the Township can determine the extent of any existing funding gap. The reinvestment rate is calculated as follows:

$$\text{Target Reinvestment Rate} = \frac{\text{Annual Capital Requirement}}{\text{Total Replacement Cost}}$$

$$\text{Actual Reinvestment Rate} = \frac{\text{Annual Capital Funding}}{\text{Total Replacement Cost}}$$

# Deriving Asset Condition

An incomplete or limited understanding of asset condition can mislead long-term planning and decision-making. Accurate and reliable condition data helps to prevent premature and costly rehabilitation or replacement and ensures that lifecycle activities occur at the right time to maximize asset value and useful life.

A condition assessment rating system provides a standardized descriptive framework that allows comparative benchmarking across the Township’s asset portfolio. The table below outlines the condition rating system used in this AMP to determine asset condition. This rating system is aligned with the Canadian Core Public Infrastructure Survey which is used to develop the Canadian Infrastructure Report Card. When assessed condition data is not available, service life remaining is used to approximate asset condition.

Condition	Description	Criteria	Service Life Remaining (%)
Very Good	Fit for the future	Well maintained, good condition, new or recently rehabilitated	80-100
Good	Adequate for now	Acceptable, generally approaching mid-stage of expected service life	60-80
Fair	Requires attention	Signs of deterioration, some elements exhibit significant deficiencies	40-60
Poor	Increasing potential of affecting service	Approaching end of service life, condition below standard, large portion of system exhibits significant deterioration	20-40
Very Poor	Unfit for sustained service	Near or beyond expected service life, widespread signs of advanced deterioration, some assets may be unusable	0-20

In this AMP, the overall condition rating of a segment is derived from the condition of the assets within that asset segment and weighted based on the asset replacement value. Asset condition is based on assessed condition data only as available. In the absence of assessed condition data, asset age is used as a proxy to determine asset condition.

Appendix D includes additional information on the role of asset condition data and provides basic guidelines for the development of a condition assessment program.

# 3


## Portfolio Overview

### Key Insights

- The total replacement cost of the Township's asset portfolio is \$148 million
- The Township's target re-investment rate is 2.6%, and the actual re-investment rate is 2.2%, contributing to an expanding infrastructure deficit
- 75% of all assets are in fair or better condition
- Average annual capital requirements total \$3.9 million per year across all assets


# Total Replacement Cost of Asset Portfolio

The asset categories analyzed in this AMP have a total replacement cost of \$148 million based on asset inventory data from 2022. This total was determined based on a combination of user-defined costs and historical cost inflation. This estimate reflects replacement of historical assets with similar, not necessarily identical, assets available for procurement today.




# Target vs. Actual Reinvestment Rate

The graph below depicts funding gaps or surpluses by comparing target vs actual reinvestment rate. To meet the long-term replacement needs, the Township should be allocating approximately \$3.9 million annually, for a target reinvestment rate of 2.6%. Actual annual spending on infrastructure totals approximately \$3.3 million, for an actual reinvestment rate of 2.2%.



# Condition of Asset Portfolio

The current condition of the assets is central to all asset management planning. Collectively, 75% of assets of the Township are in fair or better condition. This estimate relies on both age-based and field condition data.




This AMP relies on assessed condition data for 61% of assets; for the remaining portfolio, age is used as an approximation of condition. Assessed condition data is invaluable in asset management planning as it reflects the true condition of the asset and its ability to perform its functions.

The table below identifies the source of condition data used throughout this AMP.

Asset Category	% of Assets with Assessed Condition	Source of Condition Data
Road Network	98%	2020 Road Needs Study
Bridges & Culverts	92%	2023 OSIM Report
Storm Sewer System	0%	N/A
Buildings & Facilities	52%	Staff Assessments
Parks & Land Improvements	0%	N/A
Machinery & Equipment	0%	N/A
Fleet	0%	N/A
Water System	0%	N/A
Sanitary Sewer System	0%	N/A

## Service Life Remaining


Based on asset age, available assessed condition data and estimated useful life, 15% of the Town's assets will require replacement within the next 10 years (not accounting for asset replacement backlog). Details of the capital requirements are identified in each asset section.



# Forecasted Capital Requirements


Aging assets require maintenance, rehabilitation, and replacement. The figure below illustrates the cyclical short-, medium- and long-term infrastructure replacement requirements for all asset categories analyzed in this AMP over a 175-year time horizon to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. On average, \$3.9 million is required each year to remain current with capital replacement needs for the Town’s asset portfolio, represented by the red dotted line. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise. This figure relies on age and available condition data.

Average Annual Capital Requirements: \$3,867,000



# Risk & Criticality

Advanced risk models for core linear assets and high-level risk models for all other assets were developed as part of this asset management plan. The following risk heatmap provides a visual representation of the relationship between the probability of failure and the consequence of failure for the asset portfolio based on 2022 inventory data.



Municipal staff also identified and grouped assets based on service areas, including those that support the delivery of fire and emergency services, with a higher risk rating attribute to ensure that a prioritization process is in place.

See Appendix C for the criteria used to determine the risk rating of each asset.

# 4 Analysis of Tax-funded Assets

## Key Insights

- Tax-funded assets are valued at \$136 million
- 72% of tax-funded assets are in fair or better condition
- The average annual capital requirement to sustain the current level of service for tax-funded assets is approximately \$3.6 million
- To reach sustainability, tax revenues need to be increased by 0.3% annually for the next 15 years to eliminate annual deficits.

# Road Network

The Road Network is a critical component of the provision of safe and efficient transportation services and represents the highest value asset category in the Township’s asset portfolio. It includes all municipally owned and maintained roadways in addition to supporting roadside infrastructure including guiderails, streetlights, signs, and sidewalks located in the Villages.

The Township’s roads and sidewalks are maintained by the Public Works crew, who are also responsible for winter snow clearing, ice control and snow removal operations.

For this AMP, the current asset inventory for roads was refined and consolidated with asset data from the 2020 Road Needs Study to produce a centralized road inventory for the Township.


## 4.1.1 Asset Inventory & Replacement Cost

The table below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township’s Road Network inventory.

<b>Asset Segment</b>	<b>Quantity</b>	<b>Replacement Cost Method</b>	<b>Total Replacement Cost</b>
Gravel Roads	153 km	Not Planned for Replacement <sup>1</sup>	
HCB Roads	79 km	Cost per unit	\$35,140,000
LCB Roads	86 km	Cost per unit	\$13,934,000
Roadside Appurtenances	20	Historical cost inflation	\$306,000
Streetlights	170	Historical cost inflation	\$238,000
			<b>\$49,617,000</b>

<sup>1</sup> Gravel roads have been included as they comprise a significant portion of the Township’s road network. However, the lifecycle management strategies for these assets consist of perpetual maintenance activities and do not require capital costs for rehabilitation or replacement. The exceptions are gravel roads that have been identified as candidates for a surface upgrade.


Total Current Replacement Cost: \$49,617,430



### 4.1.2 Asset Condition

The table below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
HCB Roads	61%	Good	100% Assessed
LCB Roads	76%	Good	100% Assessed
Roadside Appurtenances	100%	Very Good	53% Assessed
Streetlights	100%	Very Good	Age-based
<b>66%</b>		<b>Good</b>	



# Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the Township’s current approach:


- A Road Needs Study was completed in 2020 that included a detailed assessment of the condition of each road segment
- Hard surface roads are inspected in the fall, and gravel roads in the summer
- Network-wide condition assessments are expected to be completed every two years internally moving forward
- Road network assets are inspected as per O. Reg. 239/02: Minimum Maintenance Standards for Municipal Highways

## 4.1.3 Age Profile

An asset’s age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.

In conjunction with condition data, an asset’s age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.


The figure below illustrates the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.



## 4.1.4 Lifecycle Management Strategy


The condition or performance of most assets will deteriorate over time. This process is affected by a range of factors including an asset’s characteristics, location, utilization, maintenance history and environment.

The following lifecycle strategies have been developed as a proactive approach to managing the lifecycle of HCB, LCB & Gravel roads. Instead of allowing the roads to deteriorate until replacement is required, strategic rehabilitation is expected to extend the service life of roads at a lower total cost.




### Rural & Semi-Urban Roads (HCB)

Event Name	Event Class	Event Trigger
Crack Sealing (6 Treatments)	Preventative Maintenance	At 85 Condition
Microsurface (4 Treatments)	Rehabilitation	At 70 Condition
Full Depth Reclamation	Rehabilitation	At 40 Condition
Full Reconstruction	Replacement	At 20 Condition




### Rural Roads (LCB)

Event Name	Event Class	Event Trigger
Seal Coat (4 Treatments)	Maintenance	Every 5 years
Full Reconstruction	Replacement	At 10 Condition




### Gravel Roads

Event Name	Event Class	Event Trigger
Dust Suppressant, Grading and Mowing	Maintenance	Annually
Brushing (10 Treatments)	Maintenance	Every 3 years
Gravelling (3 Treatments)	Preventative Maintenance	Every 3 years
Ditching (10 Treatments)	Maintenance	Every 10 years
Full Reconstruction	Replacement	At 10 Condition



### Gravel Roads – AADT 201+ (candidates for surface upgrade)


Event Name	Event Class	Event Trigger
Dust Suppressant, Grading and Mowing	Maintenance	Annually
Brushing (10 Treatments)	Maintenance	Every 3 years
Gravelling (3 Treatments)	Preventative Maintenance	Every 3 years
Ditching (10 Treatments)	Maintenance	Every 10 years
Full Reconstruction	Replacement	At 10 Condition



## Forecasted Capital Requirements

Based on the lifecycle strategies identified previously for HCB and LCB Roads, and assuming the end-of-life replacement of all other assets in this category, the following graph forecasts capital requirements for the Road Network. This analysis was run until 2197 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town’s average annual requirements total \$1.3 million for all assets in the road network. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.

The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs to meet future capital needs.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

## 4.1.5 Risk & Criticality

### Risk Matrix

The following risk heatmap provides a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.



This risk matrix is based on an advanced risk model for roads and a high-level risk model for all other assets that were developed for the purposes of this AMP. Municipal staff should review and adjust the risk models to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

## 4.1.6 Levels of Service

The following tables identify the Township’s current level of service for the Road Network. These metrics include the technical and community level of service metrics that are required as part of O. Reg. 588/17 as well as any additional performance measures that the Township has selected for this AMP.

### Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by the Road Network.

Service Attribute	Qualitative Description	Current LOS (2022)
Scope	Description, which may include maps, of the road network in the municipality and its level of connectivity	The Township’s transportation network comprises of 318 centreline km of road, of which 153 km are gravel roads and 165 km are paved roads. The network mostly consists of roads with MMS classes of 4, 5 and 6. The network also consists of about 170 streetlight assets, and other roadside appurtenances.
Quality	Description or images that illustrate the different levels of road class pavement condition	<p>Every road section receives a pavement quality index (PQI) rating (0-100). The rating incorporates pavement roughness measurements and surface distresses (type, quantity, severity). Ratings are categorized into 5 general qualitative descriptors as detailed below:</p> <ul style="list-style-type: none"> <li>0-29 – Failed</li> <li>30-49 – Poor</li> <li>50-69 – Fair</li> <li>70-89 – Good</li> <li>90-100 – Excellent</li> </ul>

## Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by the Road Network.

<b>Service Attribute</b>	<b>Technical Metric</b>	<b>Current LOS (2022)</b>
Scope	Lane-km of arterial roads (MMS classes 1 and 2) per land area (km/km <sup>2</sup> )	0
	Lane-km of collector roads (MMS classes 3 and 4) per land area (km/km <sup>2</sup> )	0.35 km/km <sup>2</sup>
	Lane-km of local roads (MMS classes 5 and 6) per land area (km/km <sup>2</sup> )	0.69 km/km <sup>2</sup>
Quality	Average pavement condition index for paved roads in the municipality	67%
	Average surface condition for unpaved roads in the municipality (e.g., excellent, good, fair, poor)	Good
Performance	Capital reinvestment rate	2.3%
	Operating costs for unpaved (loose top) roads per lane kilometre	\$1,380

## 4.1.7 Recommendations

### Asset Inventory

- Review sidewalk and roadside appurtenance assets in other data sources to determine whether all municipal assets have been accounted for in the Township's central asset inventory.
- The streetlight inventory includes several pooled assets that should be disaggregated into individual assets to allow for detailed planning and analysis.

### Lifecycle Management Strategies

- Evaluate the efficacy of the Township's lifecycle management strategies at regular intervals to determine the impact on cost, performance and risk.

### Risk Management Strategies

- Implement risk-based decision-making as part of asset management planning and budgeting processes. This should include the regular review of high-risk assets to determine appropriate risk mitigation strategies.
- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

### Levels of Service

- Continue to measure current levels of service in accordance with the metrics identified in O. Reg. 588/17 and those metrics that the Township believes to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O. Reg. 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service.

# Bridges & Culverts

Bridges & Culverts represents a critical portion of the transportation services provided to the community. The Operations & Infrastructure department is responsible for the maintenance of all bridges and structural culverts located across municipal roads with the goal of keeping structures in an adequate state of repair and minimizing service disruptions.

For this AMP, the current asset inventory for bridges and structural culverts was refined and consolidated with asset data from the 2023 OSIM inspections.

## 4.1.8 Asset Inventory & Replacement Cost

The table below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township's Bridges & Culverts inventory.


Asset Segment	Quantity	Replacement Cost Method	Total Replacement Cost
Bridges	10	User-Defined Cost	\$11,506,000
Structural Culverts	4	User-Defined Cost	\$8,932,000
			<b>\$20,438,000</b>



### 4.1.9 Asset Condition

The table below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Bridges	73%	Good	100% Assessed
Structural Culverts	77%	Good	100% Assessed
	<b>75%</b>	<b>Good</b>	<b>100% Assessed</b>



To ensure that the Township’s Bridges & Culverts continues to provide an acceptable level of service, the Township should monitor the average condition of all assets. If the average condition declines, staff should re-evaluate their lifecycle management strategy to determine what combination of maintenance, rehabilitation, and replacement activities is required to increase the overall condition of the Bridges & Culverts.

### Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the municipality’s current approach:


- Condition assessments of all bridges and culverts with a span greater than or equal to 3 meters are completed every 2 years in accordance with the Ontario Structure Inspection Manual (OSIM)
- Assessed condition data from 2023 OSIM report by D.M. Wills Associates Limited was used for this AMP

## 4.1.10 Age Profile

An asset's age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.

In conjunction with condition data, an asset's age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.

The figure below illustrates the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.



## 4.1.11 Lifecycle Management Strategy

The condition or performance of most assets will deteriorate over time. To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.

The following table outlines the Township’s current lifecycle management strategy.


Activity Type	Description of Current Strategy
Maintenance, Rehabilitation and Replacement	All lifecycle activities are driven by the results of mandated structural inspections completed according to the Ontario Structure Inspection Manual (OSIM). These are included in the capital forecasts for this asset category.
	Bridge cleaning happens once a year
Inspection	The most recent inspection report was completed in 2023 by D.M. Wills Associates Limited.

## Forecasted Capital Requirements

The following graph forecasts long-term capital requirements. The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs. This analysis was run until 2167 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets.

The Town’s average annual requirements total \$273,000 for all bridges & culverts. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

## 4.1.12 Risk & Criticality

### Risk Matrix

The following risk heatmap provides a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.



This risk matrix is based on an advanced risk model developed for the purposes of this AMP. Municipal staff should review and adjust the risk model to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

### 4.1.13 Levels of Service

The following tables identify the Township’s current level of service for Bridges & Culverts. These metrics include the technical and community level of service metrics that are required as part of O. Reg. 588/17 as well as any additional performance measures that the Township has selected for this AMP.

#### Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by Bridges & Culverts.

<b>Service Attribute</b>	<b>Qualitative Description</b>	<b>Current LOS (2022)</b>
Scope	Description of the traffic that is supported by municipal bridges (e.g., heavy transport vehicles, motor vehicles, emergency vehicles, pedestrians, cyclists)	Bridges and structural culverts are a key component of the municipal transportation network. None of the municipality's structures have loading or dimensional restrictions meaning that most types of vehicles, including heavy transport, motor vehicles, emergency vehicles and cyclists can cross them without restriction.
Quality	Description or images of the condition of bridges & culverts and how this would affect use of the bridges & culverts	See Appendix B

#### Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by Bridges & Culverts.

<b>Service Attribute</b>	<b>Technical Metric</b>	<b>Current LOS (2020)</b>
Scope	% of bridges in the Township with loading or dimensional restrictions	0%

<b>Service Attribute</b>	<b>Technical Metric</b>	<b>Current LOS (2020)</b>
Quality	Average bridge condition index value for bridges in the Township	73%
	Average bridge condition index value for structural culverts in the Township	77%
Performance	Capital re-investment rate	1.5%
	Average duration of unplanned bridge closure	[TBD]

## 4.1.14 Recommendations

### Data Review/Validation

- Continue to review and validate inventory data, assessed condition data and replacement costs for all bridges and structural culverts upon the completion of OSIM inspections every 2 years.

### Lifecycle Management Strategies

- Continue to review and incorporate the capital forecasts and the engineer recommended lifecycle activities from the OSIM inspections into the Township's central asset inventory

### Risk Management Strategies

- Implement risk-based decision-making as part of asset management planning and budgeting processes. This should include the regular review of high-risk assets to determine appropriate risk mitigation strategies.
- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

### Levels of Service

- Continue to measure current levels of service in accordance with the metrics identified in O. Reg. 588/17 and those metrics that the Township believe to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O. Reg. 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service.

# Storm Sewer System

The Storm Sewer system is designed to manage the flow of stormwater. The Operations & Infrastructure department is responsible for the maintenance of storm sewer system. In recent years, this asset category has become increasingly relevant due to the increasing intensity and frequency of extreme weather events and climate change.


Asset data from GIS data sources was gathered and consolidated into the Township’s current asset inventory as a starting point to develop a centralized storm sewer asset inventory.

Staff are working towards improving the accuracy and reliability of their storm sewer system inventory to assist with long-term asset management planning.

## 4.1.15 Asset Inventory & Replacement Cost

The table below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township’s Storm Sewer System inventory.

Asset Segment	Quantity <sup>2</sup>	Replacement Cost Method	Total Replacement Cost
Catch Basins	2.2 km	Cost per Unit	\$371,000
Mains	18	Cost per Unit	\$678,000
Manholes	90	Cost per Unit	\$135,000
			<b>\$1,184,000</b>




<sup>2</sup> Staff have acknowledged data gaps in the asset information, as a result the total quantities may be inaccurate. Staff are working to improve the accuracy and validity of the storm sewer inventory.

## 4.1.16 Asset Condition

The table below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Catch Basins	99%	Very Good	Age-based
Mains	99%	Very Good	Age-based
Manholes	99%	Very Good	Age-based
<b>99%</b>		<b>Very Good</b>	



To ensure that the Township's Storm Sewer System continues to provide an acceptable level of service, the Township should monitor the average condition of all assets. If the average condition declines, staff should re-evaluate their lifecycle management strategy to determine what combination of maintenance, rehabilitation and replacement activities is required to increase the overall condition of the Storm Sewer System.

### Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the municipality's current approach:


- There are no formal condition assessment programs in place for the storm sewer system
- As the Township refines the available asset inventory for the storm sewer system a regular assessment cycle should be established

### 4.1.17 Age Profile

An asset’s age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.

In conjunction with condition data, an asset’s age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.

The figure below illustrates the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.




### 4.1.18 Lifecycle Management Strategy

The condition or performance of most assets will deteriorate over time. To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.


The following table outlines the Township’s current lifecycle management strategy.

Activity Type	Description of Current Strategy
	Storm sewer flushing is completed annually
Maintenance	Catch Basins and outfalls are cleaned annually to clear blockages and ensure stormwater runoff is efficiently conveyed through the storm sewer system
	CCTV inspections and cleaning is completed as budget becomes available and this information will be used to drive forward rehabilitation and replacement plans
Rehabilitation	The general age of the storm infrastructure is fairly new, as such there are no renewal strategies currently in place
	Trenchless re-lining has the potential to reduce total lifecycle costs but would require a formal condition assessment program to determine viability
Replacement	Without the availability of up-to-date condition assessment information replacement activities are purely reactive in nature



## Forecasted Capital Requirements

The following graph forecasts long-term capital requirements. The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs. This analysis was run until 2112 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town’s average annual requirements total \$16,000 for all assets in the storm sewer network. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

### 4.1.19 Risk & Criticality

#### Risk Matrix

The following risk heatmap provides a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.



This risk matrix is based on an advanced risk model for linear storm assets and a high-level risk model for all other storm assets that were developed for the purposes of this AMP. Municipal staff should review and adjust the risk models to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

## 4.1.20 Levels of Service

The following tables identify the Township’s current level of service for Storm Sewer System. These metrics include the technical and community level of service metrics that are required as part of O. Reg. 588/17 as well as any additional performance measures that the Township has selected for this AMP.

### Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by Storm Sewer System.

<b>Service Attribute</b>	<b>Qualitative Description</b>	<b>Current LOS (2022)</b>
Scope	Description, which may include map, of the user groups or areas of the municipality that are protected from flooding, including the extent of protection provided by the municipal stormwater system	See Appendix B

### Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by the Storm Sewer System.

<b>Service Attribute</b>	<b>Technical Metric</b>	<b>Current LOS (2020)</b>
Scope	% of properties in municipality resilient to a 100-year storm	Relevant information not available at this time; staff will have this ready for the next iteration of the AMP.
	% of the municipal stormwater management system resilient to a 5-year storm	
Performance	Capital reinvestment rate	0%

## 4.1.21 Recommendations

### Asset Inventory

- Continue to refine the asset inventory to ensure all relevant asset types are captured in the Township's central asset inventory, including the consolidation and refinement of key asset types
- Review and revise replacement costs and critical attribute data on a regular basis

### Condition Assessment Strategies

- The development of a comprehensive inventory should be accompanied by a system-wide assessment of the condition of all assets in the Storm Sewer System through CCTV inspections.
- Identify condition assessment strategies for high value and high-risk assets

### Risk Management Strategies

- Implement risk-based decision-making as part of asset management planning and budgeting processes. This should include the regular review of high-risk assets to determine appropriate risk mitigation strategies.
- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

### Lifecycle Management Strategies

- Document and review lifecycle management strategies for the Storm Sewer System on a regular basis to achieve the lowest total cost of ownership while maintaining adequate service levels.

### Levels of Service

- Gather and measure current levels of service in accordance with the metrics that the Township has established in this AMP. Additional metrics can be established as they are determined to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O. Reg. 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service.

# Buildings & Facilities

The Township owns and maintains several facilities and recreation centres that provide key service to the community. These include:


- Municipal offices and public libraries
- Fire stations and associated offices and facilities
- Community halls and recreational facilities
- Public works garages, equipment depot and storage sheds

A Building Condition Assessment (BCA) of the Township’s facilities was conducted in 2021 which provided a condition assessment of the facilities, a componentized breakdown of assets, and capital forecasting.

## 4.1.22 Asset Inventory & Replacement Cost

The table below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township’s Buildings & Facilities category.


Asset Segment	Quantity (# of components)	Replacement Cost Method	Total Replacement Cost
Fire Stations	4 (152)	User-Defined	\$22,157,000
Historical & Cultural	5 (75)	User-Defined	\$2,241,000
Libraries	2 (64)	User-Defined	\$701,000
Office Building, Storage & Garage	9 (111)	User-Defined	\$4,136,000
Recreational	11 (237)	User-Defined	\$13,513,000
			<b>\$42,747,000</b>



## 4.1.23 Asset Condition

The table below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Fire Stations	55%	Fair	40% Assessed
Historical & Cultural	16%	Very Poor	96% Assessed
Libraries	41%	Fair	99% Assessed
Office Building, Storage & Garage	46%	Fair	94% Assessed
Recreational	36%	Poor	49% Assessed
	<b>46%</b>	<b>Fair</b>	



To ensure that the Township's Building & Facilities continue to provide an acceptable level of service, the Township should monitor the average condition of all assets. If the average condition declines, staff should re-evaluate their lifecycle management strategy to determine what combination of maintenance, rehabilitation and replacement activities is required to increase the overall condition of Buildings & Facilities.

# Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the municipality’s current approach:


- A building condition assessment was completed by an external contractor in 2021 which included a condition assessment of facilities, a componentized breakdown of assets, and capital forecasting.
- Buildings are also subject to regular health and safety inspections by internal staff members to identify deficiencies and safety hazards.

## 4.1.24 Age Profile

An asset’s age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.

In conjunction with condition data, an asset’s age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.

The figure below illustrates the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.



## 4.1.25 Lifecycle Management Strategy


The condition or performance of most assets will deteriorate over time. To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.

The following table outlines the Township’s current lifecycle management strategy.

Activity Type	Description of Current Strategy
	Routine inspections are completed monthly, identifying required maintenance activities based on deficiencies present
Maintenance	HVAC maintenance is completed annually
	Fire monitoring inspections are completed annually in compliance with fire regulations
Rehabilitation	Rehabilitation activities include HVAC updates, roof replacements, flooring replacements, etc. The Building Condition Assessment completed in 2021 identifies the rehabilitation activities required, along with deficiencies identified in monthly inspections
Replacement	Assets nearing the end of their service life are prioritized for replacement, as well as those incurring frequent and costly repairs

## Forecasted Capital Requirements

The following graph forecasts long-term capital requirements. The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs. This analysis was run until 2137 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town’s average annual requirements total \$964,000 for all buildings & facilities. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

## 4.1.26 Risk & Criticality

### Risk Matrix

The following risk matrix provides a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.



This risk matrix is based on a high-level model developed for the purposes of this AMP and Municipal staff should review and adjust the risk model to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

## 4.1.27 Levels of Service

The following tables identify the Township’s current level of service for Buildings & Facilities. These metrics include the technical and community level of service metrics that the Township has selected for this AMP.

### Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by Buildings & Facilities.

Service Attribute	Qualitative Description	Current LOS (2022)
Scope	Description of monthly and annual facilities inspection process	A building condition Assessment was last completed in 2021 by an external agency. Monthly inspections are completed by internal staff to identify deficiencies. The condition data collected is the main source of data for generating the capital budget and prioritizing projects.
	Description of the current condition of municipal facilities and the plans that are in place to maintain or improve the provided level of service	The average building condition Index for municipally owned facilities is 46%, indicating the Municipal Facilities are in a good state of repair. There are currently plans in place to construct a new fire hall to increase the level of service provided to residents.

## Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by the Buildings & Facilities.

Service Attribute	Technical Metric	Current LOS (2022)
Scope	Square footage of libraries per population	0.54 sqft/person
	% of facilities inspected monthly	100%
Performance	% of facilities in fair or better condition	62%
	% of facilities in poor or very poor condition	38%
	Annual capital reinvestment rate	1.2%

### 4.1.28 Recommendations

#### Asset Inventory

- Continue to refine the asset inventory to ensure all relevant asset types are captured in the Township's central asset inventory, including the consolidation and refinement of key asset types
- Review and revise replacement costs and critical attribute data on a regular basis

#### Condition Assessment Strategies

- Ensure that condition ratings from building condition assessments are entered into the asset inventory on a continuous basis to support planning for deteriorating modeling

#### Risk Management Strategies

- Implement risk-based decision-making as part of asset management planning and budgeting processes. This should include the regular review of high-risk assets to determine appropriate risk mitigation strategies.
- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

## Lifecycle Management Strategies

- Document and review lifecycle management strategies for the Buildings & Facilities on a regular basis to achieve the lowest total cost of ownership while maintaining adequate service levels.

## Levels of Service

- Gather and measure current levels of service in accordance with the metrics that the Township has established in this AMP. Additional metrics can be established as they are determined to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O. Reg. 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service.

# Parks & Land Improvements


The Township owns and operates a number of assets that are categorized under the Parks & Land Improvements category and assist in providing the Township with community recreation and natural outdoor space. This includes:

- marina facilities
- playground equipment and splashpad
- parklands and trails
- landfills

## 4.1.29 Asset Inventory & Replacement Cost

The table below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township’s Parks & Land Improvement asset inventory.


Asset Segment	Quantity	Replacement Cost Method	Total Replacement Cost
Boat Launches	3	User-Defined/CPI	\$282,000
Docks & Piers	8	User-Defined/CPI	\$3,011,000
Playground Equipment	6	User-Defined/CPI	\$444,000
Site Works	11	User-Defined/CPI	\$674,000
Splashpad	1	User-Defined/CPI	\$468,000
Trails	2	User-Defined/CPI	\$116,000
Landfills	3	Not Planned for Replacement	
			<b>\$4,995,000</b>



### 4.1.30 Asset Condition

The table below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Boat Launches	90%	Very Good	Age-based
Docks & Piers	25%	Poor	Age-based
Playground Equipment	21%	Poor	20% Assessed
Site Works	61%	Good	Age-based
Splashpad	60%	Good	Age-based
Trails	90%	Very Good	Age-based
	<b>42%</b>	<b>Fair</b>	



To ensure that the Township’s Park and Land improvement assets continue to provide an acceptable level of service, the Township should monitor the average condition of all assets. If the average condition declines, staff should re-evaluate their lifecycle management strategy to determine what combination of maintenance, rehabilitation and replacement activities is required to increase the overall condition of the park & land improvement assets.

## Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the municipality's current approach:


- Staff complete regular visual inspections on park and land improvement assets to ensure they are in state of adequate repair. Playgrounds are inspected according to CSA standards.

### 4.1.31 Age Profile

An asset's age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.

In conjunction with condition data, an asset's age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.

The figure below illustrates the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.



## 4.1.32 Lifecycle Management Strategy


The condition or performance of most assets will deteriorate over time. To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.

The following table outlines the Township’s current lifecycle management strategy.

Activity Type	Description of Current Strategy
Maintenance	Parks and trails are assessed monthly during the open months (From May 24 <sup>th</sup> weekend – Thanksgiving) identifying safety and structural issues that require maintenance activities
	Cleaning, minor repairs, and vegetation management are performed when opening the parks and trails, and on an as-needed basis throughout the season
Replacement	Replacement is considering when an asset’s condition has deteriorated significantly, and maintenance is no longer cost-effective

### Forecasted Capital Requirements

The following graph forecasts long-term capital requirements. The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs. This analysis was run until 2072 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town’s average annual requirements total \$168,000 for all parks & land improvements. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

### 4.1.33 Risk & Criticality

#### Risk Matrix

The following risk matrix provides a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.



This risk matrix is based on a high-level model developed for the purposes of this AMP and Municipal staff should review and adjust the risk model to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

### 4.1.34 Levels of Service

The following tables identify the Township’s current level of service for Parks & Land Improvements. These metrics include the technical and community level of service metrics that the Township has selected for this AMP.

## Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by Parks & Land Improvements.

Service Attribute	Qualitative Description	Current LOS (2022)
Scope	Description of monthly and annual parks and trails inspection process	Parks and trails are assessed monthly during operating months by internal staff and given a rating of pass or fail. This data plays a crucial role in budget allocation, allowing the Township to prioritize assets based on asset condition and critical needs.
	Description of the current condition of the parks and land improvements, and the plans that are in place to maintain or improve the provided level of service	The parks and land improvements are in an overall fair state of repair. Assets in poor or very poor condition are prioritized for repair through the capital planning process.

## Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by the Parks & Land Improvements.

Service Attribute	Technical Metric	Current LOS (2022)
Scope	# of identified parks/playground defects annually	4
	% of parks inspected monthly	100%
Performance	% of parks and recreation assets in fair or better condition	65%
	% of parks and recreation assets in poor or very poor condition	40%

Service Attribute	Technical Metric	Current LOS (2022)
	Annual capital reinvestment rate	2.5%

## 4.1.35 Recommendations

### Asset Inventory

- Continue to refine the asset inventory to ensure all relevant asset types are captured in the Township’s central asset inventory, including the consolidation and refinement of key asset types
- Review and revise replacement costs and critical attribute data on a regular basis

### Condition Assessment Strategies

- Identify condition assessment strategies for high value and high-risk assets
- Review assets that have surpassed their estimated useful life to determine if immediate replacement is required or whether these assets are expected to remain in-service. Adjust the service life and/or condition ratings of these assets accordingly

### Risk Management Strategies

- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

### Lifecycle Management Strategies

- Document and review lifecycle management strategies for Parks & Land Improvements on a regular basis to achieve the lowest total cost of ownership while maintaining adequate service levels.

### Levels of Service

- Gather and measure current levels of service in accordance with the metrics that the Township has established in this AMP. Additional metrics can be established as they are determined to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O.Reg 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service by July 1<sup>st</sup>, 2025

# Machinery & Equipment

In order to maintain the high quality of public infrastructure and support the delivery of core services, municipal staff own and operate various types of machinery and equipment. This includes:

- emergency services equipment to support first responders,
- furniture & fixtures for facilities, offices, and buildings,
- IT equipment for communication, data management, and
- tools, shop & garage machinery equipment to ensure proper maintenance of vehicles and machinery.


Keeping machinery and equipment assets in an adequate state of repair is important to support staff in the delivery of core services.

## 4.1.36 Asset Inventory & Replacement Cost

The tables below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township’s Machinery & Equipment inventory.


### Machinery

Asset Segment	Quantity	Replacement Cost Method	Total Replacement Cost
Fire & Emergency	62	User-Defined	\$2,032,000
Public Works	31	User-Defined	\$536,000
			<b>\$ 2,569,000</b>



## Furniture & Fixtures


Asset Segment	Quantity	Replacement Cost Method	Total Replacement Cost
Admin/Corporate	4	User-Defined	\$228,000
Library	1	User-Defined	\$21,000
Parks & Recreation	3	User-Defined	\$89,000
			<b>\$ 339,000</b>



## Information Technology

Asset Segment	Quantity	Replacement Cost Method	Total Replacement Cost
Computers & Laptops	89	User-Defined	\$124,000
Security Cameras/Systems	4	User-Defined	\$83,000
Servers & Networks	2	User-Defined	\$65,000
			<b>\$ 271,000</b>

Total Current Replacement Cost: \$271,040




### 4.1.37 Asset Condition

The tables below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.


#### Machinery

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Fire & Emergency	57%	Fair	1% Assessed
Public Works	59%	Fair	Age-based
	<b>58%</b>	<b>Fair</b>	




## Furniture & Fixtures

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Admin/Corporate	16%	Very Poor	Age-Based
Library	77%	Good	Age-Based
Parks & Recreation	40%	Fair	Age-based
<b>26%</b>		<b>Poor</b>	



## Information Technology

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Computers & Laptops	80%	Very Good	Age-Based
Security Cameras/Systems	83%	Very Good	Age-Based
Servers & Network	85%	Very Good	Age-based
<b>82%</b>		<b>Very Good</b>	



To ensure that the Township's Machinery and Equipment assets continue to provide an acceptable level of service, the Township should monitor the average condition of all assets. If the average condition declines, staff should re-evaluate their lifecycle management strategy to determine what combination of maintenance, rehabilitation and replacement activities is required to increase the overall condition of the Machinery and Equipment assets.

## Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the municipality's current approach:

- Staff complete regular visual inspections of their machinery & equipment to ensure they are structurally and functionally sound. Assets typically stay true to their estimated useful life and are replaced at end of life.
- Heavy equipment is inspected annually by external contractors and given a rating of pass or fail.


### 4.1.38 Age Profile

An asset's age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.


In conjunction with condition data, an asset's age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.

The figures below illustrate the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.


## Machinery



## Furniture & Fixtures



## Information Technology



## 4.1.39 Lifecycle Management Strategy

The condition or performance of most assets will deteriorate over time. To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.

The following table outlines the Township’s current lifecycle management strategy.


Activity Type	Description of Current Strategy
Maintenance	Routine maintenance activities include inspections, minor repairs, and oil changes Heavy equipment is inspected annually by external contractors, and repairs are completed at the time of the inspection
Replacement	Replacement is considering when an asset is nearing the end of it’s service life, or incurring frequent and costly repairs

## Forecasted Capital Requirements

The following graphs forecast long-term capital requirements. The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs.


### Machinery

This analysis was run until 2102 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town’s average annual requirements total \$171,000 for machinery assets. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




## Furniture & Fixtures

This analysis was run until 2047 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town's average annual requirements total \$23,000 for furniture & fixture assets. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.



## Information Technology

This analysis was run until 2047 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town's average annual requirements total \$18,000 for information technology assets. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

## 4.1.40 Risk & Criticality


### Risk Matrix

The following risk heatmaps provide a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.


### Machinery



## Furniture & Fixtures



## Information Technology



This risk matrix is based on a high-level model developed for the purposes of this AMP and Municipal staff should review and adjust the risk model to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

#### 4.1.41 Levels of Service

The following tables identify the Township’s current level of service for Machinery & Equipment. These metrics include the technical and community level of service metrics that the Township has selected for this AMP.

##### Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by Machinery & Equipment.

<b>Service Attribute</b>	<b>Qualitative Description</b>	<b>Current LOS (2022)</b>
Scope	Description of the machinery & equipment inspection process	Heavy equipment is inspected annually by external contractors and given a rating of pass or fail. Repairs required are completed at the time of inspection. Fire Equipment inspections are completed as per regulatory requirements and repaired as required.
	Description of the current condition of machinery & equipment and the plans that are in place to maintain or improve the provided level of service	There is a long-term capital forecast completed by the Township’s departments in line with the Township’s AM planning software to ensure that they are able to efficiently manage the fleet. Fire department equipment is replaced as per condition and regulatory requirements.

## Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by the Machinery & Equipment.

Service Attribute	Technical Metric	Current LOS (2022)
Scope	% of annual public works equipment test completed	100%
	% of annual fire equipment tests completed	100%
Performance	% of fire equipment in fair or better condition	86%
	% of fire equipment in poor or very poor condition	14%
	% of public works equipment in fair or better condition	83%
	% of public works equipment in poor or very poor condition	17%
	Annual capital reinvestment rate	8.22%

### 4.1.42 Recommendations

#### Asset Inventory

- Continue to refine the asset inventory to ensure all relevant asset types are captured in the Township's central asset inventory, including the consolidation and refinement of key asset types
- Review and revise replacement costs and critical attribute data on a regular basis

#### Condition Assessment Strategies

- Identify condition assessment strategies for high value and high-risk assets
- Review assets that have surpassed their estimated useful life to determine if immediate replacement is required or whether these assets are expected to remain in-service. Adjust the service life and/or condition ratings of these assets accordingly

## Risk Management Strategies

- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

## Lifecycle Management Strategies

- Document and review lifecycle management strategies for machinery & equipment on a regular basis to achieve the lowest total cost of ownership while maintaining adequate service levels.

## Levels of Service

- Gather and measure current levels of service in accordance with the metrics that the Township has established in this AMP. Additional metrics can be established as they are determined to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O.Reg 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service by July 1<sup>st</sup>, 2025

# Fleet

Like machinery & equipment, fleet assets assist staff in maintaining the high quality of public infrastructure and support in the delivery of core services. This includes:


- Light-duty, medium-duty, & heavy-duty vehicles to support the maintenance of municipal infrastructure, delivery of administrative services, and address service requests,
- fire rescue vehicles that support emergency services, and
- heavy-duty machinery to support the construction and rehabilitation of vital infrastructure, and removal of critical infrastructure.

Keeping fleet assets in an adequate state of repair and readiness is important to support staff in the delivery of core services.

## 4.1.43 Asset Inventory & Replacement Cost

The table below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township’s Fleet asset inventory.


Asset Segment	Quantity	Replacement Cost Method	Total Replacement Cost
Administrative	5	CPI	\$170,000
Fire & Emergency	21	User-Defined	\$7,293,000
Public Works	35	User-Defined	\$6,644,000
			<b>\$14,107,000</b>



## 4.1.44 Asset Condition

The table below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Administrative	60%	Good	Age-based
Fire & Emergency	40%	Fair	2% Assessed
Public Works	62%	Good	Age-based
<b>50%</b>		<b>Fair</b>	



To ensure that the Township's Fleet assets continue to provide an acceptable level of service, the Township should monitor the average condition of all assets. If the average condition declines, staff should re-evaluate their lifecycle management strategy to determine what combination of maintenance, rehabilitation and replacement activities is required to increase the overall condition of the fleet assets.

### Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the municipality's current approach:


- Staff complete regular visual inspections of vehicles to ensure they are in state of adequate repair prior to operation
- Condition assessments are conducted on vehicles in accordance with regulations for health and safety regulations including National Fire Protection Association (NFPA) codes and standards for fire service-related vehicles.

## 4.1.45 Age Profile

An asset's age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.

In conjunction with condition data, an asset's age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.

The figures below illustrate the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.



## 4.1.46 Lifecycle Management Strategy


The condition or performance of most assets will deteriorate over time. To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.

The following table outlines the Township’s current lifecycle management strategy.

Activity Type	Description of Current Strategy
Maintenance	Routine maintenance activities include tire replacement, oil changes, and minor repairs identified through daily circle checks  Heavy licensed fleet are formally inspected once a year. Servicing is completed semi-annually.
Replacement	Vehicles are replaced at the end of their prescribed useful life. Fire vehicles have a higher priority for replacement than other fleet assets.

## Forecasted Capital Requirements

The following graph forecasts long-term capital requirements. The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs. This analysis was run until 2047 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town’s average annual requirements total \$705,000 for fleet assets. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

## 4.1.47 Risk & Criticality

### Risk Matrix

The following risk matrix provides a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.



This risk matrix is based on a high-level model developed for the purposes of this AMP and Municipal staff should review and adjust the risk model to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

## 4.1.48 Levels of Service

The following tables identify the Township's current level of service for Fleet. These metrics include the technical and community level of service metrics that the Township has selected for this AMP.

## Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by Fleet.

Service Attribute	Qualitative Description	Current LOS (2022)
Scope	Description of the fleet management and safety program	Vehicles inspections for heavy licensed fleet are formally performed once per year. Informal inspections are performed during maintenance intervals, and through daily circle checks by internal staff. Lifecycle time frames of vehicles inform capital investments in the budgets. Fire vehicles are replaced based on regulatory requirements.
	Description of the current condition of municipal vehicles and the plans that are in place to maintain or improve the provided level of service	There is a long-term capital forecast completed by the fleet department in line with the Township's AM planning software to ensure that they are able to efficiently manage the fleet. Fire department vehicles are replaced as per condition and regulatory requirements.

## Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by the Fleet.

Service Attribute	Technical Metric	Current LOS (2022)
Scope	% of heavy vehicle inspections completed annually	100%
Performance	% of fire vehicles in fair or better condition	50%
	% of fire vehicles in poor or very poor condition	50%

<b>Service Attribute</b>	<b>Technical Metric</b>	<b>Current LOS (2022)</b>
	% of other vehicles in fair or better condition	87%
	% of other vehicles in poor or very poor condition	13%
	Annual capital reinvestment rate	5.4%

## 4.1.49 Recommendations

### Asset Inventory

- Continue to refine the asset inventory to ensure all relevant asset types are captured in the Township’s central asset inventory, including the consolidation and refinement of key asset types
- Review and revise replacement costs and critical attribute data on a regular basis

### Condition Assessment Strategies

- Review assets that have surpassed their estimated useful life to determine if immediate replacement is required or whether these assets are expected to remain in-service. Adjust the service life and/or condition ratings of these assets accordingly

### Risk Management Strategies

- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

### Lifecycle Management Strategies

- Document and review lifecycle management strategies for fleet assets on a regular basis to achieve the lowest total cost of ownership while maintaining adequate service levels.

### Levels of Service

- Gather and measure current levels of service in accordance with the metrics that the Township has established in this AMP. Additional metrics can be established as they are determined to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O.Reg 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service by July 1<sup>st</sup>, 2025

# 5

## Analysis of Rate-funded Assets

### Key Insights

- Rate-funded assets are valued at \$11.6 million
- 98% of rate-funded assets are in fair or better condition
- The average annual capital requirement to sustain the current level of service for rate-funded assets is approximately \$228,000
- Critical assets should be evaluated to determine appropriate risk mitigation activities and treatment options

# Water System


Water in the Lansdowne’s water system is drawn from two groundwater production wells. The Township is responsible for water distribution to the end users, consumer metering, and billing. The management of the water system is coordinated between the Ontario Water Clean Agency (OCWA) and the Township’s Operations and Infrastructure Department.

Asset data from GIS data sources and the Township’s financial software was gathered and consolidated into the Township’s current asset inventory as a starting point to develop a centralized water system asset inventory.

## 5.1.1 Asset Inventory & Replacement Cost

The table below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township’s Water System inventory.


Asset Segment	Quantity	Replacement Cost Method	Total Replacement Cost
Hydrants	38	Cost per unit	\$285,000
Lateral Lines	0.22 km	Cost per unit	\$66,000
Mains	5.3 km	Cost per unit	\$1,814,000
Water Meters	274	Cost per unit	\$175,000
Water Tower	3	User-Defined	\$4,740,000
Wells	2	User-Defined	\$2,476,000
			<b>\$9,555,000</b>



## 5.1.2 Asset Condition

The table below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Hydrants	62%	Good	Age-based
Lateral Lines	74%	Good	Age-based
Mains	74%	Good	Age-based
Water Meters	99%	Very Good	Age-based
Water Tower	98%	Very Good	Age-Based
Wells	39%	Poor	Age-based
<b>89%</b>		<b>Very Good</b>	



To ensure that the Township's Water System continues to provide an acceptable level of service, the Township should monitor the average condition of all assets. If the average condition declines, staff should re-evaluate their lifecycle management strategy to determine what combination of maintenance, rehabilitation and replacement activities is required to increase the overall condition of the Water System.

## Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the municipality's current approach:


- Staff primarily rely on the age and material of water mains to determine the projected condition of water mains
- While the age-based condition of the water meters is considered good, Staff have identified a significant portion of water meters that are not operating properly. A replacement program is in place to address the malfunctioning water meters. Going forward, Staff are also working on incorporating the assessed condition data of water meters, gathered through and based on actual operations of the water meters, into the asset management program in order to generate a more accurate condition.
- Aside from the inspections required under O. Reg. 170/3 and multi-year forecasts from OCWA, there are no formal condition assessment programs in place in for the water system

### 5.1.3 Age Profile

An asset's age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.

In conjunction with condition data, an asset's age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.

The figures below illustrate the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.



### 5.1.4 Lifecycle Management Strategy

The condition or performance of most assets will deteriorate over time. To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.


The following table outlines the Township’s current lifecycle management strategy.

Activity Type	Description of Current Strategy
	Annual maintenance program includes:
Maintenance	<ul style="list-style-type: none"> <li>• valve exercising</li> <li>• water main flushing</li> <li>• hydrant inspections</li> <li>• air relief valve and chamber inspections</li> </ul>
	Multi-year capital forecasts are provided by OCWA and further reviewed by municipal staff
Rehabilitation/ Replacement	Replacement activities are identified based on an analysis of the main break rate as well as any issues identified during regular maintenance activities
	Reconstruction efforts have focused on older watermains and rely on an age-based assessment of current condition

**Activity Type**


**Description of Current Strategy**

Similar to other sub-surface infrastructure staff attempt to coordinate water reconstruction projects with road reconstruction projects to produce cost efficiencies



## Forecasted Capital Requirements

The following graphs forecast long-term capital requirements. The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs. This analysis was run until 2062 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town’s average annual requirements total \$193,000 for the water system. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

As Staff work towards consolidating asset data and refining the structure within the Township’s centralized asset inventory, they will be able to run various risk and lifecycle strategies and generate accurate short- and long-term forecasts that will help them prioritize assets for rehabilitation and/or replacement effectively. This enhancement to the level of detail and accuracy of the inventory will allow for individual projects such as replacing flow meters and well pumps to be identified and captured in the AMP.

## 5.1.5 Risk & Criticality

### Risk Matrix

The following risk matrix provides a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.



This risk matrix is based on an advanced risk model for linear water assets and a high-level risk model for all other water assets that were developed for the purposes of this AMP. Municipal staff should review and adjust the risk models to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

## 5.1.6 Levels of Service

The following tables identify the Township's current level of service for Water System. These metrics include the technical and community level of service metrics that are required as part of O. Reg. 588/17 as well as any additional performance measures that the Township has selected for this AMP.

## Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by Water System.

Service Attribute	Qualitative Description	Current LOS (2022)
Scope	Description, which may include maps, of the user groups or areas of the municipality that are connected to the municipal water system	The current water system is limited to the village of Lansdowne. All households and businesses within this village are connected to the system. This distribution system has one standpipe located approximately 150 meters from the water treatment plant with a storage capacity of approximately 2,700 m <sup>3</sup> .
	Description, which may include maps, of the user groups or areas of the municipality that have fire flow	The standpipe provides for peak hour demands and fire flows.
Reliability	Description of boil water advisories and service interruptions	The Township experienced no boil water advisories or service interruptions in 2022. However, water service interruptions may occur due to main breaks, maintenance activities or reconstruction projects. Staff attend to these interruptions in a timely manner, when possible.

## Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by the Water System.

Service Attribute	Technical Metric	Current LOS (2022)
Scope	% of properties connected to the municipal water system	5%
	% of properties where fire flow is available	5%

<b>Service Attribute</b>	<b>Technical Metric</b>	<b>Current LOS (2022)</b>
Reliability	# of connection-days per year where a boil water advisory notice is in place compared to the total number of properties connected to the municipal water system	0
	# of connection-days per year where water is not available due to water main breaks compared to the total number of properties connected to the municipal water system	0
Performance	Capital re-investment rate	0.8%

## 5.1.7 Recommendations

### Asset Inventory

- Continue to refine the asset inventory to ensure all relevant asset types are included.
- Review and revise replacement costs and critical asset attribute data on a regular basis.

### Condition Assessment Strategies

- Identify condition assessment strategies for high value and high-risk water assets and expand this to a comprehensive condition assessment program for all water assets so that, where achievable, Staff can use assessed condition data.

### Risk Management Strategies

- Implement risk-based decision-making as part of asset management planning and budgeting processes. This should include the regular review of high-risk assets to determine appropriate risk mitigation strategies.
- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

### Levels of Service

- Continue to measure current levels of service in accordance with the metrics that the Township has established in this AMP. Additional metrics can be established as they are determined to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O. Reg. 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service.

# Sanitary Sewer System


The Township is responsible for sanitary collection, storage and treatment. The management of the sanitary sewer system is coordinated between the Ontario Water Clean Agency (OCWA) and the Township’s Operations and Infrastructure Department.

Asset data from GIS data sources was gathered and consolidated into the Township’s current asset inventory as a starting point to develop a centralized sanitary sewer asset inventory for the Township.

## 5.1.8 Asset Inventory & Replacement Cost

The table below includes the quantity, replacement cost method and total replacement cost of each asset segment in the Township’s Sanitary Sewer System inventory.


Asset Segment	Quantity	Replacement Cost Method	Total Replacement Cost
Lagoons	2	Not Planned for Replacement	
Mains	4.7 km	Cost per unit	\$1,354,000
Manholes	58	Cost per unit	\$435,000
Pumping Station	1	User-Defined	\$269,000
			<b>\$2,057,000</b>



## 5.1.9 Asset Condition

The table below identifies the current average condition and source of available condition data for each asset segment. The Average Condition (%) is a weighted value based on replacement cost.

Asset Segment	Average Condition (%)	Average Condition Rating	Condition Source
Mains	81%	Very Good	Age-based
Manholes	81%	Very Good	Age-based
Pumping Station	51%	Fair	Age-based
<b>75%</b>		<b>Good</b>	



To ensure that the Township's Sanitary Sewer System continues to provide an acceptable level of service, the Township should monitor the average condition of all assets. If the average condition declines, staff should re-evaluate their lifecycle management strategy to determine what combination of maintenance, rehabilitation and replacement activities is required to increase the overall condition of the Sanitary Sewer System.

### Current Approach to Condition Assessment

Accurate and reliable condition data allows staff to more confidently determine the remaining service life of assets and identify the most cost-effective approach to managing assets. The following describes the municipality's current approach:


- Camera/CCTV inspections are completed for on a regular cycle for sanitary sewer assets.
- Manholes and pumping station assets are inspected annually
- Mains are flushed and inspected annually

## 5.1.10 Age Profile

An asset's age profile comprises two key values: estimated useful life (EUL), or design life; and the percentage of EUL consumed. The EUL is the serviceable lifespan of an asset during which it can continue to fulfil its intended purpose and provide value to users, safely and efficiently. As assets age, their performance diminishes, often more rapidly as they approach the end of their design life.

In conjunction with condition data, an asset's age profile provides a more complete summary of the state of infrastructure. It can help identify assets that may be candidates for further review through condition assessment programs; inform the selection of optimal lifecycle strategies; and improve planning for potential long-term replacement spikes.

The figures below illustrate the average current age of each asset type and its estimated useful life. Both values are weighted by the replacement cost of individual assets. Although asset age is an important measurement for long-term planning, condition assessments provide a more accurate indication of actual asset needs.




## 5.1.11 Lifecycle Management Strategy

The condition or performance of most assets will deteriorate over time. To ensure that municipal assets are performing as expected and meeting the needs of customers, it is important to establish a lifecycle management strategy to proactively manage asset deterioration.


The following table outlines the Township’s current lifecycle management strategy.

Activity Type	Description of Current Strategy
	Annual maintenance program includes:
Maintenance	<ul style="list-style-type: none"> <li>• Manhole inspection, lining and grouting</li> <li>• Sanitary main flushing, rodding and inspections</li> </ul>
	Multi-year capital forecasts are provided by OCWA and further reviewed by municipal staff
Rehabilitation/ Replacement	Unless there is structural failure, sanitary mains are typically left until replacement is required
	Similar to other sub-surface infrastructure staff attempt to coordinate water reconstruction projects with road reconstruction projects to produce cost efficiencies



## Forecasted Capital Requirements

The following graphs forecast long-term capital requirements. The annual capital requirement represents the average amount per year that the Township should allocate towards funding rehabilitation and replacement needs. This analysis was run until 2057 to capture at least one iteration of replacement for the longest-lived asset in Citywide Assets. The Town’s average annual requirements total \$35,000 for the sanitary sewer system. Although actual spending may fluctuate substantially from year to year, this figure is a useful benchmark value for annual capital expenditure targets (or allocations to reserves) to ensure projects are not deferred and replacement needs are met as they arise.




The projected cost of lifecycle activities that will need to be undertaken over the next 10 years to maintain the current level of service can be found in Appendix A.

As Staff work towards consolidating asset data into and refining the structure within the Township’s centralized asset inventory, they will be able to run various risk and lifecycle strategies and generate accurate short- and long-term forecasts that will help them prioritize assets for rehabilitation and/or replacement effectively. This enhancement to the level of detail and accuracy of the inventory will allow for individual projects to be identified and captured in the AMP.

### 5.1.12 Risk & Criticality

#### Risk Matrix

The following risk matrix provides a visual representation of the relationship between the probability of failure and the consequence of failure for the assets within this asset category based on 2022 inventory data. See Appendix C for the criteria used to determine the risk rating of each asset.



This risk matrix is based on an advanced risk model for linear sanitary assets and a high-level risk model for all other assets that were developed for the purposes of this AMP. Municipal staff should review and adjust the risk models to reflect the availability of asset data as well as an evolving understanding of both the probability and consequences of asset failure.

The identification of critical assets will allow the Township to determine appropriate risk mitigation strategies and treatment options. This may include asset-specific lifecycle strategies, condition assessment strategies, or simply the need to collect better asset data.

### 5.1.13 Levels of Service

The following tables identify the Township’s current level of service for Sanitary Sewer System. These metrics include the technical and community level of service metrics that are required as part of O. Reg. 588/17 as well as any additional performance measures that the Township has selected for this AMP.

#### Community Levels of Service

The following table outlines the qualitative descriptions that determine the community levels of service provided by Sanitary Sewer System.

<b>Service Attribute</b>	<b>Qualitative Description</b>	<b>Current LOS (2022)</b>
Scope	Description, which may include maps, of the user groups or areas of the municipality that are connected to the municipal wastewater system	The current sanitary sewer system is limited to the village of Lansdowne. All households and businesses within this village are connected to the system.
Reliability	Description of how combined sewers in the municipal wastewater system are designed with overflow structures in place which allow overflow during storm events to prevent backups into homes	The Township does not own any combined sewers
	Description of the frequency and volume of overflows in combined sewers in the municipal wastewater system that occur in habitable areas or beaches	The Township does not own any combined sewers
	Description of how stormwater can get into sanitary sewers in the municipal wastewater system, causing sewage to overflow into streets or backup into homes	Stormwater can enter into sanitary sewers due to cracks in sanitary mains or through indirect connections (e.g., weeping tiles). In the case of heavy rainfall events, sanitary sewers may experience a volume of water and sewage that exceeds its designed capacity. In some cases, this can cause water and/or sewage to overflow backup into homes. the disconnection of weeping tiles from sanitary mains and the use of sump pumps and pits directing storm water to the storm drain system can help to reduce the chance of this occurring.
	Description of how sanitary sewers in the municipal wastewater system are designed to be resilient to stormwater infiltration	The municipality follows a series of design standards that integrate servicing requirements and land use considerations when constructing or replacing sanitary sewers. These standards have been determined with consideration of the minimization of sewage overflows and backups.

<b>Service Attribute</b>	<b>Qualitative Description</b>	<b>Current LOS (2022)</b>
	Description of the effluent that is discharged from sewage treatment plants in the municipal wastewater system	Effluent refers to water pollution that is discharged from a wastewater treatment plant, and may include suspended solids, total phosphorous and biological oxygen demand. The Environmental Compliance Approval (ECA) identifies the effluent criteria for municipal wastewater treatment plants.

## Technical Levels of Service

The following table outlines the quantitative metrics that determine the technical level of service provided by the Sanitary Sewer System.

<b>Service Attribute</b>	<b>Technical Metric</b>	<b>Current LOS (2022)</b>
Scope	% of properties connected to the municipal wastewater system	5%
Reliability	# of events per year where combined sewer flow in the municipal wastewater system exceeds system capacity compared to the total number of properties connected to the municipal wastewater system	N/A
	# of connection-days per year having wastewater backups compared to the total number of properties connected to the municipal wastewater system	0
	# of effluent violations per year due to wastewater discharge compared to the total number of properties connected to the municipal wastewater system	0
Performance	Capital re-investment rate	6.3%

## 5.1.14 Recommendations

### Asset Inventory

- Continue to refine the asset inventory to ensure all relevant asset types are included.
- Review and revise replacement costs and critical attribute data on a regular basis.

### Condition Assessment Strategies

- Identify condition assessment strategies for high value and high-risk sanitary assets and expand this to a comprehensive condition assessment program for all sanitary assets so that, where achievable, Staff can use assessed condition data.

### Risk Management Strategies

- Implement risk-based decision-making as part of asset management planning and budgeting processes. This should include the regular review of high-risk assets to determine appropriate risk mitigation strategies.
- Review risk models on a regular basis and adjust according to an evolving understanding of the probability and consequences of asset failure.

### Lifecycle Management Strategies

- A trenchless re-lining strategy is expected to extend the service life of sanitary mains at a lower total cost of ownership and should be implemented to extend the life of infrastructure at the lowest total cost of ownership.
- Evaluate the efficacy of the Township's lifecycle management strategies at regular intervals to determine the impact cost, condition and risk.

### Levels of Service

- Continue to measure current levels of service in accordance with the metrics that the Township has established in this AMP. Additional metrics can be established as they are determined to provide meaningful and reliable inputs into asset management planning.
- Work towards identifying proposed levels of service as per O. Reg. 588/17 and identify the strategies that are required to close any gaps between current and proposed levels of service.

# 6

## Impacts of Growth

### Key Insights

- Understanding the key drivers of growth and demand will allow the Township to more effectively plan for new infrastructure, and the upgrade or disposal of existing infrastructure
- Moderate population and employment growth is expected
- The costs of growth should be considered in long-term funding strategies that are designed to maintain the current level of service

# Description of Growth Assumptions

The demand for infrastructure and services will change over time based on a combination of internal and external factors. Understanding the key drivers of growth and demand will allow the Township to more effectively plan for new infrastructure, and the upgrade or disposal of existing infrastructure. Increases or decreases in demand can affect what assets are needed and what level of service meets the needs of the community.

## 6.1.1 Township’s Official Plan (September 2018)

The Township of Leeds and the Thousand Islands Official Plan is consistent with the 2014 Provincial Policy Statement, conforms to the United Counties of Leeds and Grenville Official Plan, incorporates new legislation and addresses matters of provincial interest. The Official Plan will balance development with the wider interests and objectives of the township and the upper-tier municipality of the United Counties of Leeds and Grenville. The Official Plan is intended to guide the future development of the Township to the year 2031.

The Official Plan was adopted by Township Council on September 10<sup>th</sup>, 2018 and the United Counties of Leeds and Grenville on November 22, 2018.

As per the plan objectives, growth and development shall be focused and encouraged within the settlement areas to strengthen their role as local industrial, commercial, residential, social, and cultural centres for the Township, as well as to enhance their function in providing services and facilities that cater to tourists.

This plan includes the growth forecasts in terms of population, occupied housing units and employment for which the Township will be required to provide services.

The following table outlines the population and employment forecasts allocated to Leeds and Thousand Islands.

<b>Year</b>	<b>Population</b>	<b>Housing Units</b>	<b>Employment</b>
2011	9,505	3,700	1,860
2021	9,770	3,900	1,960
2031	9,990	4,100	1,840

# Impact of Growth on Lifecycle Activities

By July 1, 2025 the Township's asset management plan must include a discussion of how the assumptions regarding future changes in population and economic activity informed the preparation of the lifecycle management and financial strategy.

Planning for forecasted population growth may require the expansion of existing infrastructure and services. As growth-related assets are constructed or acquired, they should be integrated into the Township's AMP. While the addition of residential units will add to the existing assessment base and offset some of the costs associated with growth, the Township will need to review the lifecycle costs of growth-related infrastructure. These costs should be considered in long-term funding strategies that are designed to, at a minimum, maintain the current level of service.

# 7

## Financial Strategy

### Key Insights

- The Township is committing approximately \$3.3 million towards capital projects per year from sustainable revenue sources
- Given the annual capital requirement of \$3.9 million there is currently a funding gap of \$585,000 annually
- For tax-funded assets, we recommend increasing tax revenues by 0.3% each year for the next 15 years to achieve a sustainable level of funding
- For the Water System, we recommend increasing rate revenues by 2.3% annually for the next 15 years to achieve a sustainable level of funding
- For the Sanitary Sewer System, no rate increase is recommended

# Financial Strategy Overview

For an asset management plan to be effective and meaningful, it must be integrated with financial planning and long-term budgeting. The development of a comprehensive financial plan will allow the Township of Leeds and the Thousand Islands to identify the financial resources required for sustainable asset management based on existing asset inventories, desired levels of service, and projected growth requirements.

This report develops such a financial plan by presenting several scenarios for consideration and culminating with final recommendations. As outlined below, the scenarios presented model different combinations of the following components:

1. The financial requirements for:
  - a. Existing assets (based on the Township's central asset inventory)
  - b. Existing service levels
  - c. Requirements of contemplated changes in service levels (none identified for this plan)
  - d. Requirements of anticipated growth (none identified for this plan)
2. Use of traditional sources of municipal funds:
  - a. Tax levies
  - b. User fees
  - c. Reserves
  - d. Debt
3. Use of non-traditional sources of municipal funds:
  - a. Reallocated budgets
  - b. Partnerships
  - c. Procurement methods
4. Use of Senior Government Funds:
  - a. Canada Community Building Fund
  - b. Annual grants

Note: Periodic grants are normally not included due to Provincial requirements for firm commitments. However, if moving a specific project forward is wholly dependent on receiving a one-time grant, the replacement cost included in the financial strategy is the net of such grant being received.

If the financial plan component results in a funding shortfall, the Province requires the inclusion of a specific plan as to how the impact of the shortfall will be managed. In determining the legitimacy of a funding shortfall, the Province may evaluate a Township's approach to the following:


1. In order to reduce financial requirements, consideration has been given to revising service levels downward.

2. All asset management and financial strategies have been considered. For example:
  - a. If a zero-debt policy is in place, is it warranted? If not, the use of debt should be considered.
  - b. Do user fees reflect the cost of the applicable service? If not, increased user fees should be considered.

## 7.1.1 Annual Requirements & Capital Funding

### Annual Requirements

The annual requirements represent the amount the Township should allocate annually to each asset category to meet replacement needs as they arise, prevent infrastructure backlogs and achieve long-term sustainability. In total, the Township must allocate approximately \$3.8 million annually to address capital requirements for the assets included in this AMP.




For most asset categories the annual requirement has been calculated based on a “replacement only” scenario, in which capital costs are only incurred at the construction and replacement of each asset.

However, for the Road Network, lifecycle management strategies have been developed to identify capital costs that are realized through strategic rehabilitation and renewal of the Township’s roads. The development of these strategies allows for a comparison of potential cost avoidance if the strategies were to be implemented.

1. **Replacement Only Scenario:** Based on the assumption that assets deteriorate and – without regularly scheduled maintenance and rehabilitation – are replaced at the end of their service life.
2. **Lifecycle Strategy Scenario:** Based on the assumption that lifecycle activities are performed at strategic intervals to extend the service life of assets until replacement is required.

## Annual Funding Available

Based on a historical analysis of sustainable capital funding sources, the Township is committing approximately \$3.3 million towards capital projects per year from sustainable revenue sources. Given the annual capital requirement of \$3.9 million, there is currently a funding gap of \$585,000 annually.



# Funding Objective

We have developed a scenario that would enable the Township to achieve full funding within 10 to 20 years for the following assets:

- a) **Tax Funded Assets:** Road Network, Storm Sewer System, Bridges & Culverts, Buildings & Facilities, Machinery & Equipment, Parks & Land Improvements, Fleet
- b) **Rate-Funded Assets:** Water System, Sanitary Sewer System

For each scenario developed we have included strategies, where applicable, regarding the use of cost containment and funding opportunities.

## Financial Profile: Tax Funded Assets

### 7.1.2 Current Funding Position

The following tables show, by asset category, the Township’s average annual CapEx requirements, current funding positions, and funding increases required to achieve full funding on assets funded by taxes.

Asset Category	Avg. Annual Requirement	Annual Funding Available			Total Available	Annual Deficit
		Taxes	CCBF	OCIF		
Road Network	\$1,302,000	\$400,000	\$313,000	\$414,000	\$1,128,000	\$174,000
Bridges & Culverts	\$273,000	\$300,000	\$0	\$0	\$300,000	-\$27,000
Storm Sewer System	\$16,000	\$0	\$0	\$0	\$0	\$16,000
Buildings & Facilities	\$964,000	\$530,000	\$0	\$0	\$530,000	\$434,000
Parks & Land Improvements	\$168,000	\$125,000	\$0	\$0	\$125,000	\$43,000
Machinery & Equipment	\$212,000	\$261,000	\$0	\$0	\$261,000	-\$49,000
Fleet	\$705,000	\$769,000	\$0	\$0	\$769,000	-\$64,000
	<b>\$3,640,000</b>	<b>\$2,385,000</b>	<b>\$313,000</b>	<b>\$414,000</b>	<b>\$3,113,000</b>	<b>\$527,000</b>

The average annual CapEx requirement for the above categories is \$3.6 million. Based on the 2023 budget, annual revenue currently allocated to these assets for capital purposes is \$3.1 million leaving an annual deficit of \$0.5 million. Put differently, these infrastructure categories are currently funded at 85.5% of their long-term requirements.

### 7.1.3 Full Funding Requirements

In 2022, Township of Leeds and the Thousand Islands had annual tax revenues of \$11.3 million. As illustrated in the following table, without consideration of any other sources of revenue or cost containment strategies, full funding would require the following tax change over time:

<b>Asset Category</b>	<b>Tax Change Required for Full Funding</b>
Road Network	1.5%
Bridges & Culverts	-0.2%
Storm Sewer System	0.1%
Buildings & Facilities	3.8%
Parks & Land Improvements	0.4%
Machinery & Equipment	-0.4%
Fleet	-0.6%
	<b>4.6%</b>

The following changes in costs and/or revenues over the next number of years should also be considered in the financial strategy:

- a) Leeds and the Thousand Islands debt payments for these asset categories will be decreasing by \$71,000 over the next 15 years.

Our recommendations include capturing the above changes and allocating them to the infrastructure deficit outlined above. The table below outlines this concept and presents several options:

	<b>Without Capturing Changes</b>				<b>With Capturing Changes</b>			
	<b>5 Years</b>	<b>10 Years</b>	<b>15 Years</b>	<b>20 Years</b>	<b>5 Years</b>	<b>10 Years</b>	<b>15 Years</b>	<b>20 Years</b>
Infrastructure Deficit	527,000	527,000	527,000	527,000	527,000	527,000	527,000	527,000
Change in Debt Costs	N/A	N/A	N/A	N/A	-7,700	-71,000	-71,000	-71,000
Change in OCIF Grants	N/A	N/A	N/A	N/A	0	0	0	0
<b>Resulting Infrastructure Deficit</b>	<b>527,000</b>	<b>527,000</b>	<b>527,000</b>	<b>527,000</b>	<b>519,676</b>	<b>455,965</b>	<b>455,965</b>	<b>455,965</b>
Tax Increase Required	4.7%	4.7%	4.7%	4.7%	4.6%	4.0%	4.0%	4.0%
<b>Annually</b>	<b>1.0%</b>	<b>0.5%</b>	<b>0.4%</b>	<b>0.3%</b>	<b>1.0%</b>	<b>0.4%</b>	<b>0.3%</b>	<b>0.2%</b>

## 7.1.4 Financial Strategy Recommendations

Considering all the above information, we recommend the 15-year option. This involves full CapEx funding being achieved over 15 years by:

- a) when realized, reallocating the debt cost reductions to the infrastructure deficit as outlined above.
- b) increasing tax revenue by 0.3% each year for the next 15 years solely for the purpose of phasing in full funding to the asset categories covered in this section of the AMP.
- c) allocating the current Canada Community Building Fund (CCBF) and OCIF revenue as outlined previously.
- d) allocating the scheduled OCIF grant increases to the infrastructure deficit as they occur.
- e) reallocating appropriate revenue from categories in a surplus position to those in a deficit position.
- f) increasing existing and future infrastructure budgets by the applicable inflation index on an annual basis in addition to the deficit phase-in.

### Notes:

1. As in the past, periodic senior government infrastructure funding will most likely be available during the phase-in period. By Provincial AMP rules, this periodic funding cannot be incorporated into an AMP unless there are firm commitments in place. We have included OCIF formula-based funding, if applicable since this funding is a multi-year commitment<sup>3</sup>.
2. We realize that raising tax revenues by the amounts recommended above for infrastructure purposes will be very difficult to do. However, considering a longer phase-in window may have even greater consequences in terms of infrastructure failure.

Although this option achieves full CapEx funding on an annual basis in 15 years and provides financial sustainability over the period modeled, the recommendations do require prioritizing capital projects to fit the resulting annual funding available. Current data shows a pent-up investment demand of \$1 million for Buildings & Facilities.

Prioritizing future projects will require the current data to be replaced by condition-based data. Although our recommendations include no further use of debt, the results of the condition-based analysis may require otherwise.

---

<sup>3</sup> The Township should take advantage of all available grant funding programs and transfers from other levels of government. While OCIF has historically been considered a sustainable source of funding, the program is currently undergoing review by the provincial government. Depending on the outcome of this review, there may be changes that impact its availability.

# Financial Profile: Rate Funded Assets

## 7.1.5 Current Funding Position

The following tables show, by asset category, the Township’s average annual asset investment requirements, current funding positions, and funding increases required to achieve full funding on assets funded by rates.

Asset Category	Avg. Annual Requirement	Annual Funding Available				Annual Deficit
		Rates	To Operation	OCIF	Total Available	
Water System	\$193,000	334,000	-\$276,000	\$0	\$58,000	\$135,000
Sanitary Sewer System	\$35,000	314,000	-\$201,000	\$0	\$113,000	-\$78,000
	<b>\$228,000</b>	<b>\$648,000</b>	<b>-\$477,000</b>	<b>\$0</b>	<b>\$171,000</b>	<b>\$57,000</b>

The average annual investment requirement for the above categories is \$228,000. Annual revenue currently allocated to these assets for capital purposes is \$171,000 leaving an annual deficit of \$57,000. Put differently, these infrastructure categories are currently funded at 75% of their long-term requirements.

## 7.1.6 Full Funding Requirements

The Township’s average annual sanitary sewer revenues are \$314,000 and average annual water revenues are \$334,000. As illustrated in the table below, without consideration of any other sources of revenue, full funding would require the following changes over time:

Asset Category	Rate Change Required for Full Funding
Water System	40.4%
Sanitary Sewer System	-24.8%

In the following tables, we have expanded the above scenario to present multiple options. Due to the significant increases required, we have provided phase-in options of up to 20 years:

	<b>Water System</b>				<b>Sanitary Sewer System</b>			
	<b>5 Years</b>	<b>10 Years</b>	<b>15 Years</b>	<b>20 Years</b>	<b>5 Years</b>	<b>10 Years</b>	<b>15 Years</b>	<b>20 Years</b>
Infrastructure Deficit	135,000	135,000	135,000	135,000	-78,000	-78,000	-78,000	-78,000
Rate Increase Required	40.4%	40.4%	40.4%	40.4%	-24.8%	-24.8%	-24.8%	-24.8%
<b>Annually:</b>	<b>7.1%</b>	<b>3.5%</b>	<b>2.3%</b>	<b>1.8%</b>	<b>-5.6%</b>	<b>-2.9%</b>	<b>-1.9%</b>	<b>-1.5%</b>

## 7.1.7 Financial Strategy Recommendations

Considering the above information, we recommend the 15-year option for the Water System. This involves full CapEx funding being achieved over 15 years by:

- a) increasing rate revenues by 2.3% for the Water System each year for the next 15 years
- b) These rate revenue increases are solely for the purpose of phasing in full funding to the respective asset categories covered in this AMP.
- c) increasing existing and future infrastructure budgets by the applicable inflation index on an annual basis in addition to the deficit phase-in.

Notes:

1. As in the past, periodic senior government infrastructure funding will most likely be available during the phase-in period. This periodic funding should not be incorporated into an AMP unless there are firm commitments in place.
2. We realize that raising rate revenues for infrastructure purposes will be very difficult to do. However, considering a longer phase-in window may have even greater consequences in terms of infrastructure failure.
3. Any increase in rates required for operations would be in addition to the above recommendations.

Although this strategy achieves full CapEx funding for rate-funded assets over 15 years, the recommendation does require prioritizing capital projects to fit the annual funding available.


Prioritizing future projects will require the current data to be replaced by condition-based data. Although our recommendations include no further use of debt, the results of the condition-based analysis may require otherwise.

# Use of Debt

Debt can be strategically utilized as a funding source with in the long-term financial plan. The benefits of leveraging debt for infrastructure planning include:

- a) the ability to stabilize tax & user rates when dealing with variable and sometimes uncontrollable factors
- b) equitable distribution of the cost/benefits of infrastructure over its useful life
- c) a secure source of funding
- d) flexibility in cash flow management

Debt management policies and procedures with limitations and monitoring practices should be considered when reviewing debt as a funding option. In efforts to mitigate increasing commodity prices and inflation, interest rates have been rising. Sustainable funding models that include debt need to incorporate the now current realized risk of rising interest rates. The following graph shows the historical changes to the lending rates:



A change in 15-year rates from 5% to 7% would change the premium from 45% to 65%. Such a change would have a significant impact on a financial plan.

For reference purposes, the following table outlines the premium paid on a project if financed by debt. For example, a \$1 million project financed at 3.0%<sup>4</sup> over 15 years would result in a 26% premium or \$260 thousand of increased costs due to interest payments. For simplicity, the table does not consider the time value of money or the effect of inflation on delayed projects.

---

<sup>4</sup> Current municipal Infrastructure Ontario rates for 15-year money is 4.03%.

Interest Rate	Number of Years Financed					
	5	10	15	20	25	30
<b>7.0%</b>	22%	42%	65%	89%	115%	142%
<b>6.5%</b>	20%	39%	60%	82%	105%	130%
<b>6.0%</b>	19%	36%	54%	74%	96%	118%
<b>5.5%</b>	17%	33%	49%	67%	86%	106%
<b>5.0%</b>	15%	30%	45%	60%	77%	95%
<b>4.5%</b>	14%	26%	40%	54%	69%	84%
<b>4.0%</b>	12%	23%	35%	47%	60%	73%
<b>3.5%</b>	11%	20%	30%	41%	52%	63%
<b>3.0%</b>	9%	17%	26%	34%	44%	53%
<b>2.5%</b>	8%	14%	21%	28%	36%	43%
<b>2.0%</b>	6%	11%	17%	22%	28%	34%
<b>1.5%</b>	5%	8%	12%	16%	21%	25%
<b>1.0%</b>	3%	6%	8%	11%	14%	16%
<b>0.5%</b>	2%	3%	4%	5%	7%	8%
<b>0.0%</b>	0%	0%	0%	0%	0%	0%

The following tables outline how the Township has historically used debt for investing in the asset categories as listed. There is currently \$466,000 of debt outstanding for the assets covered by this AMP with corresponding principal and interest payments of \$67,000, well within its provincially prescribed maximum of \$3,554,500.

Asset Category	Current Debt Outstanding	Use of Debt in the Last Five Years				
		2018	2019	2020	2021	2022
Road Network	\$0	\$0	\$0	\$0	\$0	\$0
Bridges & Culverts	\$0	\$0	\$0	\$0	\$0	\$0
Storm Sewer System	\$0	\$0	\$0	\$0	\$0	\$0
Buildings & Facilities	\$466,000	\$78k	\$76k	\$67k	\$75k	\$73k
Parks & Land Improvements	\$0	\$0	\$0	\$0	\$0	\$0
Machinery & Equipment	\$0	\$0	\$0	\$0	\$0	\$0
Fleet	\$0	\$0	\$0	\$0	\$0	\$0
<b>Total Tax Funded:</b>	<b>\$466,000</b>	<b>\$78k</b>	<b>\$76k</b>	<b>\$67k</b>	<b>\$75k</b>	<b>\$73k</b>
Water System	\$0	\$0	\$0	\$0	\$0	\$0
Sanitary Sewer System	\$0	\$0	\$0	\$0	\$0	\$0
<b>Total Rate Funded:</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>

Asset Category	Principal & Interest Payments in the Next Ten Years						
	2023	2024	2025	2026	2027	2028	2033
Road Network	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Bridges & Culverts	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Storm Sewer System	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Buildings & Facilities	\$71,000	\$70,000	\$68,000	\$67,000	\$65,000	\$64,000	\$0
Parks & Land Improvements	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Machinery & Equipment	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Fleet	\$0	\$0	\$0	\$0	\$0	\$0	\$0
<b>Total Tax Funded:</b>	<b>\$71,000</b>	<b>\$70,000</b>	<b>\$68,000</b>	<b>\$67,000</b>	<b>\$65,000</b>	<b>\$64,000</b>	<b>\$0</b>
Water System	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Sanitary Sewer System	\$0	\$0	\$0	\$0	\$0	\$0	\$0
<b>Total Rate Funded:</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>

The revenue options outlined in this plan allow Leeds and the Thousand Islands to fully fund its long-term infrastructure requirements without further use of debt.

# Use of Reserves

## 7.1.8 Available Reserves

Reserves play a critical role in long-term financial planning. The benefits of having reserves available for infrastructure planning include:

- a) the ability to stabilize tax rates when dealing with variable and sometimes uncontrollable factors
- b) financing one-time or short-term investments
- c) accumulating the funding for significant future infrastructure investments
- d) managing the use of debt
- e) normalizing infrastructure funding requirement

By asset category, the table below outlines the details of the reserves currently available to the Township.

<b>Asset Category</b>	<b>Balance on December 31, 2022</b>
Road Network	\$4,044,000
Bridges & Culverts	\$390,000
Storm Sewer System	\$44,000
Buildings & Facilities	\$1,379,000
Parks & Land Improvements	\$384,000
Machinery & Equipment	\$81,000
Fleet	\$270,000
<b>Total Tax Funded:</b>	<b>\$6,592,000</b>
Water System	\$477,000
Sanitary Sewer System	\$532,000
<b>Total Rate Funded:</b>	<b>\$1,009,000</b>

There is considerable debate in the municipal sector as to the appropriate level of reserves that a Township should have on hand. There is no clear guideline that has gained wide acceptance. Factors that municipalities should take into account when determining their capital reserve requirements include:

- a) breadth of services provided
- b) age and condition of infrastructure
- c) use and level of debt
- d) economic conditions and outlook
- e) internal reserve and debt policies.

These reserves are available for use by applicable asset categories during the phase-in period to full funding. This coupled with the Township’s judicious use of debt in the past, allows the scenarios to assume that, if required, available reserves and debt capacity can be used for high priority and emergency infrastructure investments in the short- to medium-term.

## 7.1.9 Recommendation

In 2025, Ontario Regulation 588/17 will require the Township to integrate proposed levels of service for all asset categories in its asset management plan update. We recommend that future planning should reflect adjustments to service levels and their impacts on reserve balances.

# 8

## Appendices

### Key Insights

- Appendix A identifies projected 10-year capital requirements for each asset category
- Appendix B includes images and maps that have been used to visualize the current levels of service
- Appendix C identifies the criteria used to calculate risk for each asset category
- Appendix D provides additional guidance on the development of a condition assessment program

# Appendix A: 10-Year Capital Requirements

The following tables identify the capital cost requirements for each of the next 10 years in order to meet projected capital requirements and maintain the current level of service.

## Road Network

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
HCB Roads	\$0	\$434k	\$512k	\$3.9m	\$1.7m	\$3.3m	\$7.8m	\$2.7m	\$605k	\$2.8m	\$1.0m
LCB Roads	\$0	\$1.1m	\$428k	\$415k	\$766k	\$1.3m	\$621k	\$801k	\$641k	\$332k	\$757k
Roadside Appurtenances	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Streetlights	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
	<b>\$0</b>	<b>\$1.5m</b>	<b>\$940k</b>	<b>\$4.3m</b>	<b>\$2.5m</b>	<b>\$4.6m</b>	<b>\$8.4m</b>	<b>\$3.5m</b>	<b>\$1.2m</b>	<b>\$3.1m</b>	<b>\$1.8m</b>

## Bridges & Culverts

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Bridges	\$0	\$45k	\$195k	\$50k	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Structural Culverts	\$0	\$0	\$80k	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
	<b>\$0</b>	<b>\$45k</b>	<b>\$275k</b>	<b>\$50k</b>	<b>\$0</b>						

## Storm Sewer System

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Catch Basins	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Mains	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Manholes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
	<b>\$0</b>										

**Buildings & Facilities**

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Fire Stations	\$0	\$111k	\$370k	\$508k	\$316k	\$94k	\$83k	\$118k	\$57k	\$205k	\$662k
Historical & Cultural	\$0	\$285k	\$327k	\$60k	\$91k	\$142k	\$0	\$0	\$30k	\$8k	\$35k
Libraries	\$0	\$23k	\$37k	\$15k	\$47k	\$38k	\$5k	\$15k	\$0	\$26k	\$13k
Office Building, Storage & Garage	\$1m	\$340k	\$88k	\$490k	\$13k	\$66k	\$5k	\$0	\$389k	\$0	\$25k
Recreational	\$0	\$140k	\$137k	\$9k	\$474k	\$452k	\$401k	\$72k	\$37k	\$389k	\$132k
	<b>\$1m</b>	<b>\$900k</b>	<b>\$959k</b>	<b>\$1.1m</b>	<b>\$941k</b>	<b>\$793k</b>	<b>\$494k</b>	<b>\$206k</b>	<b>\$513k</b>	<b>\$629k</b>	<b>\$867k</b>

**Parks & Land Improvements**

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Boat Launches	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Docks & Piers	\$0	\$1.1m	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Playground Equipment	\$0	\$0	\$89k	\$267k	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Site Works	\$0	\$40k	\$18k	\$59k	\$0	\$0	\$98k	\$59k	\$0	\$0	\$0
Splashpad	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Trails	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
	<b>\$0</b>	<b>\$1.1m</b>	<b>\$106k</b>	<b>\$326k</b>	<b>\$0</b>	<b>\$0</b>	<b>\$98k</b>	<b>\$59k</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>

**Machinery**

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Fire & Emergency	\$0	\$109k	\$610k	\$19k	\$13k	\$0	\$0	\$0	\$0	\$72k	\$657k
Public Works	\$0	\$0	\$61k	\$0	\$0	\$24k	\$13k	\$0	\$219k	\$29k	\$13k
	<b>\$0</b>	<b>\$109k</b>	<b>\$672k</b>	<b>\$19k</b>	<b>\$13k</b>	<b>\$24k</b>	<b>\$13k</b>	<b>\$0</b>	<b>\$219k</b>	<b>\$101k</b>	<b>\$670k</b>

**Furniture & Fixtures**

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Admin/Corporate	\$0	\$0	\$238k	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Library	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Parks & Recreation	\$0	\$0	\$0	\$0	\$0	\$0	\$86k	\$0	\$0	\$0	\$0
	<b>\$0</b>	<b>\$0</b>	<b>\$238k</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$86k</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>

**Information Technology**

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Computers & Laptops	\$0	\$12k	\$2k	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Security Cameras/Systems	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Servers & Networks	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
	<b>\$0</b>	<b>\$12k</b>	<b>\$2k</b>	<b>\$0</b>							

**Fleet**

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Administrative	\$0	\$60k	\$61k	\$52k	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Fire & Emergency	\$0	\$865k	\$1.4m	\$627k	\$1.0m	\$244k	\$524k	\$135k	\$0	\$0	\$1.4m
Public Works	\$0	\$475k	\$485k	\$536k	\$64k	\$118k	\$1.1m	\$903k	\$0	\$490k	\$132k
	<b>\$0</b>	<b>\$1.4m</b>	<b>\$1.9m</b>	<b>\$1.2m</b>	<b>\$1.1m</b>	<b>\$362k</b>	<b>\$1.6m</b>	<b>\$1.0m</b>	<b>\$0</b>	<b>\$490k</b>	<b>\$1.6m</b>

**Water System**

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Hydrants	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Lateral Lines	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Mains	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Water Meter	\$0	\$0	\$0	\$2k	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Water Tower	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Wells	\$0	\$24k	\$0	\$0	\$0	\$2	\$0	\$110k	\$0	\$5k	\$0
	<b>\$0</b>	<b>\$24k</b>	<b>\$0</b>	<b>\$2k</b>	<b>\$0</b>	<b>\$2</b>	<b>\$0</b>	<b>\$110k</b>	<b>\$0</b>	<b>\$5k</b>	<b>\$0</b>

**Sanitary Sewer System**

Asset Segment	Backlog	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032
Mains	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Manholes	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Pumping Station	\$0	\$0	\$0	\$11k	\$0	\$72k	\$5k	\$5k	\$0	\$0	\$0
	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>\$11k</b>	<b>\$0</b>	<b>\$72k</b>	<b>\$5k</b>	<b>\$5k</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>

# Appendix B: Level of Service Images and Maps

## Images of Bridge in Very Good Condition

LTI14 – Mountain Street Bridge

Inspected: August 6, 2021



North Elevation



South Elevation



Barrel Ends looking north



Barrel Ends looking south

## Images of Culvert in Good Condition

LTI05 – Maple Grove Rd. Pipe Arch  
Inspected: August 8, 2021



Barrel inlet (upstream)



North elevation (deformation at culvert  
obvert)



Looking north through barrel



Barrel outlet (downstream)

## Images of Bridge in Fair Condition

LTI4 – Covey Bridge  
Inspected: August 8, 2021



Deck Soffit & Girders



North Barrier (Thrie Beam)




West Abutment



SW Wingwall

## Stormwater Network Map – Lansdowne



# Appendix C: Risk Rating Criteria

## Probability of Failure

Asset Category	Risk Criteria	Criteria Weighting	Value/Range	Probability of Failure Score	
Road Network (Roads)	Condition	75%	85-100	1	
			70-84	2	
			55-69	3	
			40-54	4	
			0-39	5	
	Service Life Remaining %	20%	80-100	1	
			60-79	2	
			40-59	3	
			20-39	4	
			0-19	5	
	Base Defect	5%	Yes	2	
			No	4	
	Bridges & Culverts	Condition	75	80-100	1
				70-79	2
				60-69	3
50-59				4	
0-49				5	
Service Life Remaining %		25	80-100	1	
			60-79	2	
			40-59	3	
			20-39	4	
			0-19	5	

<b>Asset Category</b>	<b>Risk Criteria</b>	<b>Criteria Weighting</b>	<b>Value/Range</b>	<b>Probability of Failure Score</b>
Storm Sewer System	Condition	100%	80-100	1
Water System (Other)			60-79	2
Sanitary Sewer System			40-59	3
Buildings & Facilities			20-39	4
Machinery & Equipment			0-19	5
Fleet				
Parks & Land Improvements				
Sanitary Sewer System (Mains)	Condition	50%	80-100	1
			60-79	2
			40-59	3
			20-39	4
			0-19	5
	Service Life Remaining %	40%	80-100	1
			60-79	2
			40-59	3
			20-39	4
			0-19	5
Pipe Material	10%	Concrete	4	
		Ductile Iron	3	
		PVC	2	
Water System (Mains)	Condition	50%	80-100	1
			60-79	2
			40-59	3
			20-39	4
			0-19	5
	Service Life Remaining %	40%	80-100	1
60-79			2	

<b>Asset Category</b>	<b>Risk Criteria</b>	<b>Criteria Weighting</b>	<b>Value/Range</b>	<b>Probability of Failure Score</b>
Storm Sewer System (Mains)	Pipe Material	10%	40-59	3
			20-39	4
			0-19	5
			Ductile Iron	3
			PVC	2
	Condition	50%	80-100	1
			60-79	2
			40-59	3
			20-39	4
			0-19	5
	Service Life Remaining %	40%	80-100	1
			60-79	2
			40-59	3
			20-39	4
			0-19	5
Pipe Material	10%	Concrete	4	
		Ductile Iron	3	
		PVC	2	

## Consequence of Failure

Asset Category	Risk Classification	Risk Criteria	Value/Range	Consequence of Failure Score
Road Network (Roads)	Economic (70%)	Replacement Cost (100%)	\$0-\$50,000	1
			\$50,000-\$150,000	2
			\$150,000-\$300,000	3
			\$300,000-\$500,000	4
			\$500,000+	5
	Social (15%)	AADT (80%)	0-50	1
			51-200	2
			201-500	3
			501-1000	4
			1001-2000	5
	Roadside Environment (20%)		Rural	2
			Semi-Urban	3
			Urban	4
	Health & Safety (5%)	Speed Limit (100%)	0-40	1
			50	2
			70	4
			80	5
	Strategic (10%)	Asset Function Risk (100%)	Insignifcant	1
			Minor	2
			Moderate	3
Major			4	
Severe			5	
Bridges & Culverts	Economic		\$0-\$100,000	1

<b>Asset Category</b>	<b>Risk Classification</b>	<b>Risk Criteria</b>	<b>Value/Range</b>	<b>Consequence of Failure Score</b>	
	(75%)	Replacement Cost (100%)	\$100,000-\$250,000	2	
			\$250,000-\$500,000	3	
			\$500,000-\$1,000,000	4	
			\$1,000,000+	5	
	Social (20%)	AADT (100%)	0-150	1	
			151-300	2	
			301-600	3	
			601-1000	4	
			1001-2000	5	
	Strategic (5%)	Asset Function Risk (100%)	Insignifcant	1	
			Minor	2	
			Moderate	3	
			Major	4	
	Buildings & Facilities Machinery & Equipment Fleet Parks & Land Improvements	Economic (90%)	Replacement Cost (100%)	\$0-\$50,000	1
				\$50,000-\$350,000	2
\$350,000-\$1,000,000				3	
\$1,000,000-\$2,000,000				4	
Strategic (10%)		Asset Function Risk (100%)	\$2,000,000+	5	
			Insignifcant	1	
			Minor	2	
			Moderate	3	
			Major	4	
			Severe	5	
Sanitary Sewer System (Mains)	Economic (75%)	Replacement Cost (100%)	\$0-\$50,000	1	
			\$50,000-\$100,000	2	
			\$100,000-\$150,000	3	
			\$150,000-\$250,000	4	
			\$250,000+	5	

<b>Asset Category</b>	<b>Risk Classification</b>	<b>Risk Criteria</b>	<b>Value/Range</b>	<b>Consequence of Failure Score</b>
Water System (Mains)	Strategic (5%)	Asset Function Risk (100%)	Insignifcant	1
			Minor	2
			Moderate	3
			Major	4
			Severe	5
	Operational (20%)	Pipe Diameter (100%)	0-50	1
			51-150	2
			151-250	3
			251-450	4
			451-1000	5
	Economic (75%)	Replacement Cost (100%)	\$0-\$50,000	1
			\$50,000-\$100,000	2
			\$100,000-\$150,000	3
			\$150,000-\$250,000	4
			\$250,000+	5
Operational (20%)	Pipe Diameter (100%)	0-50	1	
		51-150	2	
		151-250	3	
		251-450	4	
		451-1000	5	
Strategic (5%)	Asset Function Risk (100%)	Insignifcant	1	
		Minor	2	
		Moderate	3	
		Major	4	
		Severe	5	
Storm Sewer System (Mains)	Economic (75%)	Replacement Cost (100%)	\$0-\$50,000	1
			\$50,000-\$100,000	2
			\$100,000-\$150,000	3

<b>Asset Category</b>	<b>Risk Classification</b>	<b>Risk Criteria</b>	<b>Value/Range</b>	<b>Consequence of Failure Score</b>
Storm Sewer System Water System Sanitary Sewer System	Operational (20%)	Pipe Diameter (100%)	\$150,000-\$250,000	4
			\$250,000+	5
			0-50	1
			51-150	2
			151-250	3
			251-450	4
			451-1000	5
	Strategic (5%)	Asset Function Risk (100%)	451-1000	5
			Insignifcant	1
			Minor	2
			Moderate	3
	Economic (90%)	Replacement Cost (100%)	Major	4
			Severe	5
			\$0-\$50,000	1
			\$50,000-\$150,000	2
			\$150,000-\$250,000	3
	Strategic (10%)	Asset Function Risk (100%)	\$250,000-\$500,000	4
\$500,000+			5	
Insignifcant			1	
Minor			2	
Moderate			3	
			Major	4
			Severe	5

# Appendix D: Condition Assessment Guidelines

The foundation of good asset management practice is accurate and reliable data on the current condition of infrastructure. Assessing the condition of an asset at a single point in time allows staff to have a better understanding of the probability of asset failure due to deteriorating condition.

Condition data is vital to the development of data-driven asset management strategies. Without accurate and reliable asset data, there may be little confidence in asset management decision-making which can lead to premature asset failure, service disruption and suboptimal investment strategies. To prevent these outcomes, the Township's condition assessment strategy should outline several key considerations, including:

- The role of asset condition data in decision-making
- Guidelines for the collection of asset condition data
- A schedule for how regularly asset condition data should be collected

## Role of Asset Condition Data

The goal of collecting asset condition data is to ensure that data is available to inform maintenance and renewal programs required to meet the desired level of service. Accurate and reliable condition data allows municipal staff to determine the remaining service life of assets, and identify the most cost-effective approach to deterioration, whether it involves extending the life of the asset through remedial efforts or determining that replacement is required to avoid asset failure.

In addition to the optimization of lifecycle management strategies, asset condition data also impacts the Township's risk management and financial strategies. Assessed condition is a key variable in the determination of an asset's probability of failure. With a strong understanding of the probability of failure across the entire asset portfolio, the Township can develop strategies to mitigate both the probability and consequences of asset failure and service disruption. Furthermore, with condition-based determinations of future capital expenditures, the Township can develop long-term financial strategies with higher accuracy and reliability.

## Guidelines for Condition Assessment

Whether completed by external consultants or internal staff, condition assessments should be completed in a structured and repeatable fashion, according to consistent and objective assessment criteria. Without proper guidelines for the completion of condition assessments there can be little confidence in the validity of condition data and asset management strategies based on this data.

Condition assessments must include a quantitative or qualitative assessment of the current condition of the asset, collected according to specified condition rating criteria, in a format that can be used for asset management decision-making. As a result, it is important that staff adequately define the condition rating criteria that should be used and the assets that require a discrete condition rating. When engaging with external consultants to complete condition assessments, it is critical that these details are communicated as part of the contractual terms of the project.

There are many options available to the Township to complete condition assessments. In some cases, external consultants may need to be engaged to complete detailed technical assessments of infrastructure. In other cases, internal staff may have sufficient expertise or training to complete condition assessments.

## Developing a Condition Assessment Schedule

Condition assessments and general data collection can be both time-consuming and resource-intensive. It is not necessarily an effective strategy to collect assessed condition data across the entire asset inventory. Instead, the Township should prioritize the collection of assessed condition data based on the anticipated value of this data in decision-making. The International Infrastructure Management Manual (IIMM) identifies four key criteria to consider when making this determination:

1. **Relevance:** every data item must have a direct influence on the output that is required
2. **Appropriateness:** the volume of data and the frequency of updating should align with the stage in the assets life and the service being provided
3. **Reliability:** the data should be sufficiently accurate, have sufficient spatial coverage and be appropriately complete and current
4. **Affordability:** the data should be affordable to collect and maintain